















PLOTTED/REVISED: 1-MAR-2018

I:\PLOT NAME: 10208-157-JH-10  
 PATH & FILENAME: Projects\DM罗斯0650208\57-Traffic\Lighting\10208-157-11t.dwg



**LEGEND**

-  INPLACE LIGHTING UNIT
-  INPLACE DIRECT BURIED LIGHTING CABLE 4/C 4 AWG
-  LIGHTING UNIT
-  PERMANENT GROUND ROD (25 OHMS OR LESS)
-  DIRECT BURIED LIGHTING CABLE 4/C 4 AWG
-  INPLACE FD. PT. CABINET
-  3" PVC DIRECTIONAL BORED (UNLESS OTHERWISE NOTED)
-  INPLACE CONDUIT
-  LIGHTING UNIT IDENTIFIER
-  RIGHT OF WAY


INPLACE FD. PT. 2H6  
 PAD MOUNTED SERVICE CABINET  
 TYPE RURAL LIGHTING AND FLASHING (RLF)  
 120/240V (METERED)

SOP CONNEXUS ENERGY

FEEDPOINT 2H6  
 LIGHTING UNIT LOCATION AND TYPE

NO.	STATION	LT.	RT.	LOCATION	TYPE	FOUNDATION
1	INPLACE	X		NB TH65	9B-40	INPLACE
2	INPLACE		X	NB TH65	9-40	
3	INPLACE		X	NB TH65	9-40	
4	INPLACE	X		NB TH35E	9B-40	
5	INPLACE	X		NB TH35E	9B-40	
6	INPLACE	X		SB TH65	9-40	INPLACE
7	891+90	X		NB TH65	9-40	E
8	INPLACE	X		SB TH65	9-40	INPLACE

DASHED LINES DENOTE INPLACE ITEMS  
 W DENOTES NEUTRAL CONDUCTOR  
 B AND R DENOTE CURRENT CARRYING CONDUCTORS  
 FD. PT. 2H6  
 240/480 VOLT



LIGHTING SYSTEM "A"

BY	DATE	REVISIONS

FEEDPOINT: 2H6      LOCATION: 169TH AVE NE  
 METER ADDRESS: 16875 HWY 65 NE, HAM LAKE, MN 55304

CERTIFIED BY *Michael P. Dubinsky* LIC. NO. 19863 DATE: 1-MAR-2018  
LICENSED PROFESSIONAL ENGINEER

**LIGHTING PLAN**

STATE PROJ.NO. 0208-157 (T.H. 65) SHEET NO. SL8 OF SL11 SHEETS