



MFLEAT
(ROAD SYSTEMS INC.)

NOTES:

THIS IS A PROPRIETARY ITEM AS PER SPEC. 1703.

THESE DETAILS ARE FOR DESIGN GUIDANCE INFORMATION ONLY. CHECK WITH MANUFACTURER FOR CURRENT DETAILS AND INSTALLATION INSTRUCTIONS.

ALL TERMINAL RAIL MUST BE STRAIGHT. CURVED TERMINAL RAIL IS NOT ALLOWED.

ALL BOLTS, NUTS, CABLE ASSEMBLIES, CABLE ANCHORS, AND BEARING PLATES SHALL BE GALVANIZED PER MNDOT SPEC. 3392.

POSTS 1 - 3 ARE PROPRIETARY HINGED POSTS.

THE RAIL IS DESIGNED TO EXIT THE IMPACT HEAD ON THE TRAFFIC SIDE OF THE TERMINAL.

PLACE STEEL I-BEAM POST DELINEATORS PER THE APPROVED PRODUCTS LIST ON THE TOP OF THE FIRST FIVE I-BEAM POSTS OF UPSTREAM TERMINAL AND THE LAST FIVE I-BEAM POSTS OF DOWNSTREAM TERMINAL. ATTACH USING ADHESIVE (PER MANUFACTURER RECOMMENDATION). THE RETROREFLECTIVE SHEETING SHALL FACE TRAFFIC AND MATCH THE COLOR OF THE ADJACENT EDGE LINE.

- ① MEASURED TO THE FACE OF RAIL AT POST 1.
- ② SEE STANDARD PLAN 5-297.601.
- ③ 8" BLOCKOUTS ARE ACCEPTABLE.
- ④ 18" X 18" OBJECT MARKER (OM3-R OR OM3-L) PER MNDOT STANDARD SIGNS AND MARKINGS MANUAL. ALTERNATING STRIPES SHALL BE SLOPED DOWN TOWARD THE SIDE ON WHICH TRAFFIC IS TO PASS THE OBSTRUCTION.

LEAD EXPERT OFFICE
NANCY YOO
DESIGN SUPPORT DIRECTOR
OFFICE OF PROJECT MANAGEMENT & TECHNICAL SUPPORT

PROPRIETARY END TERMINAL - FLARED
FOR TYPE 31 GUARDRAIL

APPROVED: 11-02-2021
REVISED:

Thomas Styrbicki
THOMAS STYRBICKI
STATE DESIGN ENGINEER

STANDARD PLAN
5-297.613

1 OF 1



STANDARD PLAN

STATE PROJ. NO.

SHEET NO.

TRUNK HWY.

TOTAL SHEETS