

A

- A Guide for Reducing Collisions Involving Pedestrians 1A-13
- AADT. see Average Annual Daily Traffic 1A-14
 - defined 1A-14
- AASHO. See American Association of State and Highway Officials
- AASHTO 4D-47
 - Roadside Design Guide 4D-47
 - sign Guide" (see Section 1A.11) and to the "Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities 4D-47
- "AASHTO Guide for Development of Bicycle Facilities" 9A-1
- AASHTO. See American Association of State Highway and Transportation Officials
- Abbreviations
 - acceptable 1A-28
 - on freeway and expressway guide signs 2E-12
 - on traffic control devices 1A-26 to 1A-30
 - unacceptable 1A-30
 - used with a prompt word 1A-29
 - on word message signs 2A-10
- Accessibility
 - "The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG)" 1A-13
 - temporary traffic control considerations 6D-3
- Accessible Pedestrian Signal
 - defined 1A-14
 - detectors 4E-7
 - flashing operation of 4D-44
 - preemption 4D-41
- Accessible Pedestrian Signal Detector
 - defined 1A-14
- "Accessible Pedestrian Signals-A Guide to Best Practices (NCHRP Web-Only Document 117A)" 1A-13
- Acknowledgment signs 2H-8
- Active Grade Crossing Warning Systems
 - defined 1A-14
- Activity areas
 - for temporary traffic control zones 6C-4
- Actuated Operation
 - defined 1A-14
- Actuation
 - defined 1A-14
- Acute angle intersections
 - sign location 2A-15
- ADA. See Americans with Disabilities Act
- Added Lane signs 2C-25
- Addresses
 - American Association of State Highway and ii
 - American Railway Engineering and Maintenance-of-Way Association ii
 - Federal Highway Administration (FHWA) 1A-13
 - FHWA Office of Transportation Operations ii
 - FHWA Report Center ii
 - government Printing Office ii
 - Illuminating Engineering Society ii
 - Institute of Makers of Explosives ii
 - Institute of Transportation Engineers ii
 - Mn/DOT
 - Map and Manual Sales Unit i, ii
 - Office of Traffic, Security, and Operations ii
 - National Committee on Uniform Traffic Laws and Ordinances ii
 - State Traffic Standards Engineer 1A-5
 - Transportation Research Board ii
- Adjacent to roadway object markers 2C-36
- ADT
 - defined 1A-15
- Adult crossing guards
 - school crossing supervision 7D-1
- Advance Crossing Assembly 7B-5
 - AHEAD plaque with 7B-5
- Advance Guide signs
 - amount of legend 2E-3
 - at interchanges 2E-32, 2E-37
 - letter size 2E-6, 2E-8, 2E-9, 2E-10, 2E-11
 - Next Exit supplemental sign 2E-38
 - placement 2E-37
- Advance Intersection Lane Control Signs 2B-22
- Advance Preemption
 - defined 1A-14
- Advance Preemption Time
 - defined 1A-14
- Advance ramp control sign 2C-23
- Advance Route Turn Assembly 2D-18
- Advance signs
 - specific service 2K-3, 2K-4
 - for temporary traffic control signals 4D-46
 - tourist-oriented directional signs 2K-2, 2K-3, 2K-4
- Advance speed hump markings 3B-46, 3B-48, 3B-49
- Advance Street Name plaques 2C-32
- Advance Street Name signs 2D-28
- Advance Traffic Control signs 2C-23
- Advance Turn Arrow Auxiliary signs 2D-11
- Advance Turn Arrow signs (M5 series) 9B-16
- Advance warning areas
 - for temporary traffic control zones 6C-2
- Advance warning flasher 4O-1
- Advance warning signs
 - positioning for temporary traffic control 2C-1, 6F-12
 - school areas 7B-3, 7B-6

INDEX

- Advertisements
 - authority for placement 1A-3
 - restriction concerning traffic control devices 1A-1
- Advisory exit/ramp speed sign 2C-13
- Advisory Speed
 - defined 1A-14
 - Grade Crossing Advance Warning 5F-1
 - plaques 2C-6, 5C-3
- Advisory Speed plaques 5C-3, 6F-23
- AHEAD plaque (W'16-9P) 7B-5
- ALL AMERICAN ROAD signs 2D-45
- All Terrain Trail sign 2M-2
- ALL word message 2B-22
- ALL YEAR plaque (S4-7P) 7B-3
- Alley
 - defined 1A-14
- Alphabets. See also Letters
 - "Standard Highway Signs and Markings", FHWA 2A-2
 - "Standard Signs Manual", Mn/DOT 2A-2
- Altered Speed Zone
 - defined 1A-14
- ALTERNATE Auxiliary Signs 2D-10
- Alternative Fuel Compressed Natural Gas sign 2I-3
- Alternative Fuel Ethanol sign 2I-3
- Alternative Routes
 - auxiliary signs for 2D-10
- Ambulance Station plaque 2I-3
- American Association of State and Highway Officials
 - "The AASHTO Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways" 2E-39
 - "Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways" 2E-39
- American Association of State Highway and Transportation Officials
 - "AASHTO Guide for Planning, Design, and Operation of Bicycle Facilities" 9A-1
 - "The AASHTO Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways" 2E-39
 - address ii
 - "Establishment and Development of United States Numbered Highways" 2D-6
 - "Establishment of a Marking System of the Routes Comprising the National System of Interstate and Defense Highways" 2D-6
 - "Guide for the Development of Bicycle Facilities" 1A-12
 - "Guide for the Planning, Design, and Operation of Pedestrian Facilities" 1A-12
 - "Guide to Metric Conversion" 1A-12
 - "Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways" 1A-12
 - manual for rural highways iii
 - numbered highway systems 2D-6
 - "A Policy on Geometric Design of Highway and Streets" 1A-12
 - "A Policy on Geometric Design of Highways and Streets" 6C-8
 - "Roadside Design Guide" 1A-12, 6F-48, 6F-49, 6F-52
 - "Standard Specifications for Movable Highway Bridges" 1A-12
 - "Traffic Engineering Metric Conversion Folders- Addendum to the Guide to Metric Conversion" 1A-12
- American Association of State Highway and transportation Officials (AASHTO) 2A-19
 - "Specifications for Structural Supports for Highway Signs, Luminaires, and Traffic Signals" 2A-19
- American Automobile Association
 - "Policies and Practices for School Safety Patrols" 7D-1
- American Automobile Association- AAA 1A-12
 - "AAA School Safety Patrol Operations Manual," 1A-12
- "American National Standard for High-Visibility Public Safety Vests" 1A-12
- "American National Standard for High-Visibility Safety Apparel" 1A-12
- American Railway Engineering & Maintenance-of-Way Association (AREMA)
 - address ii
- American Railway Engineering & Maintenance-of-Way Association (AREMA) 1A-12
 - "2009 AREMA Communications & Signals Manual" 1A-12
- "Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG)" 4D-47
- "The Americans with Disabilities Act Accessibility Guidelines for Building and Facilities (ADAAG)" 6A-1, 6F-7
- "The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG)" 1A-13
- America's Missing: Broadcast Emergency Response (AMBER alert) 2L-1
- Amphitheater sign 2M-2
- Announcements
 - authority for placement 1A-3
- ANSI. See American National Standards Institute
- Approach markings
 - for obstructions 3B-26, 3B-28, 3B-29
- Approach roadways
 - for freeways and expressways 2E-57
- Approaches
 - defined 1A-14
- Archery sign 2M-2

- AREA CLOSED Sign 2N-2
 - AREMA. See American Railway Engineering & Maintenance-of-Way Association
 - Arrow boards
 - alternating diamond caution in 6F-30
 - color of 6F-30
 - dimming of 6F-30
 - elements of 6F-30
 - flashing arrow in 6F-30
 - flashing caution in 6F-30
 - flashing double arrow in 6F-30
 - legibility distance of 6F-28
 - modes of 6F-30
 - sequential arrow in 6F-30
 - sequential chevron in 6F-30
 - size of 6F-28
 - temporary traffic control of 6F-28
 - Arrow Markings 7C-1
 - school areas 7C-1
 - Arrows 1A-16
 - Advance Turn Arrow Auxiliary signs 2D-11
 - on conventional road guide signs 2D-5
 - Detour Arrow 6F-25
 - Directional Arrow Auxiliary signs 2D-12
 - Double Arrow signs 2C-18
 - DOWNWARD GREEN ARROW signal s 4M-1
 - Dual-Arrow Signal Section 1A-16
 - EVACUATION ROUTE signs 2N-2
 - GREEN ARROW signal 4D-5 to 4D-46
 - for interchange guide signs 2E-13
 - lane reduction markings 3B-44
 - lane use markings 3B-44
 - Large Arrow signs 2C-12
 - One-Direction Large Arrow signs 2C-12
 - one-way left turn 4M-1 to 4M-3
 - panels 6F-28
 - parking restriction zones 2B-47
 - pavement markings 3B-38, 3B-40, 3B-43
 - RED ARROW signals 4D-3, 4D-5 to 4D-46
 - standing restriction zones 2B-48
 - stopping restriction zones 2B-48
 - supplemental plaques 2C-32
 - Two-Direction Large Arrow signs 2C-27
 - two-way left turn 4M-1 to 4M-3
 - wrong way markings 3B-44
 - wrong-way 1A-26
 - YELLOW ARROW signal 4D-3, 4D-5
 - Arterial Highways or Streets
 - defined 1A-14
 - Assemblies. See Sign Assemblies
 - ATSSA. See American Traffic Safety Services Association
 - Attended Lane
 - defined 1A-14
 - Attraction signs 2J-1
 - ATTRACTION logo panel 2J-1
 - Auto Tour Route signs 2H-7
 - Automatic gates
 - for highway-rail grade crossings 8C-1, 8C-2, 8C-4
 - Automatic Lane
 - defined 1A-14
 - Auxiliary signs
 - Advance Turn Arrow 2D-11
 - ALTERNATE 2D-10
 - for alternative routes 2D-10
 - BUSINESS 2D-10
 - BY-PASS 2D-10
 - Cardinal Direction 2D-9, 2D-20, 2D-21
 - Combination Junction 2D-9
 - design of 2D-8
 - Directional Arrow 2D-12
 - END 2D-11
 - Junction 2D-9
 - lane designation 2D-12
 - TEMPORARY 2D-11
 - temporary detour 2D-11
 - TO 2D-10
 - TRUCK 2D-10
 - Average Annual Daily Traffic
 - defined 1A-14
 - Average Daily Traffic
 - defined 1A-15
 - Average Day
 - defined 1A-15
 - Average Speed
 - defined 1A-24
 - AXLE WEIGHT LIMIT signs 2B-55
-
- ## B
- Baby Changing Station sign 2M-2
 - Barricades. See also Markings 5C-4
 - direction indicator 6F-38
 - longitudinal channelizing 6F-39
 - low-volume road 5C-4
 - for temporary traffic control 6F-37, 6F-47
 - type I, II, or III 6F-37
 - Barriers
 - temporary 6F-47
 - Barrier-Separated Lane
 - defined 1A-15
 - Barrier-separated preferential lanes
 - non-reversible 3D-2
 - reversible 3D-2
 - Baseball sign 2M-2
 - BE PREPARED TO STOP signs 2C-23, 6F-22
 - Beach sign 2M-2

INDEX

- Beacon 4G-1
 - emergency vehicle hybrid 4G-1
 - hybrid 4G-1
 - pedestrian hybrid 4F-1
 - toll plaza warning 4K-1
- Beacons
 - defined 1A-15
 - emergency vehicle hybrid 1A-17
 - flashing 2B-25
 - hybrid 1A-18
 - intersection control 1A-18
 - pedestrian hybrid 1A-21
 - for reversible lane control 2B-25
 - use with BE PREPARED TO STOP signs 2C-23
- Bear Viewing Area sign 2M-2
- Begin Auxiliary sign 2D-11
- BEGIN HIGHER FINES sign (R2-10)
 - school 7B-5
- BEGIN HIGHER FINES ZONE sign (R2-10) 6F-10
- BEGIN plaque 2B-23
- BEGIN RIGHT TURN LANE YIELD TO BIKES sign 9B-5
- Bicycle
 - signal operations for 9D-1
- Bicycle Crossing Warning signs 9B-9
- Bicycle Detector Symbol 9C-5
- Bicycle Facilities 1A-15
 - defined 1A-15
 - guide for development of 9A-1
 - "Guide for the Development of Bicycle Facilities" 1A-12
 - No Bicycles signs 2B-34
 - pavement markings for paths 3B-41
 - SHARE THE ROAD plaques 2C-33
 - shared-use paths 1A-23
 - traffic control for 9A-1
 - warning color code 1A-13
- Bicycle Guide signs 9B-10
- Bicycle lane
 - bike symbol markings for 9C-1
 - markings for 9C-1
 - not provided on roundabout 9C-4
 - pavement markings for 9C-1
 - preferential lane markings for 3D-1
 - word legend markings for 9C-3
- Bicycle Lanes
 - defined 1A-15
- Bicycles May Use Full Lane sign (R4-11) 9B-5
- Bicycle Parking Area signs 9B-16
- Bicycle path. See also Shared-use paths
- Bicycle Prohibition signs 9B-6
- Bicycle Regulatory signs 9B-6
- Bicycle Route Auxiliary plaques 9B-15
- Bicycle Route Guide signs 9B-10, 9B-12
- Bicycle Route markers 9B-15
- Bicycle Route sign (M1-8) 9B-15
- Bicycle Signal Actuation signs 9B-7
- Bicycle Surface Condition Warning signs 9B-9
- Bicycle Traffic Control 9A-1
 - colors for 9A-1
 - documents related to 9A-1
 - government design guidelines related to 9A-1
 - guidance in manual for 9A-1
 - maintenance for 9A-1
 - markings for 9C-1
 - options in manual for 9A-1
 - placement authority for 9A-1
 - requirements for 9A-1
 - scope 9A-1
 - signals for 9D-1
 - signs for 9B-1
 - standard in manual for 9A-1
 - support in manual for 9A-1
 - "The Uniform Vehicle Code and Model Traffic Ordinance" 9A-1
- Bicycle Traffic Control markings
 - bicycle detector symbol 9C-5
 - bicycle lane 9C-1
 - bicycle lane pavement markings 9C-1
 - color with 9C-1
 - functions of 9C-1
 - pavement marking for obstructions 9C-5
 - principles of 9C-1
 - retroreflection with 9C-1
 - shared lane marking 9C-5
 - shared-use path patterns/colors with 9C-1
- Bicycle Traffic Control signs
 - advance turn arrow signs 9B-15
 - alternate route signs 9B-15
 - application 9B-1
 - BEGIN RIGHT TURN LANE YIELD TO BIKES signs 9B-5
 - bicycle lane signs 9B-4
 - bicycle parking area sign 9B-16
 - bicycle route sign auxiliary plaques 9B-15
 - bicycle route signs 9B-12
 - bicycle signal actuation signs 9B-7
 - bicycle surface condition warning sign 9B-9
 - bicycle warning sign 9B-9
 - bicycle WRONG WAY signs 9B-5
 - bicycle/pedestrian sign 9B-9
 - bicycles may use full lane sign 9B-5
 - bike lane plaques 9B-4
 - bike lane signs 9B-4
 - BUMP sign 9B-9
 - cardinal direction signs 9B-15
 - curve warning sign 9B-8
 - definitions of terms 9A-1
 - design of 9B-1

- DIP sign 9B-9
- directional arrow signs 9B-16
- guide signs 9B-10
- Hill sign 9B-10
- intersection warning sign 9B-8
- Interstate Bicycle Route signs 9B-15
- junction sign 9B-15
- mode-specific guide signs for shared use paths 9B-17
- no bicycles sign 9B-6
- NO MOTOR VEHICLES signs 9B-5
- no parking bicycle lane sign 9B-6
- object marker 9B-18
- path narrows sign 9B-10
- pavement ends sign 9B-9
- placement of 9A-1
- placement of signs 9B-1
- reference location signs 9B-16
- regulatory signs 9B-6
- RIDE WITH TRAFFIC plaque 9B-5
- route signs 9B-15
- SHARE THE ROAD plaque 9B-10
- shared-use path sign 9B-7
- signs 9B-1
- size of 9B-1
- STOP signs 9B-4
- turn or curve warning sign 9B-8
- U.S. bicycle route sign 9B-15
- warning signs 9B-9, 9B-10
- YIELD signs 9B-4
- Bicycle Warning sign (W11-1) 9B-9
- Bicycle Warning signs 1A-13
 - color code 1A-13
- Bicycle Wrong Way sign (R5-1b) 9B-5
- Bicycle/Pedestrian sign 9B-9
- Bicycles
 - defined 1A-15
- Bike Lane plaque (R3-17aP) 9B-4
- Bike Lane sign (R3-17) 9B-4
- Bike lanes
 - No Bicyclers signs 9B-6
 - No Equestrians signs 9B-6
 - No Pedestrians signs 9B-6
 - No Skaters signs 9B-6
 - pavement markings for 9C-1, 9C-7, 9C-8, 9C-9, 9C-10
 - plaques 9B-4
 - signs for 9B-4
- Bikeway
 - defined 1A-15
 - markings 9C-1
- Black
 - meaning for traffic control devices 1A-13
- BLASTING ZONE AHEAD signs 6F-18
- Blasting zones
 - signs for 6F-18
- Blue
 - meaning for traffic control devices 1A-13
- Boat Motor sign 2M-2
- Boat Ramp sign 2M-2
- Borders
 - for freeway and expressway guide signs 2E-12
 - for signs 2A-11
- Boundary signs
 - letter size 2E-11
- BRIDGE CLOSED - LOCAL TRAFFIC ONLY signs 2B-1, 2B-54
- BRIDGE CLOSED signs 2B-54
- BRIDGE ICES BEFORE ROAD Sign 2C-21
- BRIDGE SPEED LIMIT 2B-16
- Bridges
 - Bridge Closed signs 2B-54
 - BRIDGE OUT word message 2B-54
 - BRIDGE SPEED LIMIT signs 2B-16
 - movable 1A-12, 4J-1
 - NARROW BRIDGE signs 2C-17, 5C-2
 - ONE LANE BRIDGE signs 2C-17, 5C-2
 - resistance gates 4J-2
 - signs 2C-27
 - traffic control signals for one-lane, two-way facilities 4H-1
 - TRUCKS MUST NOT MEET ON BRIDGE sign s 2B-56
 - VEHICLES MUST NOT MEET ON BRIDGE sign s 2B-56
 - warning gates 4J-2
 - weight, width and height restriction signs 2B-56
- Broken lines
 - dimensions 3A-3
 - lane line markings 3B-14
 - raised pavement markers used to substitute for 3B-31
- Brown
 - meaning for traffic control devices 1A-13
- Buffer 1A-15
 - defined 1A-15
- Buffer spaces
 - tapers with 6C-5
 - for temporary traffic control zones 6C-4
- Buffer-separated preferential lanes
 - left-hand side 3D-2
 - right-hand side 3D-2
- BUMP AHEAD signs 2C-20
- BUMP signs 2C-19, 6F-22, 9B-9
- BUMPS signs 2C-20
- Bus Stop sign 2M-2
- BUS STOP signs
 - parking prohibition 2B-47
- BUSINESS Auxiliary Sign 2D-10
- BY-PASS auxiliary sign 2D-10

INDEX

C

- Campfires sign 2M-2
- Camping sign 2I-3
- Camping signs 2I-4, 2I-7
 - CAMPING logo panel 2J-1
- Canoeing sign 2M-2
- Cans or Bottles sign 2M-2
- Cantilevered Signal Structure
 - defined 1A-15
- Cardinal direction
 - abbreviation of 2E-12
- Cardinal Direction Auxiliary signs 2D-9, 2D-21
- Carpool Information signs 2I-13
- Carpool symbol
 - on PARK & RIDE signs 2D-37
- CENTER LANE CLOSED AHEAD signs 6F-14
- Center Line Markings
 - defined 1A-15
 - for shared-use paths 9C-3
 - legislative requirements for stripes A1-2
 - for low-volume roads 5E-1
 - use of 3B-1
- Central values
 - for colors 1A-13
- Chain-Up Area signs 2I-11
- Chair Lift/Ski Lift sign 2M-2
- Change intervals
 - yellow 4D-39
- Change, Request for 1A-8
- "Changeable Message Sign Operation and Messaging Handbook (FHWA-OP-03-070)" 1A-12
- Changeable Message Signs. See also Word message signs 2L-1
 - Amber alert with 2L-1
 - applications of 2L-1
 - color requirements 2E-2
 - colors used with 2L-3
 - defined 1A-15
 - description of 2L-1
 - design characteristics 2L-2
 - installation of permanent 2L-5
 - legibility of 2L-2
 - letter size 2E-11
 - message length with 2L-3
 - Portable 6F-25
 - for temporary traffic control 6F-25
 - units of information 2L-3
 - visibility of 2L-2
- Changeable message signs. See also Word message signs
 - for turn prohibition during certain time periods 2B-19
- Channel 9 Monitored signs 2I-13
- Channelized intersections
 - sign location 2A-15
- Channelizing devices. See also Markings
 - barricades for 6F-37
 - cones for 6F-34
 - designs of 6F-31
 - directional indicator barricade for 6F-38
 - drums for 6F-36
 - island with 3I-1
 - longitudinal 6F-39
 - retroreflection with 3H-1
 - surface-mounted delineators for 6F-35
 - temporary lane separators for 6F-39
 - temporary traffic barriers for 6F-38
 - for temporary traffic control 5G-2
 - temporary traffic control with 6F-31
 - temporary traffic control zones with 5G-1
 - tubular markers for 6F-35
 - use of 3H-1
 - vertical panels for 6F-36
 - warning lights with 6F-31
 - weighted channelizers for 6F-36
- Channelizing Line Markings
 - defined 1A-15
 - for exit ramps 3B-10, 3B-11, 3B-22
 - white 3B-22 to 3B-23, 3B-28, 3B-29
- CHEMICAL SHELTER signs 2N-5
- Chevron markings 3B-22
- CIRCULAR GREEN signals 4D-2, 4D-5
- Circular intersection warning sign 2C-27, 5C-1
- Circular Intersections
 - defined 1A-15
- CIRCULAR RED signals 4D-3, 4D-4
 - meaning of 4D-3
- CIRCULAR YELLOW signals 4D-2, 4D-4
 - meaning of 4D-3
- Circulatory Roadway. See also Roundabouts
 - bicycle lane not provided on 9C-4
 - defined 1A-15
- Circumferential routes
 - interchange exit numbering 2E-33
- Clear Storage Distance 1A-15
 - defined 1A-15
- Clear Zones
 - defined 1A-15, 2A-13
- Clearance intervals
 - red clearance 4D-39
- Clearance times
- Clearances
 - Low Clearance signs 2C-19
 - Low Ground Clearance Highway- Rail Grade Crossing signs 8B-15

- Climbing sign 2M-2
- Closely-spaced interchanges 2E-44, 2E-53
- Closure Notice sign 6F-24
- Cloverleaf interchanges
 - with collector-distributor roadways 2E-49, 2E-51
 - diagrammatic signs 2E-23
 - full 2E-50
 - guide sign application 2E-49
 - partial 2E-49, 2E-52
- Collector Highway
 - defined 1A-15
- Collector-Distributor Roadways
 - cloverleaf interchange with 2E-49, 2E-51
- Color
 - bicycle traffic control 9A-1
 - bicycle traffic control markings 9C-1
 - changeable message signs 2L-3
 - color codes 9A-1
 - community wayfinding sign 2D-37
 - pavement markings on shared-use paths 9C-1, 9C-2, 9C-3
 - street name signs 2D-27
 - toll road sign background 2F-2
- "Color Specifications for Retroreflective Sign and Pavement Marking Materials" 1A-12
- Colored pavements 3G-1
- Colors. See also Design
 - arrow board 6F-28
 - central values 1A-13
 - for channelizing devices 3H-1
 - color codes 1A-13
 - "Color Specifications for Retroreflective Sign and Pavement Marking Materials" 1A-12
 - cones 6F-34
 - for conventional road guide signs 2D-1
 - of delineators 3F-1
 - for freeway and expressway guide signs 2E-2
 - lane-use control signal faces 4M-2
 - of longitudinal pavement markings 3A-2
 - for marking islands 3I-1
 - for markings 3A-2
 - portable changeable message sign 6F-26
 - raised pavement markers 3B-30
 - rumble strips 6F-52
 - for school warning signs 7B-1
 - for signs 2A-5, 2A-9
 - signs for temporary traffic control 6F-1
 - tolerance limits 1A-13
- Combination Horizontal Alignment/advisory exit/ramp speed sign 2C-14
- Combination Horizontal Alignment/advisory speed sign 2C-11
- Combination Horizontal Alignment/Intersection signs 2C-12
- Combination Junction signs 2D-9
- Combination Lane-Use/Destination Overhead Guide Sign 2D-19
- COMMERCIAL VEHICLES EXCLUDED signs 2B-34
- Community Interchanges Identification signs 2E-45
- Community Wayfinding signs 2D-37
 - color coding with 2D-41
 - enhancement markers with 2D-39
 - expressway/freeway 2D-40
 - lettering with 2D-42
 - pictograph used with 2D-43
- Concurrent Flow Preferential Lanes
 - defined 1A-15
- Conditional Use, Request for 1A-10
- Cones, traffic
 - retroreflectivity of 6F-34
 - for temporary traffic control 6F-34
- Confirming assembly 2D-20
- Conflict Monitor
 - defined 1A-16
- Congressional legislation A1-1
- Connecting roadways
 - for freeways and expressways 2E-57
- Constant Warning Time Detection
 - defined 1A-16
- Contiguous Lane
 - defined 1A-16
- Contiguous preferential lanes
 - left-hand side 3D-2
 - right-hand side 3D-7
- Contractors
 - placement of temporary traffic control devices 1A-3
- Control cities
 - on destination legends 2E-5
 - on Distance signs 2D-26
- Controller Assembly
 - defined 1A-16
- Controller Unit
 - defined 1A-16
- Conventional road 2M-5
 - recreational and cultural interest area signs for 2M-5
- Conventional road guide signs 2D-1
 - advance route turn assembly 2D-18
 - advance street name sign 2D-28
 - alternate auxiliary signs 2D-10
 - amount of legend with 2D-5
 - application 2D-1
 - arrows for use on 2D-5
 - auxiliary signs 2D-7
 - cardinal direction auxiliary signs 2D-9
 - climbing lane 2D-43
 - color with 2D-1
 - combination junction sign 2D-9
 - combination lane-use/destination overhead guide sign ... 2D-19
 - community wayfinding 2D-37

INDEX

- confirming/reassurance assembly 2D-20
- crossover 2D-44
- destination and distance signs 2D-21
- directional assembly 2D-19
- freeway entrance 2D-36
- illumination of 2D-1
- junction assembly 2D-13
- junction auxiliary sign 2D-9
- lettering style with 2D-3
- named highways 2D-44
- national scenic byway 2D-45
- numbering system for 2D-6
- PARK - RIDE 2D-36
- parking area guide 2D-36
- passing lane 2D-43
- retroreflection of 2D-1
- route sign design 2D-7
- route signs 2D-7, 2D-12
- scope of 2D-6
- size of 2D-1
- size of lettering 2D-4
- slow vehicle turn out 2D-43
- street name signs 2D-27
- trailblazer assembly 2D-21
- truck lane 2D-43
- weigh station 2D-37
- Conventional Roads. See also Guide signs, conventional roads
 - defined 1A-16
 - warning sign size 2C-6
- Coordinated signal system analysis
 - signal warrant 4C-1, 4C-10
- Coral
 - meaning for traffic control devices 1A-13
- Corral sign 2M-2
- Countdown pedestrian signals 4E-5
- Counter-Flow Lane
 - defined 1A-16
- County Route signs
 - design of 2D-8
- Crash cushions
 - in temporary traffic control zones 6F-52
- Crash experience analysis
 - signal warrant 4C-1, 4C-10
- Crashworthy
 - defined 1A-16
- CREW WORKING AHEAD signs 6F-17
- Cross Country Skiing sign 2M-2
- CROSS ONLY AT CROSSWALKS signs 2B-49
 - sign location 2A-17
- CROSS ONLY ON GREEN sign 2B-50
- CROSS ONLY ON SIGNAL sign 2B-50
- Cross Road signs 2C-12, 2C-27
- Crossings. See School crossings
- Crossovers
 - PEDESTRIAN CROSSWALK signs 6F-11
 - temporary traffic control zones with 6G-14
 - TTC with freeway median 6J-4, 6J-5
 - TTC with median, entrance ramp 6J-24
 - TTC with median, exit ramp 6J-7
- Crossroads, minor
 - sign location 2A-15
- Crosswalk Lines
 - defined 1A-16
 - use of 3B-34, 3B-36
- CROSSWALK STOP ON RED sign 4F-3
 - pedestrian hybrid beacon with 4F-3
- Crosswalk. see also Pedestrian crosswalk signs 5E-1
 - low-volume roads with 5E-1
- Crosswalks
 - CROSS ONLY AT CROSSWALKS sign 2B-49
 - defined 1A-16
 - in-roadway warning lights 4N-1
 - markings 3B-34
 - PEDESTRIAN CROSSWALK signs 6F-11
 - pedestrian signal indications 4E-2
 - roundabout markings 3C-15
 - school area markings 7C-1
 - School Crosswalk Warning assembly 7B-6
 - sign location 2A-17
- Cul-de-sacs
 - DEAD END signs 2C-18
- Cultural interest area
 - color code 1A-13
- Cultural Interest Area sign 2M-2
- Cultural Interest signs
 - application 2M-1
 - by category 2M-2
 - design requirements 2M-1
 - educational plaques 2M-3
 - placement 2M-4
 - prohibitive slash, use of 2M-4
 - symbol sizes 2M-3
 - symbols installed beneath 2M-13
- Culverts. See also Bridges
 - NARROW BRIDGE signs 2C-17
 - ONE LANE BRIDGE signs 2C-17
- Curb Markings. See also Markings
- Curve signs 2C-12
- Curves
 - Double Reverse Curve signs 6F-20
 - spacing of delineators 3F-2, 3F-3, 3F-4
 - warning signs 9B-8
- Cycle Length
 - defined 1A-16

D

D1 Series. see Destination signs

D2 Series. see Distance signs

D3 signs. see Street Name signs

D3-1 sign. see Street Name signs

D3-2 sign. see Advance Street Name signs

D4-1 sign. see Parking Area signs

D4-2 sign. see Park & Ride signs

D4-3 sign. see Bicycle Parking Area signs

D5 Series. see Rest Area signs

D6 Series. see Scenic Area signs

D6-4, 4a signs. see National Scenic Byways signs

D8 Series. see Weigh Station signs

D9 Series. see General Service signs

D9-6 sign. see International Symbol of Accessibility for the Disabled signs

D9-12 sign. see Recreational Vehicle Sanitary Station signs

D9-13 sign. see Emergency Medical Services signs

D10-1A - 3A signs. see Intermediate Reference Location signs

D10-1-3 signs. see Reference posts

D10-4 - 5 signs. see Enhanced Reference Location signs

D11-1 sign. see Bicycle Route Guide signs

D12-1 sign. see Radio-Weather Information signs

D12-3 sign. see Channel 9 Monitored signs

D12-4 sign. see Emergency Dial XXX signs

D13 Series. see Crossover signs

Dam sign 2M-2

Dark Mode
defined 1A-16

DEAD END plaques

DEAD END signs
for low-volume roads 5C-4
use of 2C-18

DECONTAMINATION CENTER signs 2N-4

Dedication signs 2M-12

Deer Viewing Area sign 2M-2

Deer-Vehicle Crash Countermeasure Toolbox: A Decision and Choice Resource 1A-13

Defense highways
"Establishment of a Marking System of the Routes Comprising the National System of Interstate and Defense Highways" 2D-6

Definitions
applicable to signs 2A-1
bicycle facility terms 9A-1
highway-rail grade crossing terms 8A-1
of terms 1A-14 to 1A-18

Delineators. See also Markings
application 3F-1
color 3F-1
defined 1A-16
design 3F-1
on islands 3I-1
for low-volume roads 5E-1
placement 3F-3
post mounted 6F-44
retroreflection 3F-1
spacing 3F-3
surface mounted 6F-35
for temporary traffic control 6F-44
truck escape ramp 3F-3
use of 3F-1

Department of Transportation and Related Agencies
Appropriations Act A1-1

Design
"Designing Sidewalks and Trails for Access-Part 2-Best Practices Design Guide" 1A-12
of bicycle signs 9B-1
of delineators 3F-1
of devices 1A-1
of diagrammatic signs 2E-19
of emergency management signs 2N-1
of emergency vehicle traffic control signals 4G-1
of guide signs, freeways and expressways 2E-2
of lane-use control signals 4M-1
of movable bridge traffic control signals and gates 4J-1
of specific service 2K-1
of parking prohibition signs 2B-47
of pedestrian signal indications 4E-2
of recreational and cultural interest area signs 2M-1
of regulatory signs 2B-1, 6F-7
of route sign auxiliaries 2D-8
of route signs 2D-7
of signs 2A-2
of standing prohibition signs 2B-47
of STOP signs 2B-8
of stopping prohibition signs 2B-47
of supplemental warning plaques 2C-31
of tourist-oriented directional signs 2K-1
of traffic control devices for low-volume roads 5A-1
of traffic control signals for divided highways 4P-1
of traffic control signals for freeway entrance ramps 4I-1
of traffic control signals for one-lane, two-way facilities 4H-1
of warning signs 2C-1

Design Speed
defined 1A-24

Design Vehicle
defined 1A-16

INDEX

- Designated Bicycle Route
 - defined 1A-16
- "Designing Sidewalks and Trails for Access-Part 2-Best Practices Design Guide" 1A-12
- Desktop Reference for Crash Reduction Factors 1A-12
- Destination signs
 - for freeways 2E-5
- Destination signs (D1 series) 2D-21
 - at jughandles 2D-23
 - circular intersections with 2D-22
 - location of 2D-26
- Detectable
 - defined 1A-16
- Detectable edging for pedestrians 6F-39
- Detection
 - rail traffic 8C-7
- Detector
 - defined 1A-16
- Detectors
 - accessible 4E-7
 - bicycles 9C-5, 9C-9
 - pedestrian control with 4E-6, 4E-7
 - pushbutton for pedestrian control with 4E-6
- DETOUR AHEAD signs 6F-13
- Detour Arrows 6F-25
- DETOUR signs (W20-2, M4-8 thru M4-10) 6F-25
- Detours
 - TTC - closed road (street) 6J-17
 - TTC - one travel direction 6J-18
 - temporary traffic control 6C-10, 6F-13, 6F-25
 - TTC - road closure 6J-16
- Diagrammatic Guide
 - optional lanes signing 2E-19
- Diagrammatic signs
 - design of 2E-19
 - function of 2E-19
 - letter size 2E-6, 2E-11
 - use of 2E-19
- Diamond interchanges
 - guide signs 2E-53, 2E-54, 2E-55
 - urban 2E-53
- Diesel Fuel sign 2I-3
- Diesel signs 2I-4, 2I-6
- Dimensions of signs 2A-7
- DIP signs 2C-19, 6F-22, 9B-9
- Directional Arrow Auxiliary signs 2D-12
- Directional Arrow signs (M6 series) 9B-16
- Directional Assembly 2D-19
 - recreational and cultural interest area 2M-3
- Directional signs
 - recreational and cultural interest area 2M-3
- Disabilities. see Persons with disabilities
- Disabled Parking signs 2B-48
- Disabled sign 2I-3
- Disabled symbols. See Persons with disabilities
- Distance Ahead plaques 2C-32
- Distance plaques 2C-32, 6F-23
- Distance signs
 - for interchanges 2E-43
 - letter size 2E-6, 2E-8, 2E-9, 2E-10
 - location of 2D-26
 - uses 2D-21, 2D-26
- Diversions
 - temporary traffic control 6C-10
- Divided highway
 - counter-flow preferential lanes on 3D-7
- Divided Highway Crossing signs 2B-41
- Divided Highway Ends signs 2C-17
- Divided Highway signs 2C-17
- Divided highways
 - Divided Highway Crossing signs 2B-41
 - Divided Highway Ends signs 2C-17
 - Divided Highway signs 2C-17
 - median opening treatments for divided highways with wide medians 2A-19
 - ONE WAY signing 2B-36
- Diving sign 2M-2
- Divisional islands
 - sign location 2A-15
- DO NOT BLOCK INTERSECTION signs 2B-52
- DO NOT CROSS DOUBLE WHITE LINE sign 2B-31
- DO NOT ENTER signs
 - at interchange ramps 2E-57
 - use of 2B-33
- DO NOT PASS signs 2B-26, 2C-26
- DO NOT STOP ON TRACKS signs 2B-49, 8B-10
- Documents. see Publications
- Dog Sledding sign 2M-2
- DON'T WALK 4D-5, 4E-1
- Dotted white line pavement markings
 - dimensions 3B-14
 - freeway route splits with 3B-14
 - lane continuing beyond interchange 3B-14
 - lane drop in advance of exit ramp with 3B-14
 - lane drop in advance of interchange 3B-14
 - lane line markings 3B-32
- Double Arrow signs 2C-18
- Double Reverse Curve sign (W24-1 series) 6F-20

Double-exit interchanges 2J-7

Downhill Skiing sign 2M-2

Downstream
 defined 1A-16

Downstream tapers 6C-8

Downward Green Arrow
 lane use control with 4M-1

DOWNWARD YELLOW ARROW signals 4M-1, 4M-3

DRAW BRIDGE sign 2C-24

Drinking Water sign 2M-2

Driving Tour sign 2M-2

Dropped Lane
 defined 1A-16

Drums
 for temporary traffic control 6F-36

Dual Arrow Signal Section
 defined 1A-16

Dynamic envelope delineation
 for highway-rail grade crossings 8B-19

Dynamic envelopes

Dynamic Exit Gate Operating Mode
 defined 1A-16

Dynamic Message Signs
 defined 1A-15

E

E5-2 - 3 signs. see EXIT OPEN, EXIT CLOSED, EXIT ONLY signs

E11-1 panel. see EXIT ONLY panels

E11-1a sign. see EXIT Direction signs

EAST. see Cardinal direction auxiliary signs

Edge Line Markings
 defined 1A-16
 detectable edging for pedestrians 6F-39
 for low-volume roads 5E-1
 pathway grade crossing 8D-1
 use of 3B-23
 warrants for use 3B-23

Edge spacing 2E-12

Educational plaques 2A-10, 2M-3

Effectiveness of ‘Children at Play’ Warning Signs 1A-13

Eight-hour vehicular volume
 signal warrant 4C-2

85th-percentile speed
 defined 1A-24

Eisenhower Interstate System signs 2E-32

Electric Vehicle Charging plaque 2I-3

Electric Vehicle Charging sign 2I-3, 2I-4, 2I-6

Electrical Hook-Up sign 2M-2

Electronic toll collection
 preferential lane markings for 3D-1
 toll plaza markings for 3E-1

Electronic Toll Collection (ETC) 1A-16
 account pictographs 2F-2
 account-only auxiliary signs 2F-6
 advance signing for diverging alignment from 2F-14
 defined 1A-16
 guide signs for entrances to 2F-16
 program information signs 2F-16

Electronic Toll Collection (ETC) Account Only Lane
 defined 1A-17

EM-1 sign. see EVACUATION ROUTE signs

EM-2 sign. see AREA CLOSED signs

EM-3 sign. see TRAFFIC CONTROL POINT signs

EM-4 sign. see MAINTAIN TOP SAFE SPEED signs

EM-5 sign. see ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC signs

EM-6 sign. see Emergency Aid Center signs

EM-7 sign. see Shelter Directional signs

Emergency Aid Center Signs 2N-4

Emergency Dial signs 2I-13

Emergency Management signs 2N-1
 AREA CLOSED Sign 2N-2
 contingency planning and 2N-1
 design 2N-1
 Emergency Aid Center Signs 2N-4
 EVACUATION ROUTE Sign 2N-2
 examples of 2N-4
 MAINTAIN TOP SAFE SPEED Sign 2N-3
 ROAD USE PERMIT REQUIRED FOR THRU TRAFFIC Sign 2N-3
 Shelter Directional Signs 2N-4
 TRAFFIC CONTROL POINT Sign 2N-3

Emergency Medical Care plaque 2I-3

Emergency Medical Services sign 2I-3

Emergency Medical Services sign 2I-5

Emergency Notification signs
 highway-rail grade crossings 8B-13

EMERGENCY PARKING ONLY signs 2B-49

Emergency responder
 temporary traffic control with safety for 6D-4

Emergency restriction signs 2B-49

EMERGENCY SHELTER signs 2N-5

EMERGENCY SIGNAL AHEAD plaque 2C-29

EMERGENCY SIGNAL signs 4G-1

EMERGENCY STOPPING ONLY signs 2B-49

INDEX

- Emergency vehicle lighting, use of 6I-3
- Emergency Vehicle signs 2C-29
- Emergency-vehicle hybrid beacon 1A-17, 4G-1
 - defined 1A-17
- Emergency-Vehicle Traffic Control Signal 1A-17
 - defined 1A-17
- END Auxiliary signs 2D-11
- END BLASTING ZONE signs 6F-18
- END DETOUR signs 6F-25
- END HIGHER FINES sign (R2-11) 6F-10
- END HIGHER FINES zone sign (R2-11)
 - school speed limit assembly with 7B-10
- END plaque 2B-23
- END ROAD WORK signs 6C-2, 6F-24
- END SCHOOL ZONE sign (S5-2) 7B-3
 - school speed limit assembly with 7B-10
- END SPEED ZONE signs 2B-17
- END WORK SPEED ZONE signs 2B-17
- End-of-Roadway Markers
 - defined 1A-17
- Engineering Judgment
 - defined 1A-17
 - for installation of traffic control devices 1A-4
 - traffic control signal needs studies 4C-1
- Engineering Studies
 - defined 1A-17
 - flashing-light signals at highway-rail grade crossings 8C-1
 - for installation of traffic control devices 1A-4
 - for lane-use control signals 4M-1
 - traffic control signal needs studies 4C-1
- Entrance Gate
 - defined 1A-17
- Entrance ramps
 - arrow markings to indicate direction of flow 3B-44
 - channelizing line markings 3B-22
 - freeway entrance ramp traffic control signals 4I-1
 - to freeways, traffic control signals for 4I-1
 - median crossover for entrance ramp 6J-24
 - ramp closure 6J-21
- "Establishment and Development of United States Numbered Highways" 2D-6
- "Establishment of a Marking System of the Routes Comprising the National System of Interstate and Defense Highways" 2D-6
- ETC. see Electronic Toll Collection 1A-16
- Evacuation Route
 - color code 1A-13
- EVACUATION ROUTE Sign 2N-2
- Exact Change Lane (Automatic Lane)
- EXCEPT RIGHT TURN plaque (R1-10P) 2B-9
- EXCESS OIL plaque 2C-21
- EXEMPT signs
 - highway-rail grade crossings 8B-9
- Exercise/Fitness sign 2M-2
- Exit Direction signs
 - arrows on 2E-13
 - for freeways and expressways 2E-40
 - at interchange exits 2E-32
 - for interchange lane drops 2E-26
 - at interchanges 2E-32
 - letter size 2E-6, 2E-8, 2E-9, 2E-10
 - for weigh stations 2D-37
- Exit Gate
 - defined 1A-17
- Exit Gate Clearance Time
 - defined 1A-17
- Exit Gate Operating Mode
 - defined 1A-17
- Exit Gore signs 2E-42
- EXIT ONLY panels
 - for interchange lane drops 2E-26, 2E-27
- EXIT ONLY signs
 - letter size 2E-11
- EXIT OPEN, EXIT CLOSED signs 6F-15
- Exit ramps
 - arrow markings to deter wrong-way entry 3B-44
 - channelizing line markings 3B-11, 3B-12, 3B-13, 3B-22
 - lane drop in advance of 3B-14
 - median crossover for exit ramp 6J-7
 - ramp closure 6J-20
- Exits. See also Exit Ramps; Ramps
 - channelizing line markings 3B-10, 3B-11, 3B-12, 3B-13, 3B-22
 - diagrammatic signs, for 2E-19, 2E-20, 2E-21, 2E-22
 - interchange numbering 2E-32, 2E-34, 2E-35
- Experiment, Request for 1A-5
- Experimentation with devices
 - process for 1A-5
 - state preliminary request i
- Expressways. See also Guide signs, freeways and expressways;
Highways
 - defined 1A-17
 - warning sign size 2C-6

F

- Fallen Rocks sign 2C-21
- Falling Rocks sign 2M-2
- FALLOUT SHELTER signs 2N-5

- Farm vehicles
 - SHARE THE ROAD plaques 2C-33
- Federal Highway Administration ii
 - "Changeable Message Sign Operation and Messaging Handbook (FHWA-OP-03-070)" 1A-12
 - "Designing Sidewalks and Trails for Access" 1A-12
 - "Federal-Aid Highway Program Guidance on High Occupancy Vehicle (HOV) Lanes" 1A-12
 - "Maintaining Traffic Sign Retroreflectivity" 1A-12
 - "Railroad-Highway Grade Crossing Handbook-Revised Second Edition" 1A-12
 - "Ramp Management and Control Handbook" 1A-12
 - "Roundabouts-An Informational Guide" 1A-12
 - "Signal Timing Manual" 1A-12
 - "Signalized Intersections: an Informational Guide" 1A-12
 - "Standard Highway Signs and Markings" 1A-12, 7B-1
 - "Travel Better, Travel Longer: A Pocket Guide to Improving Traffic Control and Mobility for Our Older Population" 1A-12
 - address 1A-13
 - conformance with standards 1A-2
 - Desktop Reference for Crash Reduction Factors 1A-12
 - FHWA Office of Transportation Operations ii
 - FHWA Report Center ii
 - Office of Transportation Operations 1A-8
 - Techbrief: Safety Evaluation of Improved Curve Delineation 1A-12
 - website 1A-13
- Federal Railroad Administration
 - "Designing Sidewalks and Trails for Access-Part 2-Best Practices Design Guide" 1A-12
 - highway-rail grade crossing engineering studies 8A-2
 - "Federal-Aid Highway Program Guidance on High Occupancy Vehicle (HOV) Lanes" 1A-12
- FENDER BENDER sign 2B-58
- FHWA. See Federal Highway Administration
- FINES DOUBLE plaque (R2-6aP) 6F-10
 - school 7B-5
 - school speed limit assembly with 7B-10
- FINES DOUBLE sign 6H-2
- FINES HIGHER plaque (R2-6P) 2B-17, 6F-10
 - Fines Higher Zone, school 7B-5
 - school 7B-5
 - school speed limit assembly with 7B-10
- Fire Extinguisher sign 2M-2
- Firefighter
 - temporary traffic control with safety for 6D-4
- Firewood Cutting sign 2M-2
- First Aid sign 2M-2
- Fish Cleaning sign 2M-2
- Fish Hatchery sign 2M-2
- Fish Ladder sign 2M-2
- Fishing Area sign 2M-2
- Fishing Pier sign 2M-2
- Flag transfer method 6C-10
- Flag trees 6F-30
- Flagger 1A-17
 - automated assistance device for 6E-2
 - defined 1A-17
 - flagger procedures 6E-7
 - flagger stations 6E-7
 - hand-signaling devices for 6E-1, 6E-8
 - high-visibility safety apparel for 6E-1
 - method 6C-10
 - methods to alert/slow traffic by 6E-8
 - methods to let traffic proceed by 6E-8
 - methods to stop traffic by 6E-8
 - procedures 6E-7
 - qualifications 6E-1
 - red/yellow len automated assistance device for 6E-6
 - stations 6E-7
 - STOP/SLOW automated assistance device for 6E-5
 - STOP/SLOW paddles 6E-1
 - stopping/sight distance needed for 6E-9
 - temporary traffic control with 6E-1
- Flagger method 6C-10
- Flagger signs 6F-16
- Flags, red 6E-1, 6E-7
- Flasher
 - defined 1A-17
- Flashing
 - defined 1A-17
- Flashing beacons. See also Beacons
 - design of 4L-1
 - operation 4L-1
 - reversible lane control 2B-25
- Flashing Light Signals
 - defined 1A-17
- Flashing Mode
 - defined 1A-17
- Flashing red 4D-4
 - meaning of 4D-4
- Flashing signal indications
 - meaning of 4D-2
- Flashing yellow 4D-3
 - meaning of 4D-3
- Flashing-Light signals
 - for grade crossings 8C-2, 8C-3, 8C-6
 - pathway grade crossing 8D-2
 - post-mounted 8C-3
- Floodlights
 - in temporary traffic control zones 6F-45
- Fluorescent pink
 - meaning for traffic control devices 1A-13
- Fluorescent yellow-green

INDEX

meaning for traffic control devices 1A-13

Fog Area sign 2C-22

Food sign 2I-3

Food signs 2I-4, 2I-6
FOOD logo panel 2J-1

Forest Route signs
design of 2D-8

Four-hour vehicular warrant
signal warrant 4C-1, 4C-5

Four-Quadrant Gate System
for highway-rail grade crossings 8C-5

FRA. See Federal Railroad Administration i

Freeway Entrance Ramp Information signs 2B-49

Freeway/expressways. See also Guide signs, freeways and
expressways; Highways 2C-18, 2M-5
community wayfinding signs showing from 2D-40
edge line markings 3B-23
ends sign 2C-18
general guide signs for 2I-5
lane drop markings for 3B-14
recreational and cultural interest area signs for 2M-5

Freeway/expressways. See also Guide signs; freeways and
expressways; Highways
wrong-way traffic control at interchange ramps 2B-40

Freeways. See also guide signs, freeways and expressways;
Highways
entrance ramp traffic control signals 4I-1
lane shifts 6J-13
lane-use control signals 4M-1
median crossover 6J-4, 6J-5
TTC zone - work within 6G-12
warning sign size 2C-6

Freeways. See also Guide signs, freeways/expressways;
Highways
defined 1A-17

Freeway-to-freeway interchanges 2E-46

FRESH OIL (TAR) signs 6F-16

FTA. See Federal Transit Administration

Full Actuated Operation
defined 1A-17

G

G20-1 sign. see ROAD WORK NEXT XX MILES signs

G20-2 sign. see END ROAD WORK signs

G20-3 sign. see PILOT CAR FOLLOW ME signs

Gas sign 2I-3, 2I-4, 2I-6
GAS logo panel 2J-1

Gate

defined 1A-17
for movable bridges 4J-1

Gates

automatic 8C-2, 8C-4
Four-Quadrant Gate systems 8A-1
for highway-rail grade crossings 8C-4

General Information signs

acknowledgement signs 2H-8
auto tour route 2H-7
enhanced reference location 2H-6
I Series of 2H-1
intermediate reference location 2H-5
miscellaneous 2H-5
reference location 2H-5
sizes of 2H-1

General Service signs 2I-3

brake check area 2I-11
carpool 2I-13
chain-up area 2I-11
conventional roads 2I-3
freeways/expressways 2I-5
interstate oasis 2I-8
letter size 2E-11
next services 2I-4
public water access 2I-10
radio information 2I-12
rest area 2I-9
ridesharing 2I-13
roadside area 2I-9
sizes of 2I-1
tourist information 2I-11
TRAVEL INFO CALL 2I-13
welcome center 2I-11

Golf carts

SHARE THE ROAD plaques 2C-33

Golfing sign 2M-2

Gore signs

at freeway and expressway exits 2E-42
at interchange exits 2E-32
letter size 2E-6, 2E-8, 2E-9, 2E-10

Government Printing Office ii

Grade Crossing

defined 1A-17

Grade Crossing (Crossbuck) Sign 8B-1

Grade Crossing Advance Warning 8B-8

Grade crossings. see also Highway-light rail transit grade crossings

active grade crossing warning system 8C-1
active traffic control systems 8C-1
automatic gates 8C-1, 8C-4
definitions of terms 8A-1
DO NOT STOP ON TRACKS sign 8B-10
dynamic envelope delineation 8B-19
elimination 8A-3
Emergency Notification sign 8B-13

- EXEMPT signs 8B-9
- flashing-light signals 8C-1, 8C-3
- Four-Quadrant Gate system 8A-1, 8C-5
- Low Ground Clearance Highway-Rail Grade Crossing sign 8B-15
- NO TRAIN HORN sign 8B-14
- Number of Tracks signs 8B-1
- pathway 8D-1, 8D-2
- pavement markings 8B-16
- signs 8B-1
- signs and markings 8B-1
- sizes of signs 8B-1
- Skewed Crossing signs 8B-16
- standard devices, systems, and practices 8A-1
- STOP HERE ON RED signs 8B-11
- STOP HERE WHEN FLASHING signs 8B-11
- stop lines 8B-19
- Storage Space signs 8B-15
- temporary traffic control zones 8A-4
- TRACKS OUT OF SERVICE sign 8B-11
- traffic control signals at or near 8C-8
- TRAINS MAY EXCEED 80 MPH sign 8B-14
- turn restrictions during preemption 8B-10
- uniform provisions 8A-3
- warning sign placement 8B-17
- Grade of hills 2C-14
- GRAVEL plaque 2C-16
- Green
 - meaning for traffic control devices 1A-13
- GREEN ARROW signals 4D-2, 4D-4
 - meaning of 4D-3
- Green signal indications
 - application of 4D-4
 - meaning of 4D-2
 - pedestrians and 4D-2
- Grocery Store sign 2M-2
- "Guide for the Development of Bicycle Facilities" 1A-12, 9A-1
- Guide signs, conventional roads
 - Advance Route Turn Assembly 2D-18
 - Advance Turn Arrow Auxiliary signs 2D-11
 - ALL AMERICAN ROAD 2D-45
 - ALTERNATE auxiliary signs 2D-10
 - amount of legend 2D-5
 - application 2D-1
 - arrows 2D-5
 - auxiliary signs 2D-7
 - auxiliary signs for alternative routes 2D-10
 - BEGIN auxiliary sign 2D-11
 - BUSINESS auxiliary signs 2D-10
 - BY-PASS auxiliary signs 2D-10
 - cardinal direction auxiliary signs 2D-9
 - color 2D-1
 - Combination junction signs 2D-9
 - Confirming assembly 2D-20
 - design of route sign auxiliaries 2D-8
 - design of route signs 2D-7
 - Destination signs 2D-21
 - Directional Arrow Auxiliary signs 2D-12
 - Directional assembly 2D-19
 - Distance signs 2D-21, 2D-26
 - END Auxiliary signs 2D-11
 - General Service signs 2I-3
 - illumination 2D-1
 - Junction Assembly 2D-13
 - Junction auxiliary signs 2D-9
 - lettering size 2D-4
 - lettering style 2D-3
 - location of Destination signs 2D-26
 - location of Distance signs 2D-26
 - National Scenic Byways 2D-45
 - numbered highway systems 2D-6
 - PARK & RIDE sign 2D-36
 - Parking Area sign 2D-36
 - Public Water Access signs 2I-10
 - Reassurance assembly 2D-20
 - retroreflection 2D-1
 - Route Sign Assemblies 2D-12
 - route signs 2D-7
 - scope of 2D-1
 - size of 2D-1
 - size of lettering 2D-4
 - Street Name signs 2D-27
 - TEMPORARY Auxiliary Signs 2D-11
 - TO Auxiliary signs 2D-10
 - Trailblazer assembly 2D-21
 - TRUCK auxiliary signs 2D-10
 - Weigh Station signing 2D-37
- Guide signs, freeways and expressways 2I-5
 - abbreviations 2E-12
 - Advance Guide signs 2E-37
 - amount of legend 2E-3
 - approaches and connecting roadways signing 2E-57
 - arrows for interchange guide signs 2E-13
 - borders 2E-12
 - classification of 2E-1
 - closely spaced interchanges 2E-44, 2E-53
 - Cloverleaf Interchanges 2E-49, 2E-51, 2E-52
 - color of 2E-2
 - Community Interchanges Identification signs 2E-45
 - connecting roadways 2E-57
 - design of 2E-2
 - designation of destinations 2E-5
 - diagrammatic 2E-19
 - diamond interchanges 2E-53, 2E-54, 2E-55
 - Distance interchange signs 2E-43
 - edge spacing 2E-12
 - Exit Direction signs 2E-40
 - Exit Gore sign 2E-42
 - exit numbering for interchanges 2E-32, 2E-34, 2E-35, 2E-36
 - freeway-to-freeway interchanges 2E-46
 - functions of 2E-1
 - general information 2E-2
 - general service signs 2I-5

INDEX

illumination of 2E-2
interchange classification 2E-33
interchange exit numbering 2E-32
for interchange lane drops 2E-26
Interchange Sequence signs 2E-45
for interchanges 2E-32
interline spacing 2E-12
for intersections at grade 2E-32
lateral clearance 2E-27
minor interchanges 2E-53
Next Exit supplemental signs 2E-38
NEXT X EXITS Sign 2E-46
number of signs at overhead installations 2E-3
overhead sign installations 2E-26
partial cloverleaf interchanges 2E-49
Post-Interchange signs 2E-43
Pull-Through signs 2E-3
retroreflectivity of 2E-2
route signs 2E-31
rural signing characteristics 2E-2
scope of standards 2E-1
sequence signs for interchanges 2E-45
sign borders 2E-12
signing by type of interchange 2E-46
signing principles 2E-1
size of 2E-5
size of lettering 2E-5
style of letters and signs 2E-5
supplemental signs 2E-38
symbols 2E-12
trailblazer assemblies 2E-31
by type of interchange 2E-46
urban signing characteristics 2E-2
Weigh Station signing 2E-57
wrong-way traffic control at interchange ramps 2E-57

Guide signs. See also Guide signs, conventional roads; Guide signs, freeways and expressways
"Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways" 1A-12
colors used 2A-9
defined 1A-17
function of 2A-2
illumination 2A-3
for low-volume roads 5D-1
retroreflectivity 2A-3, 2A-4
temporary traffic control 6F-23

Guide signs. See also Guide signs, conventional roads; Guide signs, freeways and expressways
bicycle 9B-10, 9B-12, 9B-15

"Guide to Metric Conversion" 1A-12

"Guidelines for Accessible Pedestrian Signals (NCHRP Web-Only Document 117B)" 1A-13

"Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways" 1A-12

Gusty Winds Area sign 2C-22

H

Hairpin Curve signs 2C-8
Hand Launch/Small Boat Launch sign 2M-2
Hand-signaling devices 6E-1, 6E-8
Hang Gliding sign 2M-2
Hazardous Cargo signs 2B-57
Headlight Use signs 2B-58
High-level warning devices
for temporary traffic control 6F-30
High occupancy vehicles
mandatory movement lanes 2B-20
High speed
defined 1A-24
High-Speed Roadway
defined 1A-18
High-Visibility Safety Apparel 6E-1
High-occupancy vehicle lanes
concurrent flow lanes 1A-15
defined 1A-18
High-Occupancy Vehicles
defined 1A-18
"Highway Capacity Manual" 1A-13
Highway-Rail Grade Crossing Advance Warning signs 5F-1, 8B-9
Highway-Rail Intersection 8A-2
Highway Safety Act
provisions iv
Highway signs. See also Signs
"Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways" 1A-12
"Standard Highway Signs and Markings", FHWA 1A-12, 2A-2, 4E-2
"Standard Signs Manual", Mn/DOT 1A-12, 2A-2
Highway traffic signals. See also Traffic control signals
defined 1A-18
divided highway control signals 4P-1
emergency vehicle access control signals 4G-1
features of traffic control signals 4D-1
flashing beacons 4L-1
freeway entrance ramp control signals 4I-1
In-Roadway Warning Lights 4N-1
intersection control beacon 4L-1
lane-use control signals 4M-1
movable bridge control signals 4J-1

- needs studies for traffic control signal 4C-1
 - one-lane, two-way facility control signals 4H-1
 - pedestrian control features 4E-1
 - speed limit sign beacon 4L-2
 - stop beacon 4L-2
 - traffic control signals 4B-1
 - types 4A-1
 - warning beacon 4L-2
 - Highway Work Zone
 - defined 1A-18
 - Highway-Light Rail Transit Grade Crossing
 - defined 1A-18
 - Highway-Rail grade crossings
 - active grade crossing warning system 1A-14
 - advance warning signs 5F-1
 - defined 1A-18
 - High occupancy vehicle 1A-14
 - low-volume roads 5F-1
 - no-passing zone markings 3B-6
 - pavement markings 5F-2
 - signs 5F-1
 - STOP signs 5F-2
 - work in vicinity of 6J-10
 - YIELD signs 5F-2
 - Highways. See also Divided highways; Expressways; Freeways; Roadways
 - arterial 1A-14
 - collector 1A-15
 - conventional road 1A-16
 - defined 1A-18
 - guide signs for numbered highway systems 2D-6
 - "Highway Capacity Manual" 1A-13
 - "Recommended Procedures for the Safety Performance Evaluation of Highway Features" 1A-13
 - rural 1A-22
 - Hiking Trail sign 2M-2
 - HILL BLOCKS VIEW Sign 2C-16
 - Hill-Related plaques 2C-32
 - Hill signs 2C-14, 5C-2, 9B-10
 - Hitchhiking
 - No Hitchhiking sign 2B-49
 - Horizontal Alignment signs 2C-8, 2C-11, 2C-12
 - for low-volume roads 5C-1
 - Horizontal Alignment Warning signs 2C-8
 - Horizontal position within signal face of
 - circular green 4D-10
 - circular red 4D-10
 - circular yellow 4D-10
 - green arrow 4D-10
 - red arrow 4D-10
 - yellow arrow 4D-10
 - Horse Trail sign 2M-2
 - Horse-drawn vehicles
 - SHARE THE ROAD signs 2C-33
 - Hospital plaque 2I-3
 - Hospital sign 2I-3
 - Hospital signs 2I-4, 2I-7
 - HOT Lane
 - preferential markings for 3D-1
 - HOV 2+ word message 2B-22
 - HOV lanes. See High occupancy vehicle lanes
 - HOV. See High occupancy vehicles
 - HRI. See Highway-Rail Intersection
 - HURRICANE SHELTER signs 2N-5
 - Hybrid Beacon. see also Pedestrian hybrid beacon
 - defined 1A-18
-
- I
- I Series. See General information signs
 - I-11 sign. see Recycling Collection Center symbol signs
 - I-12 sign. see Light Rail Station signs
 - I1-1 sign. see Traffic Signal Speed signs
 - Ice Fishing sign 2M-2
 - ICE plaque 2C-21
 - Ice Skating sign 2M-2
 - ICS. see Incident Command System
 - ILEVs. See Inherently Low Emission Vehicles
 - Illuminating Engineering Society (IES)
 - address ii
 - "Practice for Roadway Lighting" 1A-12
 - Illumination. See also Lighting
 - of guide signs for conventional roads 2D-1
 - of guide signs for freeways and expressways 2E-2
 - means of 2A-4
 - pedestrian signal indications 4E-2
 - of raised pavement markers 3B-30, 3B-31
 - of regulatory signs 2B-1
 - of school signs 7B-1
 - sign illumination 1A-23, 2A-3, 2A-4
 - standards 2A-3
 - traffic control devices, low-volume roads 5A-3
 - in temporary traffic control zones 6D-7
 - Incident Command System (ICS) 6I-1
 - Incident management 6I-1
 - intermediate traffic incident 6I-3
 - major traffic incident 6I-2
 - minor traffic incident 6I-3
 - Indicated movements permitted 1A-13
 - color code 1A-13
 - Information signs
 - color code 2A-9

INDEX

- Inherently Low Emission Vehicle (ILEV)
 - defined 1A-18
- In-Line Skating sign 2M-2
- In-Roadway Lights
 - application of 4N-1
 - at crosswalks 4N-1
 - defined 1A-18
- In-Roadway Warning Lights 4N-1
- Institute of Makers of Explosives 1A-12
 - address ii
 - "Safety Guide for the Prevention of Radio Frequency Radiation Hazards in the Use of Commercial Electric Detonators (Blasting Caps)" 1A-12
- Institute of Transportation Engineers
 - "Purchase Specification for Flashing and Steady-Burn Warning Lights" 6F-45
- Institute of Transportation Engineers (ITE) 1A-12
 - "Manual of Traffic Signal Design" 1A-12
 - "Manual of Transportation Engineering Studies" 1A-12
 - "Pedestrian Traffic Control Signal Indications" 1A-12
 - "Preemption of Traffic Signals at or Near Railroad Grade Crossings with Active Warning Devices" 1A-13
 - "Purchase Specification for Flashing and Steady Burn Warning Lights" 1A-13
 - "Traffic Control Devices Handbook" 1A-13
 - "Traffic Detector Handbook" 1A-13
 - "Traffic Engineering Handbook" 1A-13
 - "Traffic Engineering Metric Conversion Folders- Addendum to the Guide to Metric Conversion" 1A-12
 - "Traffic Signal Lamps" 1A-13
 - "Vehicle Traffic Control Signal Heads" 1A-13
 - address ii
 - "Pedestrian Traffic Control Signal Indications" 4E-2
- In-Street Pedestrian Crossing signs 2B-12, 2B-13
- Intelligent Transportation System
 - dynamic message signs 1A-15
 - highway-rail grade crossing engineering studies 8A-2
- Interchange Sequence signs
 - letter size 2E-11
 - use of 2E-38, 2E-45
- Interchanges
 - Advance Guide signs 2E-37
 - arrows for guide signs 2E-13
 - classification of 2E-33
 - closely-spaced 2E-44, 2E-53
 - cloverleaf 2E-49, 2E-50, 2E-51, 2E-52
 - cloverleaf with collector-distributor roadways 2E-49
 - community identification 2E-45
 - defined 1A-18
 - diamond 2E-53, 2E-54, 2E-55
 - double-exit 2J-7
 - Exit Direction signs 2E-40
 - Exit Gore signs 2E-42
 - exit numbering 2E-32
 - freeway-to-freeway 2E-46, 2E-47, 2E-48
 - guide signs 2E-32
 - intermediate 1A-18, 2E-33
 - lane drops signing 2E-26
 - letter size for guide signs 2E-6, 2E-8, 2E-9, 2E-10
 - logo signs 2J-6
 - major 1A-19, 2E-33
 - minor 1A-19, 2E-33, 2E-53
 - multi-exit signs 2E-39
 - multi-lane exit optional lanes signing for 2E-23
 - partial cloverleaf 2E-49
 - Post-Interchange Distance signs 2E-43
 - post-interchange signs 2E-43
 - service signs 2J-6, 2J-7
 - signing by type of interchange 2E-46
 - signing for lane drops 2E-26
 - single-exit 2J-6
 - wrong-way traffic control at ramps 2B-40, 2E-57
- Interconnection
 - defined 1A-18
- Interim Approval of devices 1A-8
- Interline spacing 2E-12
- Intermediate Interchanges
 - defined 1A-18
 - description of 2E-33
 - letter size for guide signs 2E-6, 2E-8, 2E-9, 2E-10
- Intermediate traffic incident 6I-3
- Intermittent obstructions 2C-23
- Intermodal Surface Transportation Efficiency Act of 1991 A1-1
- International Organization for Standards ii
- International Symbol of Accessibility for the Disabled sign 3B-42
- Interpretation of Manual 1A-5
- Interpretation, Request for 1A-5
- Interpretive Trail sign 2M-2
- Interruption of continuous traffic signal warrant 4C-2
- Intersection Control Beacon
 - defined 1A-18
- Intersection Lane Control signs
 - Advance Intersection 2B-22
 - applications 2B-19
 - combination Horizontal Alignment/Intersection 2C-12
 - DO NOT BLOCK INTERSECTION 2B-52
 - Mandatory Movement 2B-20
 - Optional Movement 2B-21
 - Straight Thru Only signs 2B-21
 - used with Keep Right signs 2B-21
- Intersection Warning signs 2C-26, 5C-1, 9B-8
- Intersections. See also Intersection Lane Control signs; STOP

signs; Traffic control signals; YIELD signs
 Advance Route Turn Assembly 2D-18
 Advance Street Name plaques 2C-23, 2C-27, 2C-32
 bicycle lane pavement markings 9C-2
 circular 1A-15, 2C-27
 Combination Horizontal Alignment/Intersection sign 1A-2
 Combination Horizontal Alignment/Intersection signs
 2C-12
 Cross Road signs 2C-27
 DEAD END signs 2C-18
 defined 1A-18
 at grade 2E-32
 islands 3I-1
 Junction Assembly 2D-13
 MINIMUM MAINTENANCE ROAD signs 5C-4
 NO OUTLET signs 2C-18
 ONE WAY signs 2B-35
 pavement markings extended into or continued through
 3B-23, 3B-24, 3B-25
 Pedestrian Crossing Signs 2B-49
 roundabout 1A-22
 Side Road signs 2C-27
 sign locations 2A-15
 signs for low-volume roads 5C-1
 Street Name signs 2D-27
 Supplemental Arrow plaques 2C-32
 T-intersections 2C-26, 4D-6
 Two-Direction Large Arrow signs 2C-27
 warning signs 2C-26, 9B-8
 Interstate Oasis signs 2I-8
 Interstate Route signs
 "Establishment of a Marking System of the Routes Comprising
 the National System of Interstate and Defense
 Highways" 2D-6
 Interval
 defined 1A-19
 ISEA - The Safety Equipment Association 1A-12
 "American National Standard for High-Visibility Public Safety
 Vests" 1A-12
 "American National Standard for High-Visibility Safety
 Apparel" 1A-12
 Islands, divisional
 sign location 2A-15
 Islands. See also Median islands; Median refuge islands
 approach-end treatment 3I-1
 channelizing devices with 3I-1
 colors 3I-1
 defined 1A-19
 delineation 3I-1
 Double Arrow signs 2C-18
 marking application 3I-1
 marking colors 3I-1
 medians 3I-2
 pavement markings 3B-22
 pedestrian 3I-2
 sign location 2A-13

temporary raised 6F-40
 use of 3I-1

ITE. See Institute of Transportation Engineers

ITS. See Intelligent Transportation System

J

Jet Ski/Personal Watercraft sign 2M-2

Jughandle signs 2B-26

Junction Assembly 2D-13

Junction Auxiliary signs 2D-9

Junctions

 Combination Junction sign 2D-9

 Junction assembly 2D-13

 Junction Auxiliary signs 2D-9

K

Kayaking sign 2M-2

Keep Left signs 2B-31

KEEP OFF MEDIAN Signs 2B-54

KEEP RIGHT EXCEPT TO PASS sign 2B-30

Keep Right signs 2B-31

Kennel sign 2M-2

L

Lane closures

 CENTER LANE CLOSED AHEAD signs 6F-14

 LANE(S) CLOSED signs 6F-14

 near highway-rail grade crossing 6J-12

 for striping and stripe removal 6J-1

 on two-lane road using manual signal operation 6J-11

 on two-lane road using signals 6J-10

 on two-lane road using STOP signs 6J-9

Lane Designation Auxiliary signs 2D-12

Lane Drop

 defined 1A-19

 markings for 3B-15, 3B-16, 3B-17, 3B-18, 3B-19, 3B-20,
 3B-21, 3B-23

 signing for 2E-26

LANE ENDS MERGE RIGHT (LEFT) signs 2C-25

Lane Ends signs 2B-30, 2C-25, 6F-14

Lane Line Markings

INDEX

- defined 1A-19
- use of 3B-8
- Lane reduction transition
 - delineators 3F-1
 - pavement markings 3B-27
- Lane shifts
 - on freeways 6J-13
- Lane transitions
 - taper length 3B-6, 3B-26
- Lane(s) Closed signs 6F-14
- Lanes. See also High-occupancy vehicle lanes
 - Added Lane signs 2C-25
 - LANE ENDS signs 2C-25, 6F-14
 - ONE LANE ROAD AHEAD signs 6F-13
 - opposing traffic lane divider 6F-40
 - Two-way Traffic signs 2C-26
 - UNEVEN LANES signs 6F-19
- Lane-use control signals
 - application of 4M-1
 - defined 1A-19
 - design of 4M-2
 - meaning of 4M-1
 - operation of 4M-3
- Lane-use markings
 - arrows 3B-43
- Large Arrow signs
 - one-direction 2C-12
 - two-direction 2C-27
- Last Exit Before Toll warning sign 2F-6
- Lateral buffer spaces
 - in temporary traffic control zones 6C-6
- Lateral offset
 - for freeway and expressway guide signs 2E-27
 - for signs 2A-18
- Laundromat sign 2M-2
- Law Enforcement
 - temporary traffic control with safety for 6D-4
- LED. See Light-emitting diodes
- LEFT LANE MUST EXIT sign 2B-22
- LEFT ON GREEN ARROW ONLY signs 2B-51, 2B-52
- LEFT TURN YIELD ON GREEN signs 2B-52
- Left turns 4D-17
 - LEFT LANE MUST TURN LEFT signs 2B-20
 - LEFT TURN YIELD ON GREEN signs 2B-52
 - permissive only mode 4D-17
 - protected only mode 4D-17
 - protected/permissive mode 4D-17
 - two-way left turn only lanes 2B-22
 - two-way left-turn lane markings 3B-9
 - variable left-turn mode 4D-17
 - WHITE ONE-WAY LEFT-TURN ARROWS 4M-1, 4M-2
 - WHITE TWO-WAY LEFT-TURN ARROWS 4M-1, 4M-2
- Left-turn lanes
 - longitudinal pavement markings 3B-6
- Legends. See Design; Sign Legends
- Lens. See Signal lens
- Lettering
 - "Standard Highway Signs and Markings" 1A-12
 - "Standard Signs Manual" 1A-12
 - for word message signs 2A-10
 - school signs 7B-1
 - size for conventional road guide signs 2D-4
 - size for freeway and expressway guide signs 2E-5
 - Specific Service signs 2J-6
 - style for conventional road guide signs 2D-3
 - style for freeway and expressway guide signs 2E-5
 - tourist-oriented directional signs 2K-2
- Letters
 - edge spacing 2E-12
 - interline spacing 2E-12
- Lifejackets sign 2M-2
- Light Blue
 - meaning for traffic control devices 1A-13
- Light Rail Transit Equipment
 - defined 1A-19
- Light rail transit grade crossing traffic control
 - advance warning signs for 8B-8
 - automatic gates for 8C-5
 - bicycle signal/crossing for 8C-11
 - crossbuck assemblies with yield/stop signs for 8B-4
 - divided highway with light rail transit crossing sign with 8B-13
 - do not pass light rail transit sign with 8B-12
 - DO NOT STOP ON TRACKS sign for 8B-10
 - dynamic envelope markings for 8B-19
 - emergency notification sign with 8B-13
 - EXEMPT plaque for 8B-9
 - flashing-light signals for 8C-4
 - four-quadrant gate systems for 8C-5
 - grade crossing (crossbuck) sign for 8B-1
 - grade crossing elimination for 8A-3
 - grade crossing illumination for 8A-4
 - light rail transit approaching activated blank-out warning sign with 8B-14
 - light rail transit only lane sign with 8B-11
 - light rail transit station sign with 8B-16
 - LOOK sign with 8B-13
 - low ground clearance grade crossing sign with 8B-15
 - NO GATES OR LIGHTS plaque with 8B-14
 - no motor vehicles on tracks sign with 8B-12
 - NO TRAIN HORN sign with 8B-14
 - number of tracks plaque for 8B-1
 - pathway grade crossing for 8D-1
 - pavement markings for 8B-16
 - pedestrian signal/crossing for 8C-11
 - practices for 8A-2
 - purpose of signs for 8B-1
 - quiet zone treatments with 8A-4
 - rail traffic detection for 8C-7

- signs for 8B-1
- sizes of signs for 8B-1
- skewed crossing sign with 8B-16
- standard devices used for 8A-2
- STOP HERE ON RED sign with 8B-11
- STOP HERE WHEN FLASHING sign with 8B-11
- stop lines for 8B-19
- storage space sign with 8B-15
- TRACKS OUT OF SERVICE sign with 8B-11
- turn restrictions during preemption with 8B-10
- uniform provisions 8A-3
- wayside horn systems for 8C-7
- yield lines for 8B-19
- Light Rail Transit Only Lane sign (R15-4) 8B-11
- Light Rail Transit Station sign (I-12) 8B-16
- Light Rail Transit Traffic (LRT)
 - defined 1A-19
 - grade crossing traffic control for 8A-1
 - preferential lane markings for 3D-1
- Lighthouse sign 2M-2
- Lighting 6I-3
 - use of emergency vehicle lighting 6I-3
- Lighting devices
 - for temporary traffic control 6F-45
- Lights
 - in-roadway 4N-1
 - of movable bridge signals and gates 4J-1
 - of pedestrian signal heads 4E-3
- Litter Container sign 2I-3, 2I-5
- Litter Receptacle sign 2M-2
- Load limits
 - Bridge and Structure Weight Limit signs 2B-56
 - Road Weight Limit signs 2B-55
 - Weight Limit signs 6F-10
- Local Technical Assistance Program (LTAP) 1A-4
- LOCAL TRAFFIC ONLY Signs 2B-54, 6F-9
- Local transit logos
 - on PARK & RIDE signs 2D-36
- Locations
 - of Destinations signs 2D-26
 - of Distance signs 2D-26
 - of ONE WAY signs 2B-35
 - of reversible lane control signs 2B-25
 - of signs 2A-13
 - Specific Service signs 2J-6
 - tourist-oriented directional signs 2K-5
- Lockers/Storage sign 2M-2
- Locomotive Horn
 - defined 1A-19
- Lodging sign 2I-3
- Lodging signs 2I-4, 2I-7
 - LODGING logo panel 2J-1
- Logo signs
 - application 2J-2
 - double-exit interchange 2J-7
 - eligibility 2J-1
 - interchange 2J-6
 - letter and numeral sizes for 2J-6
 - logos/logo sign panels with 2J-2
 - number on one sign 2J-5
 - RV Access supplemental messages on 2J-5
 - signs at interchanges 2J-6
 - single-exit interchange 2J-6
 - size of sign assembly 2J-5
 - sizes of 2J-5
 - supplemental message 2J-5
 - trailblazer 2J-7
- Logos
 - defined 1A-19
 - local transit 2D-37
- Longitudinal buffer spaces
 - in temporary traffic control zones 6C-6
- Longitudinal channelizing barricades 6F-39
- Longitudinal markings
 - defined 1A-19
 - patterns of 3A-3
 - with raised pavement markers 3B-31
 - white 3B-3, 3B-4, 3B-9, 3B-10, 3B-11, 3B-12, 3B-13, 3B-15, 3B-16, 3B-17, 3B-18, 3B-19, 3B-20, 3B-21, 3B-22, 3B-24, 3B-25, 3B-27, 3B-28, 3B-43
 - widths of 3A-3
 - yellow 3B-6
- LOOK FOR TRAINS sign 8B-9
- LOOK signs 8B-13
- Lookout Tower sign 2M-2
- Loop routes
 - interchange exit numbering 2E-32
- Loops
 - Off-Interstate Business Route signs 2D-7
- Loose Gravel sign 2C-21
- Low Clearance signs 2C-19
- Low Ground Clearance Highway- Rail Grade Crossing signs 8B-15
- LOW SHOULDER sign 2C-21, 6F-19
- Low speed
 - defined 1A-24
- Low speed roadway
 - defined 1A-19
- Low-volume roads. See also Traffic control devices, low-volume roads 5A-1
 - application of traffic control for 5A-1
 - barricades for 5C-4
 - centerline marking for 5E-1
 - circular intersections warning sign 5C-1
 - crossroad warning sign for 5C-1
 - crosswalks for 5E-1

INDEX

dead end sign for 5C-4
defined 5A-1
delineators for 5E-1
design of traffic control for 5A-1
edge line marking for 5E-1
function of 5A-1
grade crossing traffic control for 5F-1
guide signs for 5D-1
highway-rail grade crossing traffic control 5F-1
hill sign for 5C-2
horizontal alignment signs for 5C-1
intersection warning signs for 5C-1
markings 5E-1
markings for 5E-1
narrow bridge sign for 5C-2
no outlet sign for 5C-4
no traffic sign for 5C-4
non-vehicular traffic warning signs for 5C-3
object markers for 5C-4
one lane bridge sign for 5C-2
pavement ends sign for 5C-3
pavement marking for 5E-1
placement of signs for 5A-3
regulatory signs for 5B-1
school area traffic control for 5H-1
side road warning signs for 5C-1
sign size 5A-1
speed limit signs for 5B-1
stop ahead sign for 5C-2
stop signs for 5B-1
temporary traffic control zones 5G-1
temporary traffic control zones for 5G-1
vehicular traffic warning signs for 5C-3
warning signs for 5C-1
yield ahead sign for 5C-2
yield signs for 5B-1

LP-Gas signs 2I-4, 2I-6

LRT. see Light Rail Transit Traffic 8A-1

LTAP. see Local Technical Assistance Program 1A-4

M

M1-10 sign. see Eisenhower Interstate System sign
M1-9 marker. See Interstate Bicycle Route markers
M2-1 sign. see Junction auxiliary signs
M2-2 sign. see Combination Junction signs
M3-1 - 4 signs. see Cardinal direction auxiliary signs
M4-1, 1a signs. see ALTERNATE auxiliary signs
M4-14 sign. see Begin Auxiliary signs
M4-2 sign. see BY-PASS auxiliary signs
M4-3 sign. see BUSINESS auxiliary signs
M4-4 sign. see TRUCK auxiliary signs

M4-5 sign. see TO auxiliary signs
M4-6 sign. see END auxiliary signs
M4-7, 7a signs. see TEMPORARY auxiliary signs
M4-8 - 10 signs. see DETOUR signs
M5-1-2 signs. see Advance Turn Arrow auxiliary signs
M5-6 Series. see Directional Arrow auxiliary signs
Mainline routes
interchange numbering 2E-32, 2E-34, 2E-35, 2E-36
MAINTAIN TOP SAFE SPEED Sign 2N-3
"Maintaining Traffic Sign Retroreflectivity" 1A-12
Maintenance
bicycle traffic control 9A-1
of temporary traffic control signs 6F-7
Maintenance of devices 1A-2
Maintenance of signs 2A-19
Major Interchange
defined 1A-19
description of 2E-33
letter size for guide signs 2E-5
Major Street
defined 1A-19
eight-hour vehicular volume 4C-2
four-hour vehicular warrant 4C-5
pedestrian volume 4C-7
school crossing 4C-7
warning beacons 4G-2
Major traffic incident 6I-2
Malfunction Management Unit. see Conflict monitors
defined 1A-19
Managed Lane
defined 1A-19
Managed Lane signs 2G-1
guide signs for priced 2G-28
priced 2G-26
regulatory signs for priced 2G-26
sizes of 2G-1
Mandatory Movement Lane Control signs 2B-20
Manual Lane
defined 1A-14
"Manual of Traffic Signal Design" 1A-12
"Manual of Transportation Engineering Studies" 1A-12
Manual on Uniform Traffic Control Devices
acronyms/abbreviations used in 1A-26
changes to 1A-8
conformance of standards 1A-2
definitions of words and phrases 1A-14 to 1A-30
evolution of iv
experimentation with devices 1A-5
interpretation of 1A-5
Minnesota request for conditional use 1A-10
national standard for all traffic control devices iii
relation to other documents 1A-12
request for interim approval 1A-8

- Marina sign 2M-2
- Markers. See also Islands; Tubular markers
 - end-of-roadway 1A-17
 - object 1A-20, 3C-1 to 3C-15
 - raised pavement 1A-22, 3B-30 to 3B-48
- Markings. See also Curb markings; Object markers; Pavement markings
 - bicycle traffic control 9C-1
 - channelizing devices 3H-1
 - colored pavements 3G-1
 - colors 3A-2
 - curb 3B-45
 - delineators 3F-1, 5E-1
 - functions of 3A-1
 - island 3I-1
 - limitations of 3A-1
 - low-volume roads 5E-1
 - materials 3A-2
 - pathway grade crossing 8D-1
 - in school areas 7C-1
 - shared lane 9C-5
 - standardization of application 3A-1
 - toll plaza 3E-1
- Maximum Highway Traffic Signal Preemption Time
 - defined 1A-19
- MCUTCD. See Minnesota Committee on Uniform Traffic Control Devices
- Mechanic sign 2M-2
- Median
 - defined 1A-19
 - KEEP OFF MEDIAN signs 2B-54
- Median islands
 - longitudinal pavement markings 3B-6
- Medians
 - TTC - entrance ramp with crossover of 6J-24
 - TTC - exit ramp with crossover of 6J-7
 - TTC - on freeway 6J-4, 6J-5
 - median opening treatments for divided highways with wide medians 2A-19
 - TTC zone - work within 6G-8
- MEDICAL CENTER signs 2N-4
- Men's Restroom sign 2M-2
- Merge signs 2C-24
 - MERGE Signs 6F-14
 - THRU TRAFFIC MERGE RIGHT (LEFT) signs 6F-14
- Merging tapers 6C-8
- Message signs. See Changeable message signs; Word message signs
- Metric system
 - "Guide to Metric Conversion" 1A-12
 - "Traffic Engineering Metric Conversion Folders- Addendum to the Guide to Metric Conversion" 1A-12
 - legislative requirements A1-1
- MINIMUM MAINTENANCE ROAD SIGNS 5C-4
- Minimum Speed Limit signs 2B-17
- Minimum Track Clearance Distance
 - defined 1A-19
- Minimum vehicular volume
 - signal warrant 4C-2
- Minimum Warning Time
 - defined 1A-19
- Minnesota Committee on Uniform Traffic Control Devices
 - function of iv
- Minnesota Department of Transportation
 - "Mn/DOT Bikeway Facility Design Manual" 9A-1
 - Office of Systems and Support Services Map and Manual Sales Unit
 - address ii
 - Office of Traffic, Security, and Technology
 - address ii
- Minnesota Manual of Uniform Traffic Control Devices
 - conformance iv
 - evolution of v
 - text headings vi
 - uniform policy i
 - used by private agencies i
- "Minnesota Motor Vehicle and Traffic Laws" i
- Minnesota Route Marker
 - design of 2D-7
- Minnesota Sign Franchise Program 2J-1
- Minnesota Statutes
 - 160.292 Specific Service signs 2K-1
 - 160.80 Minnesota Sign Franchise Program 2J-1
 - 169.06 Place and maintain traffic control devices iii
 - 169.14 Speed limits 2B-15
 - 169.16 Bridge speed limits 2B-16
 - 169.346 2B-48
 - 169.06 Signs, Signals, Markings. 1A-2
 - 169.022. Uniform application 1A-3
 - placement and maintenance
 - by local officials 1A-3
 - on trunk highways 1A-3
 - uniform application 1A-3
 - uniform system 1A-2
- Minnesota Traffic Engineering Manual 1A-13
- Minor crossroads
 - sign location 2A-15
- Minor Interchange
 - defined 1A-19
 - description of 2E-33
 - guide sign application 2E-53
 - letter size for guide signs 2E-5
- Minor Street
 - defined 1A-20
 - eight-hour vehicular volume 4C-2
 - four-hour vehicular volume 4C-5
 - peak hour volume 4C-5

INDEX

Minor traffic incident 6I-3
MN MUTCD. See Minnesota Manual on Uniform Traffic Control Devices
Mn/DOT 1A-13
 Minnesota Traffic Engineering Manual 1A-13
"Mn/DOT Bikeway Facility Design Manual" 9A-1
Mn/DOT publications
 ordering information 1A-12
 web address 1A-12
Mode-Specific Guide Signs for Shared-Use Paths 9B-17
MOTOR-DRIVEN CYCLES PROHIBITED signs 2B-34
Motorboating sign 2M-2
Motorcycle plaque (W8-15P)
 temporary traffic control with 6F-23
Motorcyclists' signs 2C-21
Motorist call boxes A1-1
Motorist Service signs 1A-1
Motorized Traffic signs 6F-17
Mounting of signs
 accommodation of pedestrians with disabilities 6F-4
 methods of mounting other than on posts 6F-8
 for temporary traffic control 6F-2, 6F-6
Mountings
 for signs 2A-19
Movable Bridge Resistance Gate
 defined 1A-20
 design and location of 4J-1
 use of 4J-1
Movable Bridge Signal
 defined 1A-20
Movable Bridge Warning Gate
 defined 1A-20
 use of 4J-1
Movable bridges
 "Standard Specifications for Movable Highway Bridges" 1A-12
 traffic control signals for 4J-1
Movement Prohibition Signs 2B-18
Multi-Lane
 defined 1A-20
MUTCD. See Manual on Uniform Traffic Control Devices

N

Named highways 2E-3
 signing of 2E-3
Narrow Bridge signs
 for low-volume roads 5C-2
 use of 2C-17

Narrow bridges
 traffic control signals for one-lane, two-way facilities 4H-1
National Committee on Uniform Traffic Control Devices iii
National Committee on Uniform Traffic Laws and Ordinances 1A-13
 address ii
 "Uniform Vehicle Code (UVC) and Model Traffic Ordinance" 1A-13
 "The Uniform Vehicle Code and Model Traffic Ordinance" 9A-1
National Conference on Street and Highway Safety
 manual for urban streets iii
National Electrical Manufacturers Association-NEMA 1A-13
 "NEMA Standards Publication TS 4-2005 Hardware Standards for Dynamic Message Signs (DMS) With NTCIP Requirements" 1A-13
National Highway System Designation Act A1-1
National Incident Management System (NIMS) 6I-1
National Intelligent Transportation Systems
 dynamic message sign 1A-15
National Network Prohibition signs 2B-57
National Network signs 2B-57
National Scenic Byways signs 2D-45
Nature Study Area sign 2M-2
NCHRP 1A-13
 A Guide for Reducing Collisions Involving Pedestrians 1A-13
NCSHS. See National Conference on Street and Highway Safety
NCUTCD. See National Committee on Uniform Traffic Control Devices
"NEMA Standards Publication TS 4-2005 Hardware Standards for Dynamic Message Signs (DMS) With NTCIP Requirements" 1A-13
Neutral Area
 defined 1A-20
New plaque 2C-34
NEW TRAFFIC PATTERN AHEAD (W23-2) sign 2C-31
NEW TRAFFIC PATTERN AHEAD sign (W23-2) 6F-15
Next Distance plaques 2C-32
Next Exit signs
 letter size for guide signs 2E-5
Next Exit Supplemental signs 2E-38
NEXT SERVICES signs 2I-7
 letter size 2E-11
 use with General Services signs 2I-4
NEXT X EXITS signs
 for freeways and expressways 2E-46
 letter size 2E-11

Nighttime hours
 Night Speed Limit signs 2B-16

NIMS. see National Incident Management System 6I-1

No Bicycles signs 2B-34, 9B-6
 No Parking Bike Lane signs 9B-6

No Center Line sign 2C-22

NO CENTER STRIPE sign 6F-20

NO DRIVING ON SHOULDER sign (R4-17a) 2B-32

No Equestrians signs (R9-14) 9B-6

NO GATES OR LIGHTS Plaque 8B-14

No Hazardous Cargo signs 2B-34

No Hitchhiking signs 2B-49

NO MOTOR VEHICLES signs 2B-34

NO OUTLET plaque 2C-18

NO OUTLET sign
 for low-volume roads 5C-4
 use of 2C-18

NO PARKING 8:30 AM TO 5:30 PM signs 2B-45

NO PARKING ANY TIME signs 2B-45

No Parking Bicycle Lane signs 9B-6

NO PARKING BUS STOP signs 2B-45

NO PARKING EXCEPT ON SHOULDER signs 2B-45

NO PARKING EXCEPT SUNDAYS AND HOLIDAYS signs 2B-45

NO PARKING LOADING ZONE signs 2B-45

NO PARKING signs 2B-45

NO PASSING ON SHOULDER sign (R4-18a) 2B-32

NO PASSING ZONE signs 2B-26, 2C-26

No passing zones
 buffer zones 3B-6
 centerline markings 3B-1, 3B-2, 3B-3, 3B-4
 minimum lane transition taper length 3B-6
 pavement markings 3B-4
 sight distances 3B-6
 warrants 3B-4

No Pedestrian Crossing signs 2B-49, 4D-2

No Pedestrians signs 9B-6

NO SHOULDER Sign 6F-19

No Skaters signs 9B-6

No Snowmobile signs 2B-35

NO STANDING ANY TIME signs 2B-45

NO STOPPING ON PAVEMENT signs 2B-45

No Traffic sign 5C-4

NO TRAIN HORN Plaque 8B-14

No Trucks signs 2B-33

No Turn on Red signs 2B-52

NON-MOTORIZED TRAFFIC PROHIBITED signs 2B-34

Non-Vehicular signs 2C-29

No-passing zone markings
 traffic direction transition in three-lane road with 3B-6

Normal lines
 function of 3A-3

North Central Institute of Traffic Engineers (NCITE) iv

NORTH. See Cardinal Direction auxiliary signs

Number of Tracks plaque
 for highway-rail grade crossings 8B-1

Number of Tracks signs 5F-1

Numbered Highway Systems 2D-6
 "Establishment and Development of United States Numbered Highways" 2D-6
 guide signs for 2D-6

O

Object Markers. See also Markings 2C-34, 5C-4
 bicycle traffic control with 9B-18
 defined 1A-20
 design 2C-34
 for ends of roadways 2C-36
 for obstructions adjacent to roadway 2C-36
 for obstructions within roadway 2C-35
 on islands 3I-1
 for low-volume roads 5C-4
 placement height 2C-34
 Type 1 2C-34
 Type 2 2C-34
 Type 3 2C-34
 Type 4 2C-34

Obstructions 2C-36
 adjacent to roadway 2C-36
 approach markings 3B-26, 3B-28, 3B-29
 bicycle lane markings for 9C-1, 9C-10
 Double Arrow signs 2C-18
 intermittent 2C-23
 permanent 2C-23
 roadway 2C-36

Occupancy Requirement
 defined 1A-20

Occupant
 defined 1A-20

Occupational Safety and Health Administration (OSHA) ii, 1A-13
 "Occupational Safety and Health Administration Regulations (Standards - 29 CFR), General Safety and Health Provisions - 1926.20" 1A-13

Off-Interstate Business Route signs
 design of 2D-7

INDEX

Office of Systems and Support Services, Map and Manual Sales Unit
address ii

Office of Traffic, Security, and Operations
address ii

Office of Transportation Operations
process for experimentation with devices 1A-5

Off-Road Vehicle Trail sign 2M-2

OK word message 2B-21

ON RAMPS plaques 6F-14

ONCOMING TRAFFIC DOES NOT STOP plaques 2C-33

One-direction large arrow signs 2C-12

ONE HOUR PARKING 9 AM-7 PM signs 2B-45

ONE LANE BRIDGE signs 2C-17
for low-volume roads 5C-2

ONE LANE ROAD AHEAD signs 6F-13

One-lane, two-way facilities
traffic control signals for 4H-1

One-lane, two-way tapers 6C-10

One-lane, two-way traffic control
example of 6C-9
flag transfer method 6C-10
flagger method 6C-10
pilot car method 6C-11
Stop control method 6C-11
tapers for 6C-8
temporary 6C-10
temporary traffic control signal method 6C-11
Yield control method 6C-11

One-way roadways
DO NOT ENTER signs 2B-33
WRONG WAY signs 2B-33

ONE WAY signs
at interchange exit ramps 2E-57
locations of 2B-36
Turn Prohibition sign replacement 2B-19
use of 2B-35, 2B-36

One-way turns
WHITE TWO-WAY LEFT-TURN ARROWS 4M-1

One-Way Left Turn Arrow
lane use control with 4M-1

ONLY word messages 2B-22, 3B-39

Open-Road ETC Lane
defined 1A-20

Open-Road Tolling
defined 1A-20

Open-Road Tolling Point
defined 1A-20

Operating Speed
defined 1A-24

Operation of traffic control devices 1A-2

Opposing Traffic
defined 1A-20

Opposing traffic lane dividers
for temporary traffic control 6F-40

Optional Lanes signing
design of diagrammatic guide signs 2E-19
design of overhead arrow-per-lane guide sign 2E-14
intermediate/minor interchange multi-lane exit 2E-23
multi-lane exits 2E-14
splits 2E-14

Optional Movement Lane Control signs 2B-21

Orange
meaning for traffic control devices 1A-13

Orientation signs
letter size 2E-11

ORT lane
toll plaza markings for 3E-1

OSHA. See Occupational Safety and Health Administration
ii, 1A-13

OTHER TIMES messages 2B-25

Overhead Arrow-per-Lane Guide signs 2E-14

Overhead pedestrian crossing sign (R1-9) 2B-12

Overhead Sign
defined 1A-20
design and construction of structural supports 2E-26
down arrows restricting lane use 2D-5
installation 2A-17, 2E-26
Intersection Lane Control signs 2B-19
letter size 2E-5
number of signs at one location 2E-3
Pull Through 2E-3

Overlapping routes
interchange exit numbering 2E-32

P

Pace
defined 1A-24

Paddles
flagger control 6E-1
methods of signaling with paddles 6E-7
STOP/SLOW paddles 6E-1, 6E-4, 6E-8

PARK - RIDE signs 2D-36, 2E-39

Park Route signs
design of 2D-8

Parking
Bicycle Parking Area signs 9B-16
designation for persons with disabilities 2B-48, 3B-38,
3B-42
EMERGENCY PARKING ONLY signs 2B-49

- PARK - RIDE Sign 2D-36
- Parking Area Guide sign 2D-36
- parking space markings 3B-37, 3B-38
- permissive 2B-45
- reserved parking signs for persons with disabilities 2B-48
- school area signs 7B-11
- signs for low-volume roads 5B-2
- Parking Area
 - defined 1A-20
- Parking Area Guide signs 2D-36
- Parking prohibition signs
 - Bicycle Parking Area signs 9B-6
 - design of 2B-47
 - DO NOT STOP ON TRACKS signs 2B-49
 - EMERGENCY PARKING ONLY signs 2B-49
 - emergency restrictions 2B-49
 - examples of 2B-45
 - for low-volume roads 5B-2
 - placement of 2B-48
 - school areas 7B-11
 - word messages 2B-47
- Parking signs (R7 series) 2M-2
- PASS WITH CARE signs 2B-30
- Passing
 - centerline markings 3B-1
 - DO NOT PASS signs 2B-26, 2C-26
 - no-passing buffer zones 3B-6
 - NO PASSING ZONE signs 2C-26
 - PASS WITH CARE signs 2B-30
- Passive Grade Crossing
 - defined 1A-20
- PATH NARROWS sign (W5-4a) 9B-10
- Pathway Grade Crossing
 - active traffic control systems for 8D-2
 - defined 1A-20
 - detectable warnings for 8D-1
 - edge lines for 8D-1
 - flashing lights for 8D-2
 - markings for 8D-1
 - passive devices for 8D-2
 - practices for 8D-1
 - purpose of 8D-1
 - signs for 8D-1
 - standard devices for 8D-1
 - stop lines for 8D-1
- Paved
 - defined 1A-20
- PAVED plaque 2C-16
- PAVEMENT ENDS signs 9B-9
 - for low-volume roads 5C-3
 - use of 2C-20
- Pavement markers
 - raised 1A-22
 - temporary raised 6F-44
- Pavement markings. See also Markings
 - "Color Specifications for Retroreflective Sign and Pavement Marking Materials" 1A-12
 - accessible parking space 3B-38
 - advance speed humps 3B-46
 - approach markings for obstructions 3B-26
 - arrows 3B-40
 - bicycle facilities 9C-1
 - bicycle lane 9C-1, 9C-6, 9C-7, 9C-8
 - center line 1A-15, 3B-1, 5E-1
 - chevron and diagonal crosshatch 3B-22, 3B-46
 - colored pavement as 3G-1
 - crosswalk 3B-34
 - curb 3B-45
 - do not block intersection 3B-33
 - dotted white line 3B-14
 - edge line 1A-16, 3B-1, 3B-23, 5E-1
 - extensions through intersections or interchanges 3B-23, 3B-24, 3B-25
 - function of 7C-1, 9C-1
 - functions of longitudinal pavement 3A-3
 - highway-rail grade crossings 5F-2, 8B-16
 - interim 6F-41
 - intersections 9C-2
 - island 3B-22
 - lane line 1A-19, 3B-8
 - lane reduction transition markings 3B-26
 - limitations of 7C-1
 - longitudinal 1A-19, 3A-3, 3B-31
 - no-passing zones 3B-2, 3B-3, 3B-4
 - for obstructions 9C-5, 9C-10
 - obstructions, approach markings for 3B-26
 - parking space 3B-37, 3B-38
 - patterns and colors on shared-use paths 9C-1, 9C-2, 9C-3
 - patterns of longitudinal pavement 3A-3
 - placement of temporary raised 6J-2
 - raised 1A-22, 3B-30 to 3B-32, 6F-44
 - reversible lanes 3B-8
 - right edge line 3B-8
 - route shields 3B-41
 - for school areas 7C-1
 - shared-use paths 9B-14
 - solid white line where crossing lane discouraged 3B-14
 - speed humps 3B-46, 3B-47, 3B-48, 3B-49
 - speed measurement 1A-24, 3B-44
 - speed measurement markings 1A-24
 - speed reduction 3B-44
 - "Standard Highway Signs and Markings" 1A-12
 - stop lines 1A-24, 3B-32
 - stop/yield for pedestrians 3B-32
 - symbols 3B-38, 7C-1
 - temporary raised 6F-41
 - temporary traffic control zones 5G-1
 - transverse 1A-25, 3B-32
 - white line 3B-8
 - white longitudinal 3B-22, 3B-24, 3B-25, 3B-27, 3B-28, 3B-43
 - widths of longitudinal pavement 3A-3
 - word messages 3B-38, 7C-1

INDEX

- for wrong-way traffic control at interchange ramps 2E-57
- yellow centerline 3B-1
- yellow longitudinal 3B-6
- YIELD AHEAD 3B-42
- yield lines 3B-32
- Pavements, colored 3G-1
- Pay Toll Advance Warning sign 2F-4
- Peak hour
 - signal warrant 4C-5
- Pedestrian Change Interval
 - defined 1A-20
- Pedestrian Clearance Time
 - defined 1A-20
- Pedestrian control
 - accessible signals/detectors for 4E-7
 - countdown signals for 4E-5
 - pedestrian detectors for 4E-6, 4E-7, 4E-10
 - pedestrian intervals for 4E-3
 - pushbuttons for 4E-6
 - signal heads for 4E-1
 - signal phases for 4E-3
- Pedestrian Crossing signs 2B-49
- PEDESTRIAN CROSSWALK signs 6F-11
- Pedestrian Facilities
 - defined 1A-20
- Pedestrian Hybrid Beacon 4F-1
 - application of 4F-1
 - circular red signal with 4F-1
 - circular yellow signal with 4F-1
 - CROSSWALK STOP ON RED sign with 4F-3
 - defined 1A-21
 - design of 4F-1
 - emergency-vehicle access with 4G-1
 - operation of 4F-3
- Pedestrian Intervals and Signal Phases 4E-3
- Pedestrian Safety 6D-3
 - in temporary traffic control zones 6D-3
- Pedestrian Signal Head
 - defined 1A-21
- Pedestrian signal indications
 - application of signal heads 4E-1
 - countdown 4E-5
 - design of 4E-2
 - height of signal heads 4E-3
 - illumination of 4E-2
 - location of signal heads 4E-3
 - meaning of 4E-1
 - "Pedestrian Traffic Control Signal Indications" 4E-2
 - size of 4E-2
- "Pedestrian Traffic Control Signal Indications" 1A-12, 4E-2
- Pedestrian warning
 - color code 1A-13
- Pedestrians
 - bicycle/pedestrian sign for 9B-9
- PEDESTRIANS AND BICYCLES PROHIBITED signs 2B-33
- PEDESTRIANS BICYCLES MOTOR DRIVEN CYCLES PROHIBITED signs 2B-33
- PEDESTRIANS PROHIBITED signs 2B-49
- Pedestrians. See also Crosswalks; School crossings
 - accessible signals/detectors for 4E-7
 - control features 4E-1
 - crosswalk lines 3B-34
 - defined 1A-20
 - detectable edging for 6F-39
 - green signal indications 4D-2
 - In-Street Pedestrian Crossing sign 2B-12
 - In-Street Pedestrian Crossing signs 2B-12
 - island for 3I-2
 - No Pedestrian Crossing signs 2B-50
 - Pedestrian Crossing signs 2B-49
 - PEDESTRIAN CROSSWALK signs 6F-11
 - "Pedestrian Traffic Control Signal Indications" 4E-2
 - pushbuttons 4E-6
 - school crossings 7A-1, 7A-3
 - shared-use path 1A-23
 - sidewalks 1A-23
 - signal head 4E-1, 4E-3
 - State Law Stop for Pedestrians Within Crosswalk signs 2B-12
 - stop/yield pavement markings for 3B-32
 - temporary traffic control considerations 6D-1
 - traffic control signals for 4D-2
 - USE CROSSWALK signs 2B-50
 - vibrotactile device for 1A-25
 - volume signal warrant 4C-7
 - WALK ON LEFT FACING TRAFFIC signs 2B-49
- Permanent obstructions 2C-23
- Permissive Mode
 - defined 1A-21
- Permissive only mode
- Permissive Parking signs 2B-45
- Persons with disabilities. See also Accessibility; Accessible pedestrian signals
 - "The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG)" 1A-13
 - "The Americans with Disabilities Act Accessibility Guidelines for Building and Facilities (ADAAG)" 6A-1, 6F-7
 - The International Symbol of Accessibility for the Disabled sign 3B-42
 - parking prohibition symbol 2B-48
 - parking space designation 3B-38, 3B-39, 3B-42
 - reserved parking signs 2B-48
- Pets on Leash sign 2M-2
- Pharmacy sign 2I-3, 2J-1
 - PHARMACY logo panel 2J-1
- Phone signs 2I-4

- PHOTO ENFORCED Plaque 2C-34
- Photo Enforced plaques 2B-53
- Photo Enforced signs 2B-53
- Physical Gore
 - defined 1A-21
- Pick-Up Trucks sign 2M-2
- Picnic Shelter sign 2M-2
- Picnic Site sign 2M-2
- Pictograph
 - defined 1A-21
- Pictographs 2A-3
 - community wayfinding signs 2D-43
 - ETC account 2F-2
 - signs using 2A-3
- Piers
 - Double Arrow signs 2C-18
 - One-Direction Large Arrow signs 2C-12
 - Two-Direction Large Arrow signs 2C-27
- PIEV time. See Perception, Identification, Emotion, and Volition time
- PILOT CAR FOLLOW ME Sign 6F-24
- Pilot car method
 - for one-lane, two-way traffic control 6C-11
- Pink
 - meaning for traffic control devices 1A-13
- Placement of signs
 - authority for traffic control devices 1A-3
 - for bicycle facilities 9B-1
 - parking prohibition 2B-48
 - recreational and cultural interest areas 2M-4
 - school signs 7B-1
 - standing prohibition 2B-48
 - stopping prohibition 2B-48
 - for temporary traffic control 6F-2, 6F-6, 6F-8
 - traffic control devices 1A-2, 1A-3
 - traffic control devices, low-volume roads 5A-3
 - warning signs 2C-6, 2C-7
 - YIELD signs 2B-10
- Plaque 2E-38, 2I-5
 - \$XX FINE 7B-5, 7B-10
 - 24-Hour 2I-3
 - advance street name 2C-32
 - Advisory Speed 2C-10, 5C-3, 6F-23
 - AHEAD 7B-3
 - ALL YEAR 7B-3
 - ambulance station 2I-3
 - BEGIN 2B-23
 - bike lane 9B-4
 - categories of 2C-2
 - CROSS TRAFFIC DOES NOT STOP 2C-33
 - defined 1A-21
 - educational 2M-3
 - electric vehicle charging 2I-3
 - emergency medical care 2I-3, 2I-5
 - EMERGENCY SIGNAL AHEAD 2C-29
 - END 2B-23
 - EXCEPT RIGHT TURN 2B-9
 - EXCESS OIL 2C-21
 - FINES DOUBLE 7B-5, 7B-10
 - FINES HIGHER 2B-17, 7B-5, 7B-10
 - GRAVEL 2C-16
 - hospital 2I-3
 - hours 7B-10
 - HOV 2G-12
 - ICE 2C-21
 - last exit before toll warning 2F-6
 - NEW 2C-34
 - Next Exit 2E-38
 - NEXT X MILES 2C-32
 - NEXT XXX FT 2C-32
 - ON RAMP 6F-14
 - PAVED 2C-16
 - pay toll advance warning 2F-5
 - PHOTO ENFORCED 2B-53, 2C-34
 - Reference Location signs (D10-1 thru D10-3) 9B-16
 - RIDE WITH TRAFFIC 9B-5
 - ROUNDABOUT 2C-27
 - roundabout circulation 2B-45
 - SAND 2C-16
 - SCHOOL 7B-3, 7B-10
 - school areas 7B-1
 - SHARE THE ROAD 2C-33, 9B-10
 - STEEL DECK 2C-21
 - stop ahead pay toll warning 2F-6
 - supplemental arrow 2C-32, 7B-3
 - supplemental warning 2C-31
 - TO ONCOMING TRAFFIC 2B-11
 - toll plazas regulatory 2F-3
 - TRAFFIC CIRCLE 2C-27
 - TRAIL X-ING 2C-28
 - TRUCKS USE LOWER GEAR 2C-32
 - USE LOW GEAR 2C-32
 - van accessible 2I-3, 2I-5
 - WHEN CHILDREN ARE PRESENT 7B-5, 7B-10
 - WHEN FLASHING 2C-23, 2C-29, 7B-5, 7B-10
 - WHEN WET 2C-21
 - X MILES 2C-32
 - X% GRADE 2C-32
 - XX FEET 7B-3
 - xxx feet 2C-32
- Platooning 4C-10
- Platoons
 - defined 1A-21
- Playground signs 2C-31
- Playground warnings
 - color code 1A-13
- Point of Interest sign 2M-2
- Police sign 2I-3

INDEX

- Police signs 2I-4
- "Policies and Practices for School Safety Patrols" 7D-1
- "A Policy on Geometric Design of Highway and Streets" 1A-12
- Portable changeable message signs
 - for temporary traffic control 6F-25
- Portable signs
 - for turn prohibition during certain time periods 2B-19
- Portable Traffic Control Signal
 - defined 1A-21
- Portable traffic control signals 4D-46
- Post mounted delineators 6F-44
- Post Office sign 2M-2
- Posted Speed Limit
 - defined 1A-21
- Post-interchange signs 2E-43
- Post-mounted flashing-light signals 8C-3
- Post-Mounted Sign
 - defined 1A-21
 - preferential lane 2G-5
- Posts
 - for signs 2A-19
- "Practice for Roadway Lighting" 1A-12
- Preemption
 - defined 1A-21
- Preemption control
 - operation of 4D-41
 - turn restrictions during preemption signs 8B-10
- "Preemption of Traffic Signals Near Railroad Crossings" 1A-13
- Preferential lane
 - defined 1A-21
 - toll plaza markings for 3E-1
- Preferential lane markings
 - barrier-separated, non-reversible 3D-2
 - barrier-separated, reversible 3D-2
 - bicycle lane 3D-1
 - buffer-separated (left-hand side) 3D-2
 - buffer-separated (right-hand side) 3D-2
 - contiguous (left-hand side) 3D-2
 - contiguous (right-hand side) 3D-7
 - counter-flow on divided highway 3D-7
 - ETC account only lane 3D-1
 - HOT lane 3D-1
 - HOV lane 3D-1
 - light rail transit lane 3D-1
 - longitudinal motor vehicles 3D-2
 - symbols 3D-1
 - taxi only lane 3D-1
 - two or more same direction lanes 3D-7
 - word 3D-1
- Preferential Lane signs
 - advance regulatory signs for 2G-10
 - direct entrances guide signs for 2G-23
 - direct exits guide signs for 2G-23
 - egress from guide signs for 2G-20
 - guide signs for 2G-12
 - HOV plaque for 2G-12
 - initial entry point guide signs for 2G-14
 - intermediate entry point guide signs for 2G-16
 - lane ends regulatory signs for 2G-11
 - periods of operation regulatory 2G-9
 - post-mounted 2G-5
 - regulatory signs for 2G-1
 - scope 2G-1
 - sizes of 2G-1
 - vehicle occupancy definition regulatory 2G-6
 - warning signs on median barriers for 2G-11
- PREPARE TO STOP WHEN FLASHING signs 2C-23
- Pre-Signal
 - defined 1A-21
- Pre-signals
 - interconnected highway-rail grade crossings 8C-8
- Pre-timed Operation
 - defined 1A-21
- Priced Managed Lane
 - guide signs for 2G-28
 - regulatory signs for 2G-26
- Primary Signal Face
 - defined 1A-21
- Principal Legend
 - defined 1A-21
- Priority Control
 - defined 1A-21
- Private Road Open to Public Travel
 - defined 1A-21
- Prohibition
 - color code 1A-13
- Prohibitive Circle and Diagonal Slash
 - use on recreational and cultural interest areas signs 2M-3, 2M-4
- Propane Gas sign 2I-3
- Protected Mode
 - defined 1A-21
- Public law A1-1
- Public nuisances 1A-4
- Public Road
 - defined 1A-21
- Public Telephone sign 2I-3, 2I-7
- Public utility companies
 - placement of temporary traffic control devices 1A-3
- Publications
 - ordering information 1A-12
- Pull-Through Signs

letter size 2E-11

"Purchase Specification for Flashing and Steady-Burn Warning Lights" 1A-13, 6F-45

Purple
 meaning for traffic control devices 1A-13

Push Button for Green Signal sign 2B-50

Push Button for Walk Signal sign 2B-50

Push Button to Cross Street Wait for Green Signal sign 2B-51

Push Button to Cross Street Wait for Walk Signal sign 2B-51

Pushbutton
 defined 1A-21
 detector 4E-6
 use of 4E-6, 4E-7

Pushbutton Information Message
 defined 1A-21

Pushbutton Locator Tone
 defined 1A-22

Q

Queue Clearance Time
 defined 1A-22

Quiet Zone
 defined 1A-22

R

R1-1 sign. see STOP signs

R1-2 sign. see YIELD signs

R1-2aP plaque. see To Oncoming Traffic signs

R1-3P plaque. see ALL WAY STOP sign

R1-5b, 5c signs. see Stop Here For Pedestrian signs

R1-6a, 6b, 6c signs. see In-Street Pedestrian Crossing signs; State Law Stop for Pedestrians Within Crosswalk signs

R1-9a,9b signs. see STOP FOR PEDESTRIANS IN CROSSWALK signs i

R1-10P plaque. see EXCEPT RIGHT TURN plaque i

R2-1 sign. see Speed Limit signs

R2-2P plaque. see Truck Speed Limit signs

R2-3P plaque. see Night Speed Limit signs

R2-4P plaque. see Minimum Speed Limit signs

R2-5 sign. see Reduced Speed Ahead signs

R2-6aP plaque. see FINES DOUBLE plaque i

R2-6P sign. see FINES HIGHER plaque

R3-1 - 4 signs. see Turn prohibition signs

R3-1 sign. see No Right Turn signs

R3-17 sign. see Bicycle Lane signs

R3-18 sign. see No U-Turn/No Left Turn signs

R3-1a, 3-2a signs. see Light Rail Transit-Activated Blank-Out Prohibition signs

R3-2 sign. see No Left Turn signs

R3-3 sign. see NO TURNS signs

R3-4 sign. see No U-Turn signs

R3-5 - 8 signs. see Intersection Lane Control signs

R3-5, 5a signs. see Mandatory Movement Lane Control signs

R3-6 sign. see Optional Movement Lane Control signs

R3-7 sign. see Mandatory Movement Lane Control signs

R3-8 sign. see Advance Intersection Lane Control signs

R3-9a, 9b signs. see Two-Way Left Turn Only signs

R3-9c - i signs. see Reversible Lane Control signs

R3a-10 thru 17 signs. see Preferential Lane signs

R4-1 sign. see DO NOT PASS signs

R4-2 sign. see PASS WITH CARE signs

R4-3 sign. see SLOWER TRAFFIC KEEP RIGHT signs

R4-4 sign. see BEGIN RIGHT TURN LANE YIELD TO BIKES signs

R4-5 sign. see TRUCKS USE RIGHT LANE signs

R4-6 sign. see TRUCKS LANE signs

R4-7 sign. see Keep Right signs

R4-8 sign. see Keep Left signs

R4-9 sign. see STAY IN LANE signs

R4-10 sign. see RUNAWAY VEHICLES ONLY signs

R5-1 sign. see DO NOT ENTER signs

R5-1a sign. see WRONG WAY signs

R5-2 sign. see No Trucks signs

R5-3 sign. see NO MOTOR VEHICLES signs

R5-4 sign. see COMMERCIAL VEHICLES EXCLUDED signs

R5-5 sign. see TRUCKS (VEHICLES) WITH LUGS PROHIBITED signs

R5-6 sign. see No Bicycles signs

R5-7 sign. see NON-MOTORIZED TRAFFIC PROHIBITED signs

R5-8 sign. see MOTOR-DRIVEN CYCLES PROHIBITED signs

R5-10a sign. see PEDESTRIANS BICYCLES MOTOR-DRIVEN CYCLES PROHIBITED signs

R5-10b sign. see PEDESTRIANS AND BICYCLES PROHIBITED signs

R5-10c sign. see PEDESTRIANS PROHIBITED signs

R6-1 - 2 sign. see ONE WAY signs

INDEX

- R6-3, 3a signs. see Divided Highway Crossing signs
- R-7 Series. see Parking prohibition signs; Standing prohibition signs
- R7-1 sign. see NO PARKING ANY TIME signs
- R7-3 sign. see NO PARKING EXCEPT SUNDAYS AND HOLIDAYS signs
- R7-4 sign. see NO STANDING ANY TIME signs
- R7-5 sign. see ONE HOUR PARKING 9 AM - 7 PM signs
- R7-6 sign. see NO PARKING LOADING ZONE signs
- R7-8 sign. see RESERVED PARKING for persons with disabilities signs
- R7-8a sign. see VAN ACCESSIBLE signs
- R7-107, 107a signs. see BUS STOP signs
- R7-9, 9a signs. see No Parking Bike Lane signs
- R7-201, 201a signs. see TOW-AWAY ZONE signs
- R-8 Series. see Parking prohibition signs; Stopping prohibition signs
- R8-1 sign. see NO PARKING ON PAVEMENT signs
- R8-2 sign. see NO PARKING EXCEPT ON SHOULDER signs
- R8-3 sign. see NO PARKING signs
- R8-4 sign. see EMERGENCY PARKING ONLY signs
- R8-5 sign. see NO STOPPING ON PAVEMENT signs
- R8-7 sign. see EMERGENCY STOPPING ONLY signs
- R8-8 sign. see DO NOT STOP ON TRACKS signs
- R9-1 sign. see WALK ON LEFT FACING TRAFFIC signs
- R9-11 sign. see SIDEWALK CLOSED signs
- R9-2 sign. see CROSS ONLY AT CROSSWALKS signs
- R9-3 sign. see PEDESTRIANS PROHIBITED signs
- R9-3a sign. see No Pedestrian Crossing signs; PEDESTRIANS PROHIBITED signs
- R9-3b sign. see USE CROSSWALK signs
- R9-4a sign. see No Hitchhiking signs
- R9-7 sign. see Shared-Use Path Restriction signs
- R9-8 sign. see PEDESTRIAN CROSSWALK signs
- R10-1 sign. see NO TURN ON RED signs
- R10-1 thru 21 signs. see Traffic signal signs
- R10-18 sign. see TRAFFIC LAWS PHOTO ENFORCED signs
- R10-19 sign. see Photo Enforced signs
- R10-22 sign. see Bicycle Signal Actuation signs
- R10-6 sign. see STOP HERE ON RED signs
- R10-13 sign. see EMERGENCY SIGNAL signs
- R11-1 sign. see KEEP OFF MEDIAN signs
- R11-2 sign. see ROAD CLOSED signs
- R11-3 sign. see LOCAL TRAFFIC ONLY signs
- R11-4 sign. see ROADS CLOSED TO THRU TRAFFIC signs
- R12-1 thru 5 signs. see Weight Limit signs
- R13 signs. see Weigh Station signs
- R14-1 sign. see Truck Route signs
- R14-2 - 3 signs. see Hazardous Cargo signs
- R14-3 sign. see Hazardous Cargo Prohibited signs
- R14-4 sign. see National Network signs
- R14-5 sign. see National Network Prohibition signs
- R15-1 - 2 signs. see Highway-Rail Grade Crossing signs
- R15-4 sign. see Light Rail Transit Only Lane signs
- R15-5, 5a signs. see Do Not Pass Light Rail Transit signs
- R15-6, 6a signs. see No Vehicles On Tracks signs
- R15-7 sign. see Divided Highway With Light Rail Transit Crossing signs
- R15-8 sign. see LOOK signs
- R16-1 symbols. see Seat Belt symbols
- RA Series. see Accommodation Services signs
- Radiator Water sign 2M-2
- Radios sign 2M-2
- Radio-Traffic Information signs 2I-12
- Rafting sign 2M-2
- Rail Traffic
 - defined 1A-22
- Rail Traffic Detection 8C-7
- RAILROAD CROSSING 8B-1
- Railroad tracks. See also Highway-rail grade crossings
 - DO NOT STOP ON TRACKS signs 2B-49
- Railroad trains
 - dynamic envelope 1A-16
- Railroad Transit Grade Crossing Traffic Control
 - advance warning signs for 8B-8
 - automatic gates for 8C-4
 - bicycle signal/crossing for 8C-11
 - crossbuck assemblies with yield/stop signs for 8B-4
 - DO NOT STOP ON TRACKS sign for 8B-10
 - dynamic envelop marking for 8B-19
 - emergency notification sign with 8B-13
 - EXEMPT plaque for 8B-9
 - flashing-light signals for 8C-3
 - four-quadrant gate systems for 8C-5
 - gates for 8C-1
 - grade crossing (crossbuck) sign for 8B-1
 - grade crossing elimination for 8A-3
 - grade crossing illumination for 8A-4
 - LOOK sign with 8B-13
 - low ground clearance grade crossing sign with 8B-15
 - no motor vehicles on tracks sign with 8B-12
 - NO TRAIN HORN sign with 8B-14
 - number of tracks plaque for 8B-1
 - pathway grade crossing for 8D-1
 - pavement markings for 8B-1

- pedestrian signal/crossing for 8C-11
- practices for 8A-1
- purpose of signs for 8B-1
- quiet zone treatments with 8A-4
- rail traffic detection for 8C-7
- signs for 8B-1
- sizes of signs for 8B-1
- skewed crossing sign with 8B-16
- standard devices used for 8A-1
- STOP HERE ON RED sign with 8B-11
- STOP HERE WHEN FLASHING sign with 8B-11
- stop lines for 8B-19
- storage space signs with 8B-15
- TRACKS OUT OF SERVICE sign with 8B-11
- turn restrictions during preemption with 8B-10
- uniform provisions for 8A-3
- wayside horn systems for 8C-7
- yield lines for 8B-19
- "Railroad-Highway Grade Crossing Handbook-Revised Second Edition" 1A-12
- Raised islands, temporary 6F-40
- Raised Pavement Marker
 - color of 3B-30
 - defined 1A-22
 - general 3B-30, 3B-31
 - illumination of 3B-30, 3B-31
 - illumination with 3B-30
 - retroreflectivity of 3B-30, 3B-31
 - spacing of 3B-31
 - substituting for other markings 3B-31
 - substituting other markings with 3B-31
 - supplementing other markings 3B-31
 - supplementing other markings with 3B-31
 - use of 3B-30, 3B-31
 - as vehicle positioning guides with other longitudinal markings 3B-31
 - vehicle positioning guides 3B-31
- Ramp Control Signal
 - defined 1A-22
- "Ramp Management and Control Handbook" 1A-12
- Ramp meter. see Ramp control signal i
- Ramp Metering signs 2B-53
- RAMP NARROWS signs 6F-15
- Ramps. See also Exits
 - arrow markings to deter wrong-way entry 3B-44
 - channelizing line markings 3B-22
 - closed 3H-1
 - entrance ramp closure 6J-21
 - exit ramp closure 6J-20
 - median crossover for entrance ramp 6J-24
 - median crossover for exit ramp 6J-7
 - ON RAMP plaques 6F-14
 - RAMP NARROWS signs 6F-15
 - traffic control signals for freeway entrance ramps 4I-1
 - truck escape ramp delineators 3F-1
 - truck escape ramp signs 2C-16
 - wrong-way traffic control at interchanges 2E-57
- Ranger Station sign 2M-2
- Rattlesnakes sign 2M-2
- Reassurance Assembly 2D-20
- "Recommended Procedures for the Safety Performance Evaluation of Highway Features" 1A-13
- Recreational and cultural interest area signs
 - accommodations 2M-1
 - application 2M-1
 - by category 2M-2
 - design requirements 2M-1
 - educational plaques 2M-3
 - general applications 2M-1
 - height and lateral position of signs located within recreational and cultural interest areas 2M-6
 - land recreation 2M-1
 - placement 2M-4
 - prohibitive slash, use of 2M-4
 - regulatory and warning signs 2M-1
 - scope 2M-1
 - services 2M-1
 - symbol sizes 2M-3
 - symbols installed beneath 2M-13
 - water recreation 2M-1
 - winter recreation 2M-1
- Recreational area guidance
 - color code 1A-13
- Recreational Vehicle Sanitary Station sign 2I-5, 2I-8
- Recreational Vehicle Site sign 2M-2
- Recycling sign 2M-2
- Red
 - delineators 3F-1, 3F-3
 - meaning for traffic control devices 1A-13
- RED ARROW signals 4D-3, 4D-5
 - meaning of 4D-3
- Red Clearance Interval
 - defined 1A-22
- Red signal indications
 - application of 4D-4
 - meaning of 4D-2
 - RED X 4M-2
- RED X signals 4M-1
- Reduced Speed School Zone Ahead sign 7B-11
- Reference Location signs 2H-5
 - interchange exit numbering 2E-32
- REGISTRATION CENTER signs 2N-4
- Regulation
 - color code 1A-13
- Regulations
 - color code 1A-13
- Regulatory signs. See also Signs
 - Advance Intersection Lane Control 2B-19, 2B-22

INDEX

- application of 2B-1
- authority for 6F-7
- bicycle 9B-6
- Bridge Weight Limit 2B-56
- colors used 2A-9
- defined 1A-22
- design of 2B-1
- Divided Highway Crossing 2B-41
- DO NOT CROSS DOUBLE WHITE LINE 2B-31
- DO NOT ENTER 2B-33
- DO NOT PASS 2B-26, 2C-26
- emergency restriction 2B-49
- excessive use of 2A-1
- FENDER BENDER 2B-58
- function of 2A-2
- Hazardous Material 2B-57
- headlight use signs 2B-58
- highway-rail grade crossings 8B-1
- illumination 2A-3, 2A-4
- In-Street Pedestrian Crossing 2B-12, 2B-13
- Intersection Lane Control 2B-19
- jughandle signs 2B-26
- KEEP OFF MEDIAN 2B-54
- keep right and keep left 2B-31
- KEEP RIGHT EXCEPT TO PASS 2B-30
- LOCAL TRAFFIC ONLY 2B-54
- low-volume roads 5B-1
- Mandatory Movement Lane Control 2B-20
- movement prohibition 2B-18
- National Network 2B-57
- NO DRIVING ON SHOULDER 2B-32
- No Hitchhiking 2B-49
- NO PASSING ON SHOULDER 2B-32
- no turn on red signs 2B-52
- ONE WAY 2B-19, 2B-35, 2B-36
- Optional Movement Lane Control 2B-21
- Parking Prohibition 2B-45, 5B-2
- PASS WITH CARE 2B-30
- Pedestrian Crossing 2B-49
- photo enforced 2B-53
- ramp metering 2B-53
- recreational and cultural interest areas 2M-1
- retroreflectivity 2A-3, 2A-4
- Reversible Lane Control 2B-23
- RIGHT (LEFT) LANE MUST EXIT 2B-22
- ROAD CLOSED 2B-54
- seat belt symbol 2B-58
- Selective Exclusion 2B-33
- size of 2B-1
- slow vehicle turn-out signs 2B-32
- SLOWER TRAFFIC KEEP RIGHT 2B-30
- Speed Limit 2B-14, 5B-1
- Standing Prohibition 2B-45
- STAY IN LANE 2B-31
- STOP 2B-8, 5B-1
- Stopping Prohibition 2B-45
- Structure Height Restriction 2B-56
- Structure Weight Limit 2B-56
- for temporary traffic control 6F-7 to 6F-11
- traffic control devices, low-volume roads 5B-1
- traffic movement and prohibition 5B-2
- traffic signal 2B-51
- Truck Route 2B-57
- TRUCKS USE RIGHT LANE 2B-30
- Two-Way Left Turn Only 2B-22
- WALK ON LEFT FACING TRAFFIC 2B-49
- Weigh Station 2B-57
- Weight Limit 2B-55
- WRONG WAY 2B-33
- YIELD 2B-10, 5B-1
- Removal of devices 1A-2
- Reserved parking for persons with disabilities signs 2B-48
- Resistance gates
 - for movable bridges 4J-1
- Responsibility of devices 1A-2
- Rest Area signs
 - letter size 2E-11
- Restrooms sign 2M-2
- Retroreflectivity 2C-34, 5F-1
 - "Color Specifications for Retroreflective Sign and Pavement Marking Materials" 1A-12
 - bicycle traffic control markings with 9C-1
 - of channelizing devices 3H-1
 - cones 6F-34
 - Crossbuck signs 5F-1, 8B-1
 - defined 1A-22
 - of delineators 3F-1
 - of guide signs for freeways and expressways 2E-2
 - of guide signs for conventional roads 2D-1
 - of islands 3I-1
 - of markings 3A-1
 - means of 2A-4
 - of object markers 2C-34
 - of raised pavement markers 3B-30, 3B-31
 - school area traffic control 7B-1
 - standards 2A-3
 - street name signs 2D-28
 - of temporary traffic control signs 6F-2
 - traffic control devices, low-volume roads 5A-3
 - tubular markers 6F-35
- Reversible lane control signs 2B-23, 2B-24, 4M-1
- Reversible lanes
 - longitudinal pavement markings 3B-6
- RG Series. see General Information signs
- RIDE WITH TRAFFIC plaques 9B-5
- Ridesharing signs 2I-13
- RIGHT (LEFT) LANE ENDS signs 2C-25
- Right (left) lane exit only ahead sign 2C-25
- Right edge line markings. See also Edge line markings
 - use of 3B-22
- RIGHT LANE MUST EXIT sign 2B-22
- RIGHT LANE MUST TURN RIGHT SIGNS 2B-21

- Right turns
 - No Right Turn signs 2B-18
 - permissive only mode 4D-25
 - protected only mode 4D-25
 - protected/permissive mode 4D-25
 - variable right-turn mode 4D-25
- Right-of-way assignment
 - defined 1A-22
- Right-of-Way Transfer Time
 - defined 1A-22
- RL Series. see Land Recreation signs
- RM Series. see Motorist Services signs
- ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC Sign 2N-3
- ROAD (STREET) CLOSED AHEAD signs 6F-13
- ROAD (STREET) WORK AHEAD sign (W20-1) 6F-13
- ROAD CLOSED - LOCAL TRAFFIC ONLY signs 2B-54
- ROAD CLOSED Signs 2B-54
- ROAD CLOSED TO THRU TRAFFIC signs 2B-54
- Road closures
 - with diversions 6J-4, 6J-5, 6J-15
 - with off-site detour 6J-17
 - safety with 6D-4
 - temporary 6J-19
- ROAD MACHINERY AHEAD signs 6F-16
- Road May Flood sign 2C-22
- ROAD NARROWS signs 2C-16
- Road User
 - defined 1A-22
- Road user services guidance
 - color guide 1A-13
- ROAD WORK NEXT XX MILES signs 6F-24
- Roads, conventional. See Conventional roads; Guide signs, conventional roads
- Roads. See also Expressways; Freeways; Highways; Roadways; Streets
 - public 1A-21
 - ROAD (AREA) USE PERMIT REQUIRED FOR THRU TRAFFIC signs 2N-3
- "Roadside Design Guide" 1A-12, 4D-47, 6F-48, 6F-49
- Roadway network
 - defined 1A-22
- Roadway network analysis
 - signal warrant 4C-11
- Roadways. See also Two-way roadways
 - "Practice for Roadway Lighting" 1A-12
 - approaches and connecting roadways signing 2E-57
 - cloverleaf interchanges with collector-distributor roadways 2E-49, 2E-51
 - defined 1A-22
 - end of roadway markers 1A-17
 - high speed roadway 1A-18
 - in-roadway lights 4N-1
 - low speed roadway 1A-19
 - object markers for roadway obstruction 2C-35
 - overlapping routes with detour 6J-18
 - shared 1A-23
 - widening 4B-2
- Rock Collecting sign 2M-2
- Roll-Up Warning signs 6F-12
- ROUGH ROAD sign 2C-21, 6F-22
- Roundabout 2C-12
 - bicycle lane not provided on 9C-4
 - circulation plaque 2B-45
 - defined 1A-22
 - destination signs at 2D-22
 - directional arrow signs 2B-41
 - One-Direction Large Arrow sign 2C-12
 - Two-Direction Large Arrow sign 2C-27
- Roundabout Circulation plaque 2B-45
- Roundabout Directional Arrow Signs 2B-41
- Roundabout markings 3C-1
 - approach and circulatory 3C-1
 - arrow 3C-15
 - central island extended 3C-4
 - central island non-extended 3C-4
 - crosswalk 3C-15
 - diamond interchange with 3C-14
 - edge line 3C-15
 - lane-use arrows 3C-2
 - one=lane 3C-2
 - other circular intersections 3C-15
 - symbol 3C-15
 - three-lane with three-lane approach 3C-11
 - three-lane with two- and three-lane approach 3C-10
 - three-lane with two-lane exits 3C-12
 - two linked roundabouts 3C-13
 - two-lane with consecutive double left turn 3C-9
 - two-lane with double left turn 3C-7
 - two-lane with double right turn 3C-8
 - two-lane with one- and two-lane approach 3C-3
 - two-lane with one-lane exit 3C-5
 - two-lane with two-lane exit 3C-6
 - white line 3C-1
 - word 3C-15
 - yield line 3C-15
- ROUNDBABOUT plaque 2C-27
- "Roundabouts-An Informational Guide" 1A-12
- Route markers
 - County Route Marker 2D-8
 - Minnesota Route Marker 2D-7
 - Township Route Marker 2D-8
 - U.S. Route signs 2D-7
- Route shield pavement markings 3B-41
- Route Signs. See also Guide signs, conventional roads
 - bicycle 9B-15
 - for freeways and expressways 2E-31

INDEX

Routes
 overlapping routes with detour 6J-18

Rowboating sign 2M-2

RS Series. see Winter Recreation signs

Rumble Strip
 defined 1A-22

Rumble strip markings 3J-1
 color of edge line associated with 3J-1
 longitudinal 3J-1
 transverse 3J-1

Rumble strips
 colors for 6F-52
 in temporary traffic control zones 6F-52

RUNAWAY VEHICLES ONLY sign 2B-32

Rural areas. See also Low-volume roads; Traffic control devices,
 low-volume roads
 Community Interchanges Identification signs 2E-45
 guide sign characteristics 2E-2

Rural arterials
 edge line markings 3B-23

Rural Highway
 defined 1A-22

Rural highways
 AASHO manual for iii
 pattern of longitudinal pavement markings 3A-3
 RW Series. See Water Recreation signs

Rural intersections
 Junction Assembly 2D-13

RV Access supplemental messages sign 2J-5

RV Sanitary Station sign 2I-3

S

S1-1 sign. see School signs

S3-1 sign. see SCHOOL BUS STOP AHEAD signs

S3-2a sign. see SCHOOL BUS TURN AROUND AHEAD signs

S4-5, 5a signs. see SCHOOL BUS STOP AHEAD signs

S5-2 sign. see END SCHOOL ZONE signs

Safe-Positioned
 defined 1A-22

Safety apparel
 for flaggers 6E-1

The Safety Equipment Association
 "American National Standard for High-Visibility Safety
 Apparel" 1A-12

"Safety Guide for the Prevention of Radio Frequency Radiation
 Hazards in the Use of Commercial Electric Detonators
 (Blasting Caps)" 1A-12

Safety. See also Pedestrians
 "American National Standard for High-Visibility Safety
 Apparel" 1A-12
 "Occupational Safety and Health Administration Regulations
 (Standards - 29 CFR), General Safety and Health
 Provisions - 1926.20" 1A-13
 "Recommended Procedures for the Safety Performance
 Evaluation of Highway Features" 1A-13
 activity area for 6D-4
 experimentation with devices 1A-8
 fire fighter/emergency responder 6D-4
 high-visibility apparel for 6D-4
 law enforcement use with 6D-4
 lighting for 6D-7
 pedestrian 6B-2, 6D-1
 planning for worker 6D-4
 road closure for 6D-4
 shadow vehicle for 6D-4
 special devices for 6D-7
 temporary traffic barriers for 6D-4
 training for worker 6D-4
 worker 6D-1
 worker safety 6A-1, 6B-1, 6D-3

Sailing sign 2M-2

SAND plaque 2C-16

Sanitary Station sign 2M-2

Scenic Area signs
 letter size 2E-11

School
 defined 1A-22

School Advance Warning signs 7B-3

School area traffic control
 Advance Warning signs 7B-1
 color in signs of 7B-1
 crossing supervision for 7D-1
 crosswalk markings for 7C-1
 established school crossings with 7A-1
 height of signs for 7B-1
 illumination for 7B-1
 installation of signs for 7B-1
 lettering for 7B-1
 need for standards 7A-1
 pavement markings for 7C-1
 position of signs for 7B-1
 reflectorization for 7B-1
 routes with 7A-1
 School Advance Crossing Assembly 7B-5
 school crossing assembly 7B-6
 school crossing criteria for 7A-3
 school crossings 7A-1, 7A-3
 scope 7A-3
 signs for 7B-1, 7B-3
 standardization of traffic control 7A-1
 traffic control with school speed limits 7B-10

SCHOOL BUS LOADING AREA sign (S3-X1) 7B-9

SCHOOL BUS STOP AHEAD signs 7B-9

- SCHOOL BUS TURN AROUND AHEAD sign (S3-2a) 7B-9
- School bus warning
 - color code 1A-13
- School crossings
 - adult crossing guards 7D-1
 - control criteria 7A-3
 - established 7A-1
 - operating procedures for adult crossing guards 7D-1
 - qualifications of adult crossing guards 7D-1
 - signal warrant 4C-7
 - signs 2C-30
 - types of supervision 7D-1
 - uniform of adult guards and student patrols 7D-1
- School Crosswalk Warning assembly 7B-6
- School signs
 - advance crossing assembly 7B-5
 - color of 7B-1
 - colors used 2A-9
 - crossing assembly 7B-6
 - END SCHOOL ZONE 7B-3
 - FINES DOUBLE plaque 7B-5
 - FINES HIGHER plaque 7B-5
 - four applications of 7B-3
 - height of 7B-1
 - HIGHER FINES ZONE plaque 7B-5
 - illumination for 7B-1
 - installation of 7B-1
 - in-street 7B-6
 - lettering for 7B-1
 - parking 7B-11
 - position of 7B-1
 - Reduced Speed School Zone Ahead signs 7B-11
 - retroreflection for 7B-1
 - School Advance Warning 7B-3
 - SCHOOL BUS LOADING AREA 7B-9
 - SCHOOL BUS STOP AHEAD 7B-9
 - SCHOOL BUS TURN AROUND AHEAD 7B-9
 - School Crosswalk Warning assembly 7B-6
 - School Speed Limit assembly 7B-10
 - size of 7B-1
 - stop 7B-6
 - stopping 7B-11
 - yield 7B-6
 - zone 7B-3
- School Speed Limit assembly 7B-10
 - \$XX fine plaque for 7B-10
 - end higher fines zone sign for 7B-10
 - end school speed limit assembly sign for 7B-10
 - end school zone sign for 7B-10
 - finer double plaque for 7B-10
 - finer higher plaque for 7B-10
- School warning
 - color code 1A-13
- SCHOOL word marking 7C-1
- School Zone
 - defined 1A-23
- School Zone sign 7B-3
 - ALL YEAR plaque with 7B-3
 - END SCHOOL ZONE plaque with 7B-3
 - SCHOOL plaque with 7B-3
- Screens
 - in temporary traffic control zones 6F-53
- Scuba Diving sign 2M-2
- Sea Plane sign 2M-2
- Seal Viewing sign 2M-2
- Seat belt symbol 2B-58
- Selective exclusion signs 2B-33
- Semi-Actuated Operation
 - defined 1A-23
- Separate -Turn Signal Face
 - defined 1A-23
- Separation Time
 - defined 1A-23
- Sequence signs
 - for interchanges 2E-44, 2E-45
- Shadow vehicle 6D-4
- Shapes
 - for signs 2A-8
- SHARE THE ROAD plaque (W16-1P) 2C-33, 9B-10
- Shared-use Paths
 - defined 1A-23
- Shared Lane Marking 9C-5
- Shared Left-Turn/Right-Turn Indications 4D-35
- Shared Roadway
 - defined 1A-23
- Shared-use Path
 - center line markings for 9C-3
 - pattern/markings for 9C-1
 - signs and markings for 9B-12, 9B-14
 - signs for 9B-1
 - size of signs for 9B-1
- Shared-use path sign (R9-7) 9B-7
- Shared-Turn Signal Face
 - defined 1A-23
- Shelter Directional Signs 2N-4
- Shifting tapers 6C-8
- Shoulder
 - defined 1A-23
- SHOULDER DROP OFF sign 2C-21, 6F-19
- Shoulder Work signs 6F-17
- Shoulders
 - colored pavement for 3G-1
 - NO PARKING EXCEPT ON SHOULDER signs 2B-45
 - SHOULDER WORK signs 6F-17
 - tapers 6C-8

INDEX

- Showers sign 2M-2
- Side Road signs 2C-12, 2C-27
- SIDEWALK CLOSED signs 2B-55, 6F-11
- Sidewalks
 - closures 6D-1, 6F-11
 - defined 1A-23
- Sight distances
 - stopping sight distances as a function of speed 6C-6, 6E-9
- Sign Assembly
 - Advance Route Turn 2D-18
 - Confirming 2D-20
 - defined 1A-23
 - Directional 2D-19
 - Junction 2D-13
 - Reassurance 2D-20
 - route signs 2D-12, 2E-31
 - School Crosswalk Warning 7B-6
 - School Speed Limit 7B-10
 - Trailblazer 2D-21, 2E-31
- Sign Illumination
 - defined 1A-23
- Sign installation
 - overhead signs 2A-17
 - school signs 7B-1
- Sign legends. See also Design
 - amount of legend on conventional road guide signs 2D-5
 - amount of legend on freeway and expressway road guide signs 2E-3
 - colors used 2A-9
 - defined 1A-23
 - designation of destinations 2E-5
 - EVACUATION ROUTE 2N-2
 - on parking signs 2B-47
 - principal legend 1A-21
 - for reversible lane control signs 2B-23
- Sign Panel
 - defined 1A-23
- Sign spreading 2E-3
- Signal Ahead sign 2C-23
- Signal Backplate
 - defined 1A-23
- Signal Coordination
 - defined 1A-23
- Signal Face
 - for bicycle facilities 9D-1
 - defined 1A-23
- Signal faces
 - aiming of 4D-12
 - clearance of 4D-17
 - lane-use control signals 4M-2
 - lateral offset of 4D-17
 - lateral position of 4D-14
 - longitudinal positioning of 4D-14
 - mounting height 4D-16
 - separate left-turn 4D-18
 - shared 4D-17
 - shielding of 4D-12
 - U-turn 4D-7
 - visibility of 4D-12
- Signal Head
 - defined 1A-23
- Signal heads
 - pedestrian 4E-1
- Signal Housing
 - defined 1A-23
- Signal Indication
 - defined 1A-23
- Signal indications. See also specific types of indications, e.g.,
 - Red signal indications 4D-7
 - approaches with shared turn lanes 4D-35
 - color of 4D-7
 - design of 4D-7
 - illumination of 4D-7
 - lane-use control signal indications 4M-1
 - left turn movements 4D-17
 - permissive only mode 4D-18, 4D-26
 - positions of 4D-8, 4D-9, 4D-10
 - protected only mode 4D-21, 4D-30
 - protected/permissive 4D-32, 4D-35
 - protected/permissive mode 4D-22
 - right turn movements 4D-25
 - shape of 4D-7
 - size of 4D-8
- Signal Lens
 - defined 1A-23
- Signal Louver
 - defined 1A-23
- Signal Phase
 - defined 1A-23
- Signal Section
 - defined 1A-23
- Signal System
 - defined 1A-23
- Signal Timing
 - defined 1A-23
- "Signal Timing Manual" 1A-12
- Signal Visor
 - defined 1A-23
- Signal warrants
 - for bicycle facilities 9D-1
 - Warrant 1 - Eight-Hour Vehicular Volume 4C-2
 - Warrant 2 - Four-Hour Vehicular Volume 4C-5
 - Warrant 3 - Peak Hour 4C-5
 - Warrant 4 - Pedestrian Volume 4C-7
 - Warrant 5 - School Crossing 4C-7

- Warrant 6 - Coordinated Signal System 4C-10
- Warrant 7 - Crash Experience 4C-10
- Warrant 8 - Roadway Network 4C-11
- Warrant 9 - Intersection Near a Grade Crossing 4C-11
- "Signalized Intersections: an Informational Guide" 1A-12
- Signals. See also Flashing-light Signals; Freeway Entrance Ramps control signals; Highway Traffic Signal; Lane-use Control Signals; Light Rail Transit Signals; Pedestrian Signal Heads; Traffic Control Signal
 - bicycle traffic control 9D-1
 - lane-use control signal 1A-19
 - ramp control 1A-22
- Signing
 - defined 1A-23
- Signs. See also Guide signs, conventional roads; Guide signs, freeways and expressways; Highway signs; Regulatory signs; Warning signs
 - background colors 2A-9
 - bicycle traffic control 9B-1
 - borders 2A-11, 2E-12
 - changeable message signs 1A-15, 2L-1
 - classification of 2A-2
 - colors 2A-5, 2A-9
 - defined 1A-23
 - definitions 2A-1
 - design of 2A-2
 - dimensions 2A-7
 - emergency management 2N-1
 - enhanced conspicuity of 2A-11
 - excessive use of 2A-1
 - function and purpose 2A-1
 - guide 1A-17, 2A-2
 - height of 2A-14
 - highway-rail grade crossings 8B-1
 - illumination 2A-3, 2A-4
 - lateral locations 2A-14
 - lateral offset 2A-18
 - legend colors 2A-9
 - legends 2A-2
 - legislative requirements A1-2
 - lettering 2A-11
 - location of 2A-13, 2A-14, 2A-15
 - maintenance 2A-19
 - median opening treatments for divided highways with wide medians 2A-19
 - mounting height 2A-17, 7B-1, 9B-1
 - mounting of 2A-19
 - mountings 9B-1
 - orientation of 2A-19
 - overhead sign installations 2A-17
 - pictographs on 2A-3
 - posts 2A-19
 - principal legend 1A-21
 - purpose of 2A-1
 - recreational and cultural interest area signs 2M-1
 - school area traffic control 7B-1
 - shapes 2A-5, 2A-8
 - spacing of 2A-13
 - Specific Service 1A-1
 - standardization of application 2A-1
 - standardization of location 2A-13
 - STOP 2B-8, 2B-9
 - Stop Ahead 2C-23
 - symbols 2A-7
 - for temporary traffic control 6F-1
 - tourist-oriented directional 2K-1
 - uniform system 1A-2
 - uniformity in design 2A-2
 - word messages 2A-2, 2A-10
- Simultaneous Preemption
 - defined 1A-24
- Single-exit interchanges 2J-6
- Size of lettering
 - guide signs, freeways and expressways 2E-5
- Size of signs
 - guide signs, conventional roads 2D-1
 - guide signs, freeways and expressways 2E-5
 - highway-rail grade crossings 8B-1
 - on low-volume roads 5A-1
 - pedestrian signal indications 4E-2
 - recreational and cultural interest area symbol signs 2M-3
 - regulatory signs 2B-1
 - school signs 7B-1
 - for shared-use paths 9B-1
 - for temporary traffic control 6F-1, 6F-2
 - warning signs 2C-6
- Skateboarding sign 2M-2
- Skewed Crossing Sign
 - for highway-rail grade crossings 8B-16
- Ski Jumping sign 2M-2
- Sledding sign 2M-2
- Sleeping Shelter sign 2M-2
- Slippery When Wet sign 2C-21
- SLOW TRAFFIC AHEAD signs 6F-15
- Slow Vehicle Turn-Out sign 2D-43
- Slow Vehicle Turn-Out signs 2B-32
- SLOWER TRAFFIC KEEP RIGHT signs 2B-30
- Smoking sign 2M-2
- Snack Bar sign 2M-2
- Snow Tubing sign 2M-2
- Snowboarding sign 2M-2
- Snowmobiling sign 2M-2
- Snowshoeing sign 2M-2
- SOFT SHOULDER Sign 6F-19
- Solid lines
 - lane line markings 3B-14
- SOUTH. See Cardinal direction auxiliary signs

INDEX

- Special Purpose Road
 - defined 1A-24
- Specific Service signs. See also Logo signs 2M-1
 - advance signs 2K-5
 - classification 1A-1
 - design 2K-1
 - eligibility 2K-1
 - examples of 2K-3
 - intersection approach 2K-4
 - letter size 2K-2
 - recreational and cultural interest area signs for 2M-1
 - sign locations 2K-5
 - size of signs 2K-2
 - state policy 2K-5
- Specific Service signs. See Logo signs
- Speed
 - advisory speed signs 2C-13
 - defined 1A-24
 - Exit Speed signs 2C-13, 2C-15
 - measurement markings 3B-44
 - Ramp Speed signs 2C-13, 2C-15
 - as traffic control device consideration 1A-1
- Speed hump markings 3B-46
 - advance 3B-46
 - with crosswalk 3B-48
 - without crosswalk 3B-47
- SPEED HUMP signs 2C-20
- Speed Limit
 - advisory speeds 6H-1
 - defined 1A-24
 - request for authorization 2B-15
 - temporary in a construction zone 6H-1
 - in temporary traffic control zones 6H-1
 - in a work zone 6H-2
- Speed Limit Sign Beacon 4L-2
 - defined 1A-24
 - use of 4L-2
- Speed Limit signs
 - Bridge speed limit 2B-16
 - in construction zones 6H-1
 - for low-volume roads 5B-1
 - MAINTAIN TOP SAFE SPEED signs 2N-3
 - Minimum speed limit 2B-17
 - Night speed limit 2B-16
 - School Speed Limit assembly 7B-10
 - standard for 2B-14
 - for temporary speed zone 6H-2
 - Truck speed limit 2B-16
 - use of 5B-1
 - in a work zone 6H-2
- Speed Measurement Markings
 - defined 1A-24
- Speed measurement pavement markings 3B-44
- Speed reduction pavement markings 3B-44
- Speed Reduction signs 2C-24
- Speed Zone
 - defined 1A-24
 - End Speed Zone sign 2B-17
 - END WORK SPEED ZONE sign 2B-17
 - ending 2B-17
- Spelunking/Caves sign 2M-2
- Splitter Island
 - defined 1A-24
- Spurs
 - interchange exit numbering 2E-33
 - Off-Interstate Business Route signs 2D-7
- Stable sign 2M-2
- "Standard Highway Signs and Markings" i, 2A-2, 4E-2
- "Standard Alphabets for Highway Signs and Pavement Markings" 1A-12
- "Standard Signs Manual" i, 1A-12, 2A-2
- "Standard Specifications for Movable Highway Bridges" 1A-12
- Standing prohibition signs
 - design of 2B-47
 - examples of 2B-45
 - placement of 2B-48
- State Law signs 2B-59
- State Law Stop for Pedestrians Within Crosswalk signs 2B-12
- State Route signs
 - design of 2D-7
- Station Crossing
 - defined 1A-24
- Statutory Speed Limit
 - defined 1A-24
- STAY IN LANE sign 2B-31
- STAY IN LANE signs 6F-10
- Stay on Trail sign 2M-2
- Steady Mode
 - defined 1A-24
- Steady signal indications
 - application of 4D-4
 - meaning of 4D-2
- Steady-burn electric lamps
 - for temporary traffic control 6F-46
- STEEL DECK plaque 2C-21
- STEEL PLATE AHEAD sign (W8-24) 6F-19
- Stop
 - color code 1A-13
- Stop Ahead Pay Toll Warning sign 2F-5
- Stop Ahead signs
 - at highway-rail grade crossings 5F-2
 - for low-volume roads 5C-2
 - use of 2C-23
- Stop Beacon 4L-2

- defined 1A-24
- use of 4L-2
- Stop here for pedestrians pavement markings 3B-33
- Stop Here for Pedestrians sign 2B-11
- STOP HERE ON RED signs 8B-11
- STOP HERE WHEN FLASHING sign 8B-11
- Stop lines
 - defined 1A-24
 - highway rail grade crossings with 8B-19
 - light rail grade crossing traffic control with 8B-19
 - pathway grade crossing 8D-1
 - railroad grade crossings traffic control with 8B-19
 - use of 3B-32
- Stop or Yield Control Method 6C-11
- STOP signs
 - applications 2B-9
 - at highway-LRT grade crossings 8B-7
 - at passive grade crossings 8B-4
 - BE PREPARED TO STOP signs 2C-23
 - for bicycle facilities 9B-4
 - colored pavement for approaches 3G-1
 - crossbuck assemblies with 8B-4
 - design 2B-8
 - at highway-rail grade crossings 5F-2
 - for low-volume roads 5B-1
 - multi-way 2B-9
 - one-lane, two-way traffic control 6C-11
 - placement 2B-10
 - use of 5B-1
- STOP/SLOW Automated Assistance Devices 6E-5
 - example of use of 6E-4
 - gate arms with 6E-5
 - WAIT ON STOP/GO sign with 6E-5
 - warning lights for 6E-5
- STOP/SLOW paddles 6E-1
- Stopping at school sign (R8 series) 7B-11
- Stopping prohibition signs
 - design of 2B-47
 - DO NOT STOP ON TRACKS signs 2B-49, 8B-10
 - EMERGENCY STOPPING ONLY signs 2B-49
 - examples of 2B-46
 - placement of 2B-48
- Storage Space signs
 - highway-rail grade crossings 8B-15
- Straight Through Only signs 2B-21
- Street Name signs 2D-27
- Streets. See also Highways; Roads
 - Advance Street Name plaques 2C-27, 2C-32
 - Advance Street Name signs 2D-28
 - arterial 1A-14
 - conventional road 1A-16
 - detour for closed street 6J-17
 - major 1A-19
 - minor 1A-20
 - Street Name signs 2D-27
 - urban 1A-25
- Stripes
 - on barricades 6F-37
 - legislative requirements A1-2
 - NO CENTER STRIPS signs 6F-20
- Strollers sign 2M-2
- Student patrols
- Suburban areas
 - Community Interchanges Identification signs 2E-45
- Supplemental guide signs
 - letter size 2E-11
 - Next Exit 2E-38
- supplemental messages on 2J-2
- Supplemental plaques
 - mandatory movement lanes 2B-20
 - reversible lane control 2B-25
- Supplemental Signal Face
 - defined 1A-24
- Supplemental signs
 - "The AASHTO Guidelines for the Selection of Supplemental Guide Signs for Traffic Generators Adjacent to Freeways" 2E-39
 - freeway and expressway guide signs 2E-38 to 2E-39
- Supplemental warning plaques
 - Advance Street Name 2C-32
 - Advisory Speed 2C-16, 5C-3
 - arrow 2C-32
 - CROSS TRAFFIC DOES NOT STOP 2C-33
 - design of 2C-31
 - distance 2C-32, 6F-23
 - EMERGENCY SIGNAL AHEAD 2C-29
 - grade of hills 2C-14
 - Hill-Related 2C-32
 - minimum size of 2C-6
 - new 2C-34
 - Non-vehicular signs 2C-29
 - PHOTO ENFORCED 2C-34
 - for runaway vehicle ramps 2C-16
 - SHARE THE ROAD 2C-33, 9B-10
 - supplemental arrow 2C-32
 - for temporary traffic control 6F-23
 - truck escape ramps 2C-16
 - use with warning signs 2C-31
 - warning signs 2C-2
- Surface condition signs 2C-21
- Surface mounted delineators 6F-35
- Surfing sign 2M-2
- SURVEY CREW signs 6F-17
- Swimming sign 2M-2
- Symbol
 - defined 1A-24

INDEX

Symbol pavement markings 3B-38

Symbol signs 2A-2

- carpool 2D-37
- educational plaques 2A-10
- freeway and expressway guide signs 2E-12
- International Symbol of Accessibility for the Disabled sign 2I-4, 3B-42
- local transit logo 2D-37
- Mandatory Movement Lane Control 2B-20
- parking prohibition in disabled zones 2B-48
- recreational and cultural interest areas 2M-4, 2M-8, 2M-9, 2M-10, 2M-11, 2M-12
- temporary traffic control 6F-16
- for traffic control devices 2A-2

Symbols

- category chart for recreational and cultural interest area symbols 2M-2
- for signs 2A-7
- pavement markings 3B-37, 3B-38, 3B-40, 3B-42
- for pedestrian signal head indications 4E-1
- preferential lanes 3D-1
- roundabout markings with 3C-15
- school area pavement markings 7C-1
- seat belt symbol 2B-58
- sizes for signs with 2M-3
- used in typical layouts 6J-ii

T

T-intersections

- Divided Highway Crossing signs 2B-41

Tapers

- buffer spaces with 6C-5
- downstream 6C-8
- length 3B-6, 3B-26
- length criteria for 6C-7
- length determining formulas for 6C-7
- merging 6C-8
- one-lane, two-way 6C-10
- shifting 6C-8
- shoulder 6C-8
- temporary traffic control with 6C-8, 6C-9
- types of 6C-5

TAs. See Typical applications

Taxi only lane

- preferential lane markings for 3D-1

Techbrief: Safety Evaluation of Improved Curve Delineation 1A-12

Technical Rock Climbing sign 2M-2

Telecommunication Device for the Deaf sign 2I-3

Temporary Traffic Control Devices

ADAAG guidelines for placement of 6F-7

advance warning signs for 6F-11

advisory speed plaque for 6F-23

arrow boards for 6F-28

barricades for 6F-37

BE PREPARED TO STOP sign for 6F-22

begin higher fines sign for 6F-10

BLASTING ZONE AHEAD sign for 6F-18

BUMP sign for 6F-22

CENTER LANE CLOSED sign for 6F-14

channelizing devices for 6F-31

cones for 6F-34

crash cushions for 6F-52

CREW WORKING AHEAD sign for 6F-17

delineators for 6F-44

detectable edging for pedestrians for 6F-39

DETOUR AHEAD sign for 6F-13

DIP sign for 6F-22

direction indicator barricades for 6F-38

double reverse curve sign for 6F-20

drums for 6F-36

END BLASTING ZONE sign for 6F-18

END DETOUR sign for 6F-25

end higher fines sign for 6F-10

END ROAD WORK sign for 6F-24

END WORK ZONE SPEED LIMIT sign for 6F-10

EXIT CLOSED sign for 6F-15

EXIT ONLY sign for 6F-15

EXIT OPEN sign for 6F-15

FINES DOUBLE plaque for 6F-10

FINES HIGHER plaque for 6F-10

flagger sign for 6F-16

floodlights for 6F-45

FRESH OIL sign for 6F-16

guide signs for 6F-23

HIGH SHOULDER sign for 6F-19

high-level warning devices for 6F-30

interim pavement marking for 6F-41

lane closed sign for 6F-14

lane ends sign for 6F-14

lighting devices for 6F-45

local traffic only sign for 6F-9

longitudinal channelizing barricades for 6F-39

LOW SHOULDER sign for 6F-19

MERGE sign for 6F-14

motorcycle plaque for 6F-23

motorized traffic sign for 6F-17

NEW TRAFFIC PATTERN AHEAD sign for 6F-15

NO CENTER STRIPE sign for 6F-20

NO SHOULDER sign for 6F-19

ON RAMP plaque for 6F-14

ONE LANE ROAD AHEAD sign for 6F-13

opposing traffic lane divider/sign for 6F-40

pavement marking for 6F-41

PEDESTRIAN CROSSWALK sign for 6F-11

pedestrian/bicycle detour sign for 6F-25

PILOT CAR FOLLOW ME sign for 6F-24

portable changeable message signs for 6F-25

post-mounted delineators for 6F-44

- RAMP NARROWS sign for 6F-15
- regulatory sign applications for 6F-9
- regulatory sign authority for 6F-7
- regulatory sign design for 6F-7
- reverse curve sign for 6F-20
- RIGHT (LEFT) LANE CLOSED sign for 6F-14
- ROAD (STREET) CLOSED sign for 6F-9
- ROAD CLOSED AHEAD sign for 6F-13
- road closure notice sign for 6F-24
- ROAD MACHINERY AHEAD sign for 6F-16
- ROAD WORK AHEAD sign for 6F-13
- ROAD WORK NEXT XX MILES sign for 6F-24
- roadway lighting for 6F-46
- roll-up warning sign for 6F-12
- rumble strips for 6F-52
- screens for 6F-53
- SHOULDER DROP OFF sign for 6F-19
- SHOULDER WORK sign for 6F-17
- SIDEWALK CLOSED sign for 6F-11
- sign characteristics 6F-1
- sign maintenance for 6F-7
- sign placement for 6F-2
- SLOW TRAFFIC AHEAD sign for 6F-15
- SOFT SHOULDER sign for 6F-19
- special regulatory signs for 6F-11
- STAY IN LANE sign (R4-9) for 6F-10
- STEEL PLATE AHEAD sign for 6F-19
- supplemental distance plaque for 6F-23
- surface mounted delineators for 6F-35
- SURVEY CREW sign for 6F-17
- temporary lane separators for 6F-39
- temporary raised islands for 6F-40
- temporary raised pavement markings for 6F-44
- temporary traffic barriers for 6F-38, 6F-47
- temporary traffic control signals for 6F-46
- THRU TRAFFIC MERGE RIGHT sign for 6F-14
- TRAFFIC CHANGE AHEAD sign for 6F-15
- TRAIL CLOSED AHEAD sign for 6F-13
- tubular markers for 6F-35
- TURN OFF 2-WAY RADIO sign for 6F-18
- two-way traffic sign for 6F-16
- types of 6F-1
- UNEVEN LANES sign for 6F-19
- UTILITY WORD AHEAD sign for 6F-18
- vertical panels for 6F-36
- warning lights with 6F-45
- weight limit sign for 6F-10
- weighted channelizers for 6F-36
- work zone plaque for 6F-10
- workers sign for 6F-16
- TEMPORARY Auxiliary Signs 2D-11
- Temporary Lane Separators
 - temporary traffic control with 6F-39
- Temporary raised pavement markers
 - for temporary traffic control 6F-44
- Temporary traffic control
 - accessibility considerations 6D-3
 - activity area 6C-4
 - advance warning area 6C-2
 - Advisory Speed plaque 6F-23, 6H-1
 - advisory speeds 6H-1
 - arrow boards 6F-28
 - authority for placement of devices 1A-3
 - automated flagging devices 6E-2
 - barricades, Type I, II, or III 6F-37
 - barriers 6F-38, 6F-47
 - BE PREPARED TO STOP sign 6F-22
 - bicyclists with 6B-1
 - blasting area signs 6F-18
 - BLASTING ZONE AHEAD sign 6F-18
 - buffer spaces 6C-5
 - BUMP sign 6F-22
 - CENTER LANE CLOSED AHEAD sign 6F-14
 - characteristics of signs 6F-1
 - closure notice sign 6F-24
 - color code 1A-13
 - colors used for signs 2A-9
 - components of 6C-2, 6C-3
 - cones 6F-34
 - crash cushions 6F-52
 - CREW WORKING AHEAD sign 6F-17
 - delineators, post mounted 6F-44
 - detectable edging for pedestrians 6F-39
 - DETOUR AHEAD sign 6F-13
 - detour for closed street 6J-17
 - detour for one direction of travel 6J-18
 - detour signs and markers 6F-25
 - detours 6C-10, 6F-13, 6F-25
 - devices for 6F-1
 - DIP sign 6F-22
 - direction indicator barricades 6F-38
 - diversions 6C-10
 - Double Reverse Curve signs 6F-20
 - drums 6F-36
 - elements of 6C-1
 - emergency-vehicle lighting for 6I-3
 - END BLASTING ZONE sign 6F-18
 - END ROAD WORK sign 6F-24
 - EXIT OPEN, EXIT CLOSED sign 6F-15
 - FINES DOUBLE sign 6H-2
 - firefighter/emergency responder safety with 6D-4
 - Flag Trees 6F-30
 - flagger control 6C-10, 6E-1
 - Flagger sign 6F-16
 - flagging devices, automated 6E-2
 - floodlights 6F-45
 - FRESH OIL (TAR) sign 6F-16
 - function of 6A-1
 - fundamental principles 6B-1
 - guide signs 6F-23
 - guidelines for 6B-1
 - high-level warning devices (flag trees) 6F-30
 - incident management areas 6I-1
 - inspections for 6B-2

INDEX

- interim pavement markings 6F-41
- intermediate traffic in 6I-3
- lane closure on two-lane road using signals 6J-10
- lane closure on two-lane road using STOP signs 6J-9
- lane closure on two-lane road with manual signal operation 6J-11
- Lane Reduction sign 6F-14
- lane shift on freeway 6J-13
- LANE(S) CLOSED sign 6F-14
- lighting devices 6F-45
- Local Traffic Only Sign 6F-9
- longitudinal channelizing devices 6F-39
- LOW SHOULDER sign 6F-19
- major traffic in 6I-2
- meaning of symbols on layouts 6J-ii
- median crossover for entrance ramp 6J-24
- median crossover for exit ramp 6J-7
- median crossover of freeway 6J-4, 6J-5
- MERGE Sign 6F-14
- mesh signs 6F-2
- minor traffic in 6I-3
- motorists with 6B-1
- Motorized Traffic signs 6F-17
- nighttime hours in 6G-14
- NO SHOULDER sign 6F-19
- normal roadway functions suspended then 6A-1
- ON RAMP plaque 6F-14
- ONE LANE ROAD AHEAD sign 6F-13
- one-lane, two-way 6C-10, 6C-11
- opposing traffic lane divider 6F-40
- overlapping routes with detour 6J-16
- pavement markings 6F-41
- PEDESTRIAN CROSSWALK sign 6F-11
- pedestrian safety with 6D-1
- PILOT CAR FOLLOW ME sign 6F-24
- placement of signs 6F-2, 6F-6, 6F-8
- plans for 6C-1
- portable changeable message signs 6F-25
- position of advance warning signs 6F-12
- post mounted delineators 6F-44
- public relations 6B-2, 6D-7
- purpose 6G-1
- RAMP NARROWS sign 6F-15
- regulatory sign applications 6F-9
- regulatory sign authority 6F-7
- regulatory sign design 6F-7
- regulatory signs 6F-1
- responsibility for 6A-1
- ROAD (STREET) CLOSED AHEAD signs 6F-13
- ROAD (STREET) CLOSED Sign 6F-9
- ROAD (STREET) WORK AHEAD signs 6F-13
- road closure with diversion 6J-15
- ROAD MACHINERY AHEAD signs 6F-16
- road user movement not inhibited with 6B-1
- ROAD WORK NEXT XX MILES signs 6F-24
- roadside safety with 6B-2
- roll-up warning signs 6F-12
- ROUGH ROAD sign 6F-22
- rumble strips 6F-52
- screens 6F-53
- SHOULDER DROP OFF sign 6F-19
- shoulder signs 6F-18
- SHOULDER WORK sign 6F-17
- SIDEWALK CLOSED sign 6F-11
- sign maintenance 6F-7
- sign placement 6F-2
- sign sizes 6F-2
- signals 4D-46
- SLOW TRAFFIC AHEAD sign 6F-15
- SOFT SHOULDER sign 6F-19
- special regulatory signs 6F-11
- special warning signs 6F-22
- STAY IN LANE sign 6F-10
- steady-burn electric lamps 6F-46
- Supplemental Distance plaque 6F-23
- tapers for 6C-5, 6C-8, 6C-9
- temporary raised islands 6F-40
- temporary raised pavement markings 6F-44
- temporary speed limit 6H-1
- temporary traffic barriers 6F-47
- temporary traffic barriers as channelizing devices 6F-38
- temporary traffic control plans 6C-1
- temporary traffic control signals 6F-46
- temporary traffic control zones 1A-24, 6C-2
- termination area of 6C-8
- THRU TRAFFIC MERGE RIGHT (LEFT) sign 6F-14
- training for 6B-2
- transition area of 6C-4
- tubular markers 6F-35
- TURN OFF 2-WAY RADIO AND
 - CELLULAR PHONE sign 6F-18
- Two-Way Traffic sign 6F-16
- types of devices 6F-1
- typical applications 6G-1
- UNEVEN LANES sign 6F-19
- UTILITY WORD AHEAD signs 6F-18
- vertical panels 6F-36
- warning lights 6F-45
- warning signs 6C-2, 6F-11
- Weight Limit signs 6F-10
- weighted channelizers 6F-36
- work zone speed limit 6H-2
- worker safety with 6A-1, 6B-1, 6D-3
- Workers sign 6F-16
- Temporary traffic control plans 6C-1
- Temporary Traffic Control Signal
 - defined 1A-24
- Temporary traffic control signal method of one-lane, two-way traffic control 6C-11
- Temporary traffic control signals 4D-46
- Temporary Traffic Control Zone
 - activities 6G-1
 - applications 5G-1, 6G-1
 - channelization devices 5G-2
 - channelizing devices 6F-31
 - components of 6C-2

- crossovers in 6G-14
- defined 1A-24, 6C-2
- highway-rail grade crossings 8A-4
- interchanges in 6G-14
- location of work in 6G-5
- for low-volume roads 5G-1
- markings 5G-2
- modifications to fulfill special needs 6G-5
- nighttime hours with 6G-14
- tow-way traffic control on normally divided highway in 6G-13
- work affecting pedestrian/bicycle facilities in 6G-6
- work duration with 6G-2
- intermediate-term/night TTCZ 6G-3
- long-term TTCZ 6G-2
- mobile TTCZ 6G-4
- short duration TTCZ 6G-3
- short-term TTCZ 6G-3
- work on shoulder with minor encroachment in 6G-7
- work on shoulder with no encroachment in 6G-7
- work outside of shoulder in 6G-6
- work within median in 6G-8
- work within traveled way of freeway/expressway in 6G-12
- work within traveled way of intersection in 6G-11
- work within traveled way of multi-lane highway in 6G-10
- work within traveled way of rural highway 6G-9
- work within traveled way of two-lane in 6G-8
- work within traveled way of urban street in 6G-9
- Tennis sign 2M-2
- Termination areas
 - for temporary traffic control 6C-8
- The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG) 1A-13
- The U.S. Access Board ii
 - "The Americans with Disabilities Act Accessibility Guidelines for Buildings and Facilities (ADAAG)" 1A-13
- "The Uniform Vehicle Code (UVC) and Model Traffic Ordinance" 9A-1
- Theater sign 2M-2
- Theoretical Gore
 - defined 1A-24
- THIS LANE messages 2B-25
- THIS SIDE OF SIGN messages 2B-48
- Three-lane road
 - traffic direction transition in center lane of 3B-6
- Through Highway
 - defined 1A-24
- Thru traffic
 - ROAD CLOSED Signs 2B-54
- THRU TRAFFIC MERGE RIGHT (LEFT) signs 6F-14
- THRU word message 2B-22
- Timed Exit Gate Operating Mode
 - defined 1A-24
- T-Intersection sign 2C-26, 2C-27
- TO Auxiliary Signs 2D-10
- Tolerance limits
 - for colors 1A-13
- Toll Booth
 - defined 1A-24
- Toll Island
 - defined 1A-24
- Toll Lane
 - defined 1A-25
- Toll Plaza
 - advance signs 2F-11
 - canopy signs 2F-14
 - defined 1A-25
 - ETC account-only lane markings for 3E-1
 - guide signs 2F-7
 - lane use control signals at 4K-1
 - markings for 3E-1
 - ORT lanes marking for 3E-1
 - regulatory signs 2F-3
 - traffic control signal at 4K-1
 - warning beacons at 4K-1
- Toll Road signs
 - advance signs for diverging alignment 2F-14
 - ETC account pictographs with 2F-2
 - ETC account-only auxiliary 2F-6
 - ETC program information 2F-16
 - pay toll warning 2F-4
 - purple background color with 2F-2
 - scope of 2F-1
 - sizes of 2F-1
 - stop ahead pay toll warning 2F-5
 - toll auxiliary 2F-6
 - toll plazas 2F-3
 - toll plazas advance 2F-11
 - toll plazas canopy 2F-14
 - toll plazas guide 2F-7
- Toll-Ticket System
 - defined 1A-25
- Tour Boat sign 2M-2
- Tourist Info sign 2I-3
- Tourist Information signs 2I-4, 2I-11, 2I-12
 - color code 1A-13
- Tourist-Oriented Directional signs
 - advance signing 2K-2
 - application 2K-1
 - classification 1A-1
 - design 2K-1
 - lettering style with 2K-2
 - location of 2K-5
 - purpose 2K-1
 - size of 2K-2
 - State policy 2K-5
 - warning signs on median 2G-11

INDEX

- TOW-AWAY ZONE signs 2B-48
- Township Route Marker
 - design of 2D-8
- TRACKS OUT OF SERVICE signs 8B-11
- Traffic
 - defined 1A-25
- TRAFFIC CHANGE AHEAD sign (W3-X5) 6F-15
- TRAFFIC CIRCLE plaque 2C-27
- Traffic cones
 - for temporary traffic control 6F-34
- Traffic control
 - wrong-way traffic at interchange ramps 2E-57
- "Traffic Control Devices Handbook" 1A-13
- Traffic control devices, low-volume roads
 - application of 5A-1
 - design of 5A-1
 - function of 5A-1
 - guide signs 5D-1
 - highway-rail grade crossings 5F-1
 - markings 5E-1
 - minimum sign sizes 5A-1
 - placement of 5A-3
 - regulatory signs 5B-1
 - temporary traffic control signs 5G-1
 - warning signs 5C-1
- Traffic control devices. See also Islands; School areas; Traffic control devices, low-volume roads
 - acceptable abbreviations 1A-28
 - acceptable abbreviations with prompt word 1A-29
 - advertising restriction 1A-1
 - authority for placement 1A-3
 - changes to Manual 1A-8
 - color code 1A-13
 - colors 1A-1
 - defined 1A-25
 - design modification 1A-1
 - design of 1A-1
 - engineering study and judgement 1A-4
 - experimentation process 1A-5
 - interim approval of 1A-8
 - interpretation of Manual 1A-5
 - maintenance by local officials 1A-3
 - maintenance of 1A-2
 - maintenance on trunk highways 1A-3
 - operation of 1A-2
 - placement by local officials 1A-3
 - placement of 1A-2
 - placement on trunk highways 1A-3
 - principles of 1A-1
 - purpose of 1A-1
 - removal of unnecessary devices 1A-2
 - replacing damaged non-compliant device vii
 - requirements of 1A-1
 - responsibility for 1A-2
 - speed as a consideration 1A-1
 - state preliminary request 1A-5
 - temporary 1A-3
 - unacceptable abbreviations 1A-30
 - uniform system 1A-2
 - uniformity of i, 1A-2
 - uniformity of meaning 1A-1
 - unofficial 1A-4
 - for wrong-way traffic at interchange ramps 2E-57
- Traffic Control devices. see also Islands; School Areas; Traffic Control Devices, low volume roads
 - pathway grade crossing 8D-2
- Traffic Control Plans
 - temporary traffic control for low-volume roads 5G-1
- TRAFFIC CONTROL POINT Sign 2N-3
- Traffic control signals. See also Highway traffic signals
 - for bicycle 9D-1
 - defined 1A-25
 - flashing/flashing mode 1A-17
- Traffic control signals. See also Traffic signals
 - "Vehicle Traffic Control Signal Heads" 1A-13
 - accessible pedestrian 4E-7
 - adequate roadway capacity 4B-2
 - advantages 4B-1
 - aiming of signal face with 4D-12
 - alternatives to 4B-2
 - application of signal indications 4D-2
 - circular green with 4D-2
 - circular red with 4D-3
 - circular yellow with 4D-3
 - color with 4D-7
 - coordinated signal system analysis 4C-1, 4C-10
 - crash experience analysis 4C-1, 4C-10
 - defined 1A-25
 - design of 4D-7
 - disadvantages of 4B-1
 - for divided highways 4P-1
 - eight-hour vehicular analysis 4C-1
 - eight-hour vehicular volume analysis 4C-1, 4C-2
 - emergency-vehicle access with 4G-1
 - features of 4D-1
 - flashing mode 4D-45
 - flashing operation of 4D-45
 - flashing red with 4D-4
 - flashing yellow with 4D-3
 - four-hour vehicular volume analysis 4C-1, 4C-5
 - freeway entrance ramps 4I-1
 - green arrow with 4D-6
 - horizontal position of indicators within signal face of 4D-10
 - illumination of 4D-7
 - importance of standards 4B-1
 - installation of 4B-1
 - intersection near a grade crossing analysis 4C-1
 - lane closure on two-lane roads 6J-10, 6J-11
 - lane use control signals 4K-1, 4M-1
 - lateral offset of supports/cabinets with 4D-47
 - lateral positioning of signal face with 4D-14

- left-turn indications with 4D-17
- longitudinal positioning of signal face with 4D-14
- maintenance responsibility for 4D-1
- meaning of vehicular signal indications 4D-2
- mounting height of 4D-16
- movable bridges 4J-1
- at or near highway-rail grade crossings 8C-8
- needs studies 4C-1
- not in operation 4D-1
- number of signal faces on approach with 4D-10
- for one-lane, two-way facilities 4H-1, 6C-11
- operation of 4D-1
- operation of preemption 4D-41
- operation of priority 4D-44
- pavement markings used with 4D-48
- peak hour analysis 4C-1, 4C-5, 4C-6
- pedestrian peak hour analysis 4C-9
- pedestrian signals 4D-2
- pedestrian volume analysis 4C-1, 4C-7, 4C-8
- portable 4D-46
- position of indicators within signal face of 4D-8
- preemption/priority control of 4D-40
- provisions for pedestrians 4D-2
- red arrow with 4D-3, 4D-5
- red clearance intervals 4D-39
- removal of 4B-1
- responsibility for operation and maintenance 4D-1
- right-turn indications with 4D-25
- roadway network analysis 4C-1, 4C-11
- school crossing analysis 4C-1, 4C-7
- shared left-turn/right-turn indications with 4D-35
- shielding of signal face with 4D-12
- signal indications during flashing operation of 4D-45
- signs used with 4D-47
- size of indicators with 4D-8
- steady signal indications 4D-4
- temporary 4D-46, 6F-46
- toll plaza 4K-1
- transition out of flashing operation of 4D-46
- upraised hand with 4D-5
- U-turn signal face 4D-7
- vehicular signal indications 4D-2
- vertical position of indicators within signal face of 4D-9
- visibility of signal face with 4D-12
- walking person with 4D-5
- yellow arrow with 4D-3
- yellow change and red clearance intervals with 4D-39
- Traffic control signals. See also Traffic signals
signs used with 2B-51
- Traffic control zones, temporary. See Temporary traffic control zones
- "Traffic Detector Handbook" 1A-13
- "Traffic Engineering Handbook" 1A-13
- "Traffic Engineering Metric Conversion Folders- Addendum to the Guide to Metric Conversion" 1A-12
- TRAFFIC FROM LEFT (RIGHT) DOES NOT STOP plaques 2C-33
- TRAFFIC LAWS PHOTO ENFORCED signs 2B-53
- Traffic movement signs
for low-volume roads 5B-2
- Traffic prohibition signs
for low-volume roads 5B-2
- "Traffic Signal Lamps" 1A-13
- Traffic Signal Pedestrian and Bicycle Actuation signs 2B-50
- Traffic signal signs 2B-51, 2C-28, 4D-47
- Traffic signals. See also Highway traffic signals; Traffic control signals
pedestrian and bicycle actuation signs 2B-50
- Traffic spaces
in temporary traffic control zones 6C-4
- Trail Shelter sign 2M-2
- TRAIL X-ING plaque 2C-28
- Trailblazer assemblies
for conventional roads 2D-21
for freeways and expressways 2E-31
for toll facilities 2E-31
- Trailblazer Logo signs 2J-7
- Trailer Camping sign 2I-3
- Trailer Site sign 2M-2
- TRAINS MAY EXCEED 80 MPH signs 8B-14
- Trains. See also Highway-rail grade crossings
defined 1A-25
detection devices 8C-7
preemption control 4D-40
- Tramway sign 2M-2
- Transit logos
on PARK & RIDE signs 2D-37
- Transit vehicles. See Highway-light rail transit grade crossings
- Transition areas
for temporary traffic control zones 6C-4
- Transportation Research Board (TRB) 1A-13
"Accessible Pedestrian Signals-A Guide to Best Practices (NCHRP Web-Only Document 117A)" 1A-13
"Guidelines for Accessible Pedestrian Signals (NCHRP Web-Only Document 117B)" 1A-13
"Highway Capacity Manual" 1A-13
"Recommended Procedures for the Safety Performance Evaluation of Highway Features" 1A-13
address ii
- Transverse Markings
defined 1A-25
use of 3B-32
- Trash Dumpster sign 2M-2
- "Travel Better, Travel Longer: A Pocket Guide to Improving Traffic Control and Mobility for Our Older Population" 1A-12
- TRAVEL INFO CALL 511 signs 2I-13
- Traveled Way

INDEX

- defined 1A-25
- TRB. See Transportation Research Board
- TRUCK Auxiliary Signs 2D-10
- TRUCK CROSSING sign (W8-6)
 - temporary traffic control with 6F-17
- Truck escape ramps
 - delineators 3F-3
 - signs 2C-16
- Truck Parking sign 2I-3, 2I-4, 2I-8
- Truck Rollover Warning signs 2C-13
- Truck Route Signs 2B-57
- Truck speed limit signs 2B-16
- Trucks
 - AXLE WEIGHT LIMIT signs 2B-55
 - Bridge weight, width and height signs 2B-56
 - Height restriction signs 2B-56
 - Junction Assembly 2D-13
 - National Network signs 2B-57
 - Structure weight, width and height signs 2B-56
 - truck escape ramp delineators 3F-3
 - Truck Escape Ramp signs 2C-16
 - Truck Rollover Warning signs 2C-13
 - Truck Route signs 2B-57
 - Truck Speed Limit signs 2B-16
 - TRUCKS OVER XX TONS MUST ENTER WEIGH STATION NEXT RIGHT 2B-57
 - TRUCKS USE RIGHT LANE sign 2B-30
 - vertical grade signs 2C-14
 - Weigh Station Signs 2B-57, 2D-37, 2D-38, 2E-57
 - Weight Limit Signs 2B-55
- TRUCKS (VEHICLES) WITH LUGS PROHIBITED signs 2B-34
- TRUCKS MUST NOT MEET ON BRIDGE signs 2B-56
- TRUCKS OVER XX TONS MUST ENTER WEIGH STATION NEXT RIGHT 2B-57
- TRUCKS USE RIGHT LANE sign 2B-30
- TRUCKS USE RIGHT LANE signs 2B-30
- TTC. see Temporary Traffic Control
- Tubular markers 6F-35
 - retroreflectivity 6F-35
 - retroreflectivity of 3H-1
 - for temporary traffic control 6F-35
 - use of 3H-1
- Tunnel sign 2M-2
- Tunnels
 - traffic control signals for one-lane, two-way facilities 4H-1
- Turn Bay 2B-20
 - defined 1A-25
 - omission of Intersection Lane Control signs 2B-20
- Turn lanes. See also Left Turns; Right turns
 - longitudinal pavement markings for left turn lanes 3B-6
- TURN OFF 2-WAY RADIO AND CELLULAR PHONE signs
 - 6F-18
- Turn or curve warning signs 9B-8
- Turn Prohibition Signs 2B-25, 2B-52, 2B-53, 8B-10
- Turns
 - signs 2C-8
 - warning sign 9B-8
- 24-Hour Pharmacy signs 2I-7
- 24-Hour plaque 2I-3
- Two-Direction Large Arrow signs 2C-27
- "2000 AREMA Communications & Signals Manual" 1A-12
- Two-Way Left Turn Only signs 2B-22
- Two-Way Traffic signs 2C-17, 6F-16
- Two-lane road
 - lane closure using manual signal operation 6J-11
 - lane closure using signals 6J-10
 - lane closure using STOP signs 6J-9
 - TTC zone - two-way traffic on normally divided 6G-13
 - work within traveled way of 6G-9
- Two-way road
 - centerline markings 3B-1
 - no-passing zones 3B-4
 - one-lane, two-way tapers 6C-8
 - one-lane, two-way traffic control 4H-1, 6C-10
- Two-way turns
 - "2000 AREMA Communications & Signals Manual" 1A-12
 - WHITE TWO-WAY LEFT-TURN ARROWS 4M-1, 4M-2, 4M-3
- Typical layouts
 - detour for closed street 6J-17
 - detour for one travel direction 6J-18
 - entrance ramp closures 6J-21
 - half road closure on multi-lane road 6J-3
 - half road closure on multi-lane road, ramps open 6J-6
 - intersecting roads, advance signing 6J-23
 - lane closure at highway-rail grade crossing 6J-12
 - lane closure on multi-lane road for striping and stripe removal 6J-1
 - lane closure on two-way road using manual signal operation 6J-11
 - lane closure on two-way road using signals 6J-10
 - lane closure on two-way road using STOP signs 6J-9
 - lane shift on multi-lane road 6J-13
 - median crossover for entrance ramp 6J-24
 - median crossover for exit ramp 6J-7
 - median crossover on freeway 6J-4, 6J-5
 - multi-lane closures at intersection 6J-8
 - ramp and loop closures, advance signing 6J-20
 - road closure at interchange 6J-14
 - road closure with detour 6J-16
 - road closure with diversion 6J-15
 - road closure, typical signing 6J-19
 - temporary speed limit reduction on multi-lane road 6J-22
 - work in vicinity of highway-rail grade crossing 6J-12

U

U.S. Architectural and Transportation Barriers Compliance Board
(The U.S. Access Board) ii
 "The Americans with Disabilities Act Accessibility Guidelines
 for Buildings and Facilities (ADAAG)" 1A-13

U.S. Bicycle Route sign 9B-15

U.S. Department of Transportation
 Federal Railroad Administration 8A-2

U.S. Route signs
 design of 2D-7

Uneven Lanes sign 2C-21, 6F-19

Uniform Vehicle Code
 adoption of a uniform Manual 1A-3
 highway-rail grade crossing signals and gates 8C-1
 meaning of vehicular signal indications 4D-2
 standard for conformance 1A-3

"Uniform Vehicle Code (UVC) and Model Traffic Ordinance"
 1A-13

"Uniform Vehicle Code (UVC) Revised"
 no-passing zones 3B-6

Uniformity of devices 1A-2

Uniformity of meaning 1A-1

Unofficial control devices
 removal of 1A-4

UPRAISED HAND 4D-5, 4E-1

Upstream
 defined 1A-25

Urban areas
 Diamond Interchanges 2E-53, 2E-55
 guide sign characteristics 2E-2

Urban intersections
 junction assembly 2D-13
 sign location 2A-15

Urban Street
 defined 1A-25

U.S. Access Board
 "The Americans with Disabilities Act Accessibility Guidelines
 for Buildings and Facilities (ADAAG)" 1A-13

U.S. Environmental Protection Agency 1A-18
 inherently low emission vehicle certification 1A-18

USC. See United States Code

USDOT. See U.S. Department of Transportation

USE LANE(S) WITH GREEN ARROW signs 2B-52

Utility companies. See Public utility companies

UTILITY WORK AHEAD sign 6F-18

Utility Work signs. See CREW WORKING AHEAD signs

U-turn Signal Face 4D-7

UVC. See Uniform Vehicle Code

V

Van Accessible plaque 2I-3, 2I-5

VAN ACCESSIBLE signs 2B-48, 2B-49

"Vehicle Traffic Control Signal Heads" 1A-13

VEHICLES MUST NOT MEET ON BRIDGE sign s 2B-56

Vehicles. see also High-occupancy vehicles
 defined 1A-25

Vehicular signal indications
 meaning of 4D-2

Vehicular traffic signs 2C-28, 5C-3, 6F-17

Vehicular volume
 eight-hour warrant 4C-2
 four-hour warrant 4C-5

Vertical Clearance sign 2C-19

Vertical grade signs 2C-14

Vertical panels
 for temporary traffic control 6F-36

Vibrotactile Pedestrian Device
 defined 1A-25

Viewing Area sign 2M-2

Visibility-Limited Signal Face
 defined 1A-25

Visibility-Limited Signal Section
 defined 1A-25

Visual disabilities
 accessible pedestrian signal detectors 4E-7

W

W1 Series. See Turn or curve warning signs

W1-1 - 5 signs. See Horizontal Alignment signs

W1-6 signs. See One-Direction Large Arrow signs

W1-7 signs. See Two-Direction Large Arrow signs

W1-8 signs. See Chevron Alignment signs

W2 Series. See Intersection warning signs

W2-1 - 6 signs. See Intersection warning signs

W3-1 -46 signs. See Advance Traffic Control signs

W3-4 signs. See BE PREPARED TO STOP signs

W3-5, 5a signs. See Speed Reduction signs

W4 Series. See Truck escape ramps signs

W4-1 signs. See Merge signs

W4-3 signs. See Added Lane signs

W4-4P plaques. See CROSS TRAFFIC DOES NOT STOP
 plaques

INDEX

- W5-1 signs. See ROAD NARROWS signs
- W5-2 signs. See NARROW BRIDGE signs
- W5-3 signs. See ONE LANE BRIDGE signs
- W6-1 signs. See Divided Highway signs
- W6-2 signs. See Divided Highway Ends signs
- W6-3 signs. See Two-Way Traffic signs
- W7-1, 7-1a, 7-1b signs. See Hill signs
- W7-2 - 3 plaques. See Hill-Related plaques
- W7-3a plaques. See Next Distance plaques
- W7-6 signs. See HILL BLOCKS VIEW signs
- W8-1 signs. See BUMP signs
- W8-2 signs. See DIP signs
- W8-3 signs. See PAVEMENT ENDS signs
- W8-4 signs. See SOFT SHOULDER signs
- W8-5 signs. See Slippery When Wet signs
- W8-6 signs. See Motorized Traffic signs
- W8-9 signs. See LOW SHOULDER signs
- W8-9a signs. See SHOULDER DROP-OFF signs
- W8-10 signs. See Bicycle Surface Condition Warning signs
- W8-11 signs. See UNEVEN LANES signs
- W8-12 signs. See NO CENTER STRIPE signs
- W8-13 signs. See BRIDGE ICES BEFORE ROAD signs
- W9-1 - 2 signs. See Lane Ends signs
- W9-3 signs. See CENTER LANE CLOSED AHEAD signs
- W1-10 signs. See Combination Horizontal Alignment/Intersection signs
- W1-11 signs. See Horizontal Alignment signs
- W1-13 signs. See Truck Rollover Warning signs
- W1-15 signs. See Horizontal Alignment signs
- W10-5 signs. See Low Ground Clearance Highway-Rail Grade Crossing signs
- W10-7 signs. See Light Rail Transit Approaching-Activated Blank-Out Warning signs
- W10-8, 8a signs. See TRAINS MAY EXCEED 80 MPH signs
- W10-9 signs. See NO TRAIN HORN signs
- W10-10 signs. See NO SIGNAL signs
- W10-11, 11a, 11b signs. See Storage Space signs
- W10-12 signs. See Skewed Crossing signs
- W10 Series. See Highway-Rail Grade Crossing Advance Warning signs
- W11-1 signs. See Vehicular Traffic signs
- W11-2 - 4 signs. See Non-vehicular Traffic signs
- W11-5, 5a signs. See Vehicular Traffic signs
- W11-6 - 7 signs. See Non-vehicular signs
- W11-8 signs. See Vehicular Traffic signs
- W11-9 signs. See Non-vehicular signs
- W11-10 signs. See Vehicular Traffic signs
- W11-11 signs. See Vehicular Traffic signs
- W11-12P signs. See Vehicular Traffic signs
- W11-14 signs. See Vehicular Traffic signs
- W12-1 signs. See Double Arrow signs
- W12-2, 2P signs. See Low Clearance signs
- W13-1 plaques. See Advisory Speed plaques
- W13-2 signs. See Exit Speed signs
- W13-3 signs. See Ramp Speed signs
- W13-4 plaques. See ON RAMP plaques
- W13-5 signs. See Curve Speed signs
- W14-1, 1a signs. See DEAD END/NO OUTLET signs
- W14-1P plaques. See DEAD END plaques
- W14-2, 2a signs. See DEAD END/NO OUTLET signs
- W14-2P plaques. See NO OUTLET plaques
- W14-3 signs. See NO PASSING ZONE signs
- W15-1 signs. See Playground signs
- W16-1 plaques. See SHARE THE ROAD plaques
- W16-2 - 3 plaques. See Distance Ahead plaques
- W16-4 plaques. See Next Distance plaques
- W16-5P plaques. See Supplemental Arrow plaques
- W16-6P plaques. See Supplemental Arrow plaques
- W16-7P plaques. See Supplemental Arrow plaques
- W16-8, 8a plaques. See Advance Street Name plaques
- W16-10 plaques. See PHOTO ENFORCED plaques
- W16-11 Plaques. See High-Occupancy Vehicle (HOV) plaques
- W17-1 signs. See SPEED HUMP signs
- W20-1 signs. See ROAD (STREET) WORK signs
- W20-2 signs. See DETOUR signs
- W20-3 signs. See ROAD (STREET) CLOSED
- W20-4 signs. See ONE LANE ROAD signs
- W20-5 signs. See Lane(s) Closed signs
- W20-7 signs. See Flagger signs
- W21-1 signs. See Workers signs
- W21-2 signs. See FRESH OIL (TAR) signs
- W21-3 signs. See ROAD MACHINERY AHEAD signs
- W21-5 signs. See Shoulder Work signs
- W21-6 signs. See SURVEY CREW signs
- W21-7 signs. See UTILITY WORK signs
- W22-1 signs. See BLASTING ZONE AHEAD signs
- W22-2 signs. See TURN OFF 2-WAY RADIO AND CELL PHONE signs
- W22-3 signs. See END BLASTING ZONE signs

- W23-1 signs. See SLOW TRAFFIC AHEAD signs
- W24 Series. See Double Reverse Curve signs
- W25-1 - 2 signs. See Traffic Signal signs
- Wading sign 2M-2
- WALK 4D-5, 4D-6, 4E-1
- Walk Interval
 - defined 1A-25
- Walk on Boardwalk sign 2M-2
- WALK ON LEFT FACING TRAFFIC signs 2B-49
- Walk-In Camp sign 2M-2
- WALKING PERSON 4D-5, 4D-6, 4E-1
- WALKING PERSON signal 4E-2
 - pedestrian hybrid beacon with 4F-4
 - traffic control signal with 4D-5, 4D-6
- Warning
 - color code 1A-13
- Warning beacon. See also Beacons 4L-2
 - toll plaza with 4K-1
 - used with an emergency-vehicle traffic control signals 4G-2
- Warning Beacon. See also Beacons
 - defined 1A-25
- Warning gates
 - for movable bridges 4J-1
- Warning Light
 - channelizing devices with 6F-31
 - defined 1A-25
 - in-roadway 4N-1
 - on STOP signs 6F-46
 - "Purchase Specification for Flashing and Steady-Burn Warning Lights" 6F-45
 - in temporary traffic control zones 6F-45
- Warning signs
 - added lane 2C-25
 - advance 6F-12
 - advance ramp control 2C-23
 - advance traffic control 2C-23, 6F-12
 - advisory speed 2C-13
 - advisory speed plaque 6F-23
 - Advisory Speed sign 5C-3
 - application of 2C-1
 - applications 6F-11
 - BE PREPARED TO STOP sign 2C-23, 6F-22
 - bicycle traffic control with 9B-9
 - BLASTING ZONE AHEAD sign 6F-18
 - BUMP sign 2C-19
 - categories of 2C-2
 - CENTER LANE CLOSED sign 6F-14
 - chevron alignment 2C-11
 - circular intersection 2C-27
 - colors used 2A-9
 - combination horizontal alignment/advisory exit and ramp speed 2C-14
 - combination horizontal alignment/advisory speed 2C-11
 - combination horizontal alignment/intersection 2C-12
 - CREW WORKING AHEAD sign 6F-17
 - cross road 2C-27
 - DEAD END 5C-4
 - defined 1A-25
 - design of 2C-1
 - DETOUR sign 6F-13
 - DIP sign 2C-19, 6F-22
 - divided highway 2C-17
 - divided highway ends 2C-17
 - double arrow 2C-18
 - double reverse curve sign 6F-20
 - DRAW BRIDGE sign 2C-24
 - END BLASTING ZONE sign 6F-18
 - excessive use of 2A-1
 - flagger sign 6F-16
 - freeway/expressway ends 2C-18
 - FRESH OIL sign 6F-16
 - function of 2A-2, 2C-1, 6F-11
 - guidelines for advance placement of 2C-7
 - HIGH SHOULDER Sign 6F-19
 - for highway-rail grade crossings 8B-1
 - hill 2C-14, 5C-2
 - HILL BLOCKS VIEW sign 2C-16
 - horizontal alignment 2C-8, 5C-1
 - horse-drawn vehicles 2C-28
 - illumination 2A-3, 2A-4
 - intersection 9B-8
 - intersection warning 2C-26, 5C-1
 - lane closed sign 6F-14
 - lane ends 2C-25
 - lane ends sign 6F-14
 - location of 2A-14
 - LOOK FOR TRAINS 8B-9
 - low clearance 2C-19
 - LOW SHOULDER sign 6F-19
 - for low-volume roads 5C-1
 - merge 2C-24
 - MERGE sign 6F-14
 - MINIMUM MAINTENANCE ROAD 5C-4
 - motorcycle plaque 6F-23
 - motorcyclists 2C-21
 - motorized traffic sign 6F-17
 - Narrow Bridge 5C-2
 - NARROW BRIDGE sign 2C-17
 - NEW TRAFFIC PATTERN AHEAD sign 2C-31
 - NO CENTER LINE sign 2C-22
 - NO OUTLET 5C-4
 - NO OUTLET sign 2C-18
 - NO PASSING ZONE sign 2C-26
 - non-vehicular 5C-3
 - non-vehicular traffic warning 2C-29
 - object marker 2C-34
 - ON RAMP plaque 6F-14
 - one-direction large arrow 2C-12
 - ONE LANE BRIDGE 5C-2
 - ONE LANE BRIDGE sign 2C-17
 - ONE LANE ROAD AHEAD sign 6F-13

INDEX

- ONE LANE ROAD sign 6F-13
- PAVEMENT ENDS 5C-3
- PAVEMENT ENDS sign 2C-20
- placement of 2C-6, 2C-7
- playground 2C-31
- RAMP NARROWS sign 6F-15
- recreational and cultural interest areas 2M-1
- reduced speed limit ahead 2C-24
- retroreflectivity 2A-3, 2A-4
- reverse curve sign 6F-20
- RIGHT (LEFT) LANE CLOSED sign 6F-14
- right(left) lane exit only ahead 2C-25
- ROAD (STREET) WORK AHEAD signs 6F-13
- ROAD MACHINERY AHEAD sign 6F-16
- ROAD NARROWS sign 2C-16
- ROAD WORK sign 6F-13
- roadway related 2C-2
- for schools 7B-1
- shoulder 2C-20
- SHOULDER DROP OFF sign 6F-19
- SHOULDER WORK sign 6F-17
- side road 2C-27
- size of 2C-6
- SLOW TRAFFIC AHEAD sign 6F-15
- snowmobiles 2C-28
- SOFT SHOULDER sign 6F-19
- SPEED HUMP sign 2C-20
- STEEL PLATE AHEAD sign 6F-19
- Stop Ahead 5C-2
- supplemental distance plaque 6F-23
- supplemental plaques 2C-2, 2C-31
- surface condition 2C-21
- SURVEY CREW sign 6F-17
- temporary traffic control 6F-1
- for temporary traffic control 6F-11
- thru traffic merge sign 6F-14
- traffic related 2C-2
- traffic signal 2C-28
- TRAIL CLOSED AHEAD sign 6F-13
- truck escape ramp 2C-16
- truck rollover warning 2C-13
- T-symbol 5C-1
- TURN OFF 2-WAY RADIO sign 6F-18
- turn or curves 9B-8
- two-direction large arrow 2C-27
- two-way traffic 2C-26
- two-way traffic sign 6F-16
- UNEVEN LANES sign 6F-19
- unnecessary use 2C-1
- UTILITY WORK sign 6F-18
- vehicular traffic 2C-28, 5C-3
- vertical grade 2C-14
- weather condition 2C-22
- workers sign 6F-16
- Yield Ahead 5C-2
- Y-symbol 5C-1
- Warning systems
 - "Preemption of Traffic Signals Near Railroad Crossings" 1A-13
- Warrant. see also Highway traffic signal needs study
 - centerline markings 3B-1
 - coordinated signal system signal 4C-10
 - crash experience signal 4C-10
 - defined 1A-25
 - eight-hour vehicular volume signal 4C-2
 - four-hour vehicular volume signal 4C-5
 - intersection near a grade crossing signal 4C-11
 - no-passing zone pavement markings 3B-4
 - peak hour signal 4C-5
 - pedestrian volume signal 4C-7
 - roadway network signal 4C-11
 - school crossing signal 4C-7
 - traffic control signal needs studies 4C-1
- Waterskiing sign 2M-2
- Wayside Equipment
 - defined 1A-25
- Wayside Horn System
 - defined 1A-26
 - rail grade crossing traffic control with 8C-7
- Weather Condition signs 2C-22
- Weather Information signs 2I-12
- Websites
 - Federal Highway Administration 1A-12
 - Mn/DOT, Office of Traffic, Security, and Technology 1A-12
- Weigh Station signs
 - for conventional roads 2D-37, 2D-38
 - for freeways and expressways 2E-57
 - use of 2B-57
- Weight Limit signs 2B-35, 2B-55, 2B-56, 6F-10
- Weighted Channelizers 6F-36
 - in traffic control zones 6F-36
- Welcome Center signs 2I-11
- WELFARE CENTER signs 2N-4
- WEST. See Cardinal direction auxiliary signs
- Whale Viewing sign 2M-2
- WHEN FLASHING plaque 2C-23, 2C-29
- WHEN WET plaque 2C-21
- White
 - meaning for traffic control devices 1A-13
 - pavement color 3G-1
 - right edge line pavement markings 3B-8
 - use of 2A-9
- White line pavement markings 3B-8
 - broken 3B-8
 - chevron crosshatch 3B-22
 - dotted line 3B-14
 - entrance ramps with 3B-8
 - longitudinal 3B-22
 - roundabouts 3C-1
 - same direction travel designated by 3B-8
 - solid line where crossing lane discouraged 3B-14

WHITE TWO-WAY LEFT-TURN ARROWS 4M-1, 4M-2

Wide lines

Wide throat intersections
 sign location 2A-15

Wildlife Viewing sign 2M-2

Wind Surfing sign 2M-2

Winter Recreational Area sign 2M-2

Wireless Internet sign 2I-3

WisDOT 1A-13
 Deer-Vehicle Crash Countermeasure Toolbox: A Decision and
 Choice Resource 1A-13
 Effectiveness of ‘Children at Play’ Warning Signs 1A-13

Women’s Restroom sign 2M-2

Wood Gathering sign 2M-2

Word message signs. See also Changeable message signs
 abbreviations 2A-10
 with Advance Intersection Lane Control signs 2B-22
 with Optional Movement Lane Control signs 2B-21
 for parking prohibition signs 2B-47
 reversible lane control 2B-25
 sign design 2A-2
 standard wording and letters 2A-10
 traffic control device design 2A-2

Word messages 1A-14
 MUTCD defined use of 1A-14
 pavement markings 3B-38, 3B-39
 preferential lane markings with 3D-1
 roundabout markings with 3C-15
 school areas 7C-1

Work Duration
 five categories of 6G-2
 intermediate-term/night TTCZ 6G-3
 long-term TTCZ 6G-2
 mobile TTCZ 6G-4
 short duration TTCZ 6G-3
 short-term TTCZ 6G-3

Work spaces
 in temporary traffic control zones 6C-4

WORK ZONE plaque (G20-5aP) 6F-10

Work zones
 detour for closed street 6J-17
 detour for one travel direction 6J-18
 END WORK SPEED ZONE signs 2B-17
 entrance ramp closures 6J-21
 half road closure on multi-lane road 6J-3
 half road closure on multi-lane road, ramps open 6J-6
 intersecting roads, advance signing 6J-23
 lane closure at highway-rail grade crossing 6J-12
 lane closure on multi-lane road for striping and stripe removal
 6J-1
 lane closure on two-way road using manual signal operation
 6J-11
 lane closure on two-way road using signals 6J-10

lane closure on two-way road using STOP signs 6J-9

lane shift on multi-lane road 6J-13

median crossover for entrance ramp 6J-24

median crossover for exit ramp 6J-7

median crossover on freeway 6J-4, 6J-5

multi-lane closures at intersection 6J-8

ramp and loop closures, advance signing 6J-20

road closure at interchange 6J-14

road closure with detour 6J-16

road closure with diversion 6J-15

road closure, typical signing 6J-19

temporary speed limit reduction on multi-lane road 6J-22

work in vicinity of highway-rail grade crossing 6J-12

Worker
 defined 1A-26

Worker safety
 key elements 6C-4
 in temporary traffic control zones 6A-1, 6B-1, 6D-3

Workers signs 6F-16

Wrong-way arrows
 pavement markings 3B-38

WRONG WAY signs 9B-5
 use of 2B-33

Wrong-way traffic control
 at interchange ramps 2E-57
 signs 2B-33

Wrong-Way Arrow
 defined 1A-26

Wrong-Way Traffic Control at Interchange Ramps 2B-40

Y

Yellow
 longitudinal pavement markings 3B-6
 meaning for traffic control devices 1A-13
 pavement color 3G-1

Yellow Arrow
 application of 4D-5
 meaning of 4D-3
 vertical position within signal face of 4D-9

Yellow centerline markings 3B-1

Yellow Change Interval 4D-39
 defined 1A-26
 red clearance interval with 4D-39
 YELLOW X signal

Yellow longitudinal pavement markings 3B-6

Yellow signal indications
 application of 4D-5
 meaning of 4D-3

YELLOW X signals 4M-1, 4M-2, 4M-3
 lane use control with 4M-1

INDEX

Yellow-Green

meaning for traffic control devices 1A-13

Yield ahead pavement markings 3B-42

Yield Ahead signs

at highway-rail grade crossings 5F-2

for low-volume roads 5C-2

median crossover for entrance ramp 6J-24

use of 2C-23

Yield Line

defined 1A-26

highway rail grade crossing with 8B-19

light rail grade crossing traffic control with 8B-19

pavement markings 3B-32

railroad grade crossing traffic control with 8B-19

roundabout markings 3C-15

use of 3B-32, 3B-33

YIELD signs

applications 2B-10

at highway-LRT grade crossings 8B-7

at passive grade crossings 8B-4

for bicycle facilities 9B-4

crossbuck assemblies with 8B-4

design 2B-10

at highway-rail grade crossings 5F-2

for low-volume roads 5B-1

median crossover for entrance ramp 6J-24

placement of 2B-10

temporary traffic control with 6C-11

Y-Intersection sign 2C-26, 2C-27

Y-Intersection warning sign (W2-5) 5C-1