

Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson LAS
	Size of Tank & Configuration	1235 elliptical leg tank
	Tank Baffle Description	optional surgebuster ball
	Manhole Size	16"
	Skid Plate & Tank Strap Description	Steel framework with flat straps
	Size Truck Intended For? (Single or Tandem)	Single <input checked="" type="checkbox"/> Tandem <input type="checkbox"/>
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <input type="checkbox"/> Set on Chassis <input checked="" type="checkbox"/>
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Clip-on nozzle bodies with brass 24 gal/lane tips
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	poportionally controlled ball
	Boom Spraying Speed (High Speed, Low Speed)	Variable to 50 MPH
	Pump Flow Rate (GPM and PSI)	100 GPM @ 33 PSI / 50 GPM @ 44 PSI (includes flow meter)
	Type of Pump	Centrifugal
	How is Pump Powered? Describe Power Unit.	Hydraulic power from truck
	Does it include controls?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
	Control Description	See sander options list
	Is it Ground Speed Orientated?	See controls
	Can it be filled with Sprayer Pump from Control Panel?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Tank Warranty	One year
	Control Warranty	One year
	Pump Warranty	One year
	Spring Bar & Nozzle Warranty	One year
	List Volume Discounts	10 or more less 10%
TOTAL PRICE		\$ 50,962.00

	Description	Answer
11.1	Slip in installation of a 925, 1065 & 1235, 1635, 1800 LAS system on suitable chassis	\$ 3,217.00
11.11	Henderson Hooklift installation. Includes Swaploader 100 Series 10' sub-frame	\$ 7,494.00
11.12	Henderson Hooklift installation. Includes Swaploader 100 Series 12' sub-frame	\$ 8,680.00
11.13	Henderson Hooklift installation. Includes Swaploader 100 Series 14' sub-frame	\$ 8,937.00
11.14	Henderson Hooklift installation. Includes Swaploader 100 Series 16' sub-frame	\$ 9,088.00
11.15	Henderson Hooklift installation. Includes Swaploader 200 Series 10' sub-frame	\$ 7,494.00
11.16	Henderson Hooklift installation. Includes Swaploader 200 Series 12' sub-frame	\$ 8,680.00
11.17	Henderson Hooklift installation. Includes Swaploader 200 Series 14' sub-frame	\$ 8,937.00
11.18	Henderson Hooklift installation. Includes Swaploader 200 Series 16' sub-frame	\$ 9,088.00
11.19	Fold-Down boom deployment for LAS on a hooklift type installation	\$ 4,088.00
11.191	Henderson Rear Roller assembly pair	\$ 629.00
	Choose a tank (Standard 1235 elliptical leg tank)	
11.2	Add for 1635 gallon Elliptical	\$ 613.00
11.3	Add for 1635 gallon HD wall Elliptical	\$ 1,522.00
11.4	Add for 1800 gallon Elliptical	\$ 1,578.00
11.5	Add for 1800 gallon HD wall Elliptical	\$ 2,022.00
11.51	Deduct for 925 gallon STD wall (not an elliptical tank)	\$ (3,188.00)
11.52	Deduct for 1065 gallon HD wall (not an elliptical tank)	\$ (2,394.00)
	Choose a hoop kit	
11.6	925, 1065 & 1235 gallon galvanized (Standard)	\$ -
11.7.1	1235 gallon galvanized (Standard)	\$ -
11.8	1800 gallon painted (Standard)	\$ -
11.9	1800 gallon stainless steel	\$ 2,571.00
11.91	925 gallon hoop kit stainless steel	\$ 1,016.00
11.92	1065 gallon hoop kit stainless steel	\$ 1,145.00
	Choose a boom	
11.10	Standard 1 lane boom and valve plumbing kit	\$ (1,328.00)
11.11	3 lane boom and valve plumbing kit (Standard)	\$ -
	Choose a frame kit	
11.12	925, 1065 & 1235 gallon painted frame (Standard)	\$ -
11.13	925, 1065 & 1235 gallon stainless steel frame	\$ 2,027.00
11.14	1635 gallon painted frame (Standard)	\$ -
11.15	1635 gallon stainless steel frame	\$ 2,027.00
11.16	1800 gallon painted frame (Standard)	\$ -
11.17	1800 gallon stainless steel frame	\$ 2,027.00
	Choose a nozzle tip kit	
11.18	Brass Nozzle Tips - 32 gallon per lane capacity (No Charge)	\$ -
11.19	Stainless Steel Nozzle Tips - 24 gallon per lane capacity	\$ 144.00
11.20	Stainless Steel Nozzle Tips - 32 gallon per lane capacity	\$ 144.00
	Choose a leg kit	
11.21	Leg Kit (Painted self actuating to support empty unit only)	\$ 2,067.00
11.22	Leg Kit (SS self actuating to support empty unit only)	\$ 2,496.00
	Choose a wheel guide kit	
11.23	Wheel Guide Kit (Painted Frame)	\$ 349.00
11.24	Wheel Guide Kit (304 Stainless Steel Frame)	\$ 609.00
	Choose a hose reel kit	
11.25	Hose reel kit	\$ 2,421.00
	Choose a lift frame kit	
11.26	Painted lift frame kit	\$ 1,458.00
11.27	Stainless steel lift frame kit	\$ 2,939.00
	Choose a fluid level kit	
11.28	Fluid level kit	\$ 192.00
	Choose a ladder kit	
11.29	1635 gallon painted ladder kit	\$ 753.00
11.30	1635 gallon stainless steel ladder kit	\$ 1,126.00
11.31	1800 gallon painted ladder kit	\$ 753.00
11.32	1800 gallon stainless steel ladder kit	\$ 1,126.00

Choose a surgebuster kit

11.321	Surge Busters 1 per 30 gallons tank capacity	\$	-
11.33	1235 gallon Surgebuster kit	\$	2,537.00
11.34	1635 gallon Surgebuster kit	\$	3,324.00
11.35	1800 gallon Surgebuster kit	\$	3,625.00
11.36	925 gallon Surgebuster kit	\$	1,875.00
11.37	1065 gallon Surgebuster kit	\$	2,169.00

	Cost per loaded mile for delivery of air bag	\$	7.00
	Starting Point: City, State, Zip:		
	Body Shop Rate	\$	165.00
	Mechanic Shop Rate	\$	165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model Taskforce 10' w/201SS leg kit & wheel guides
	Size of Tank & Configuration	10', 6.9 yards dry, 400 gallon liquid
	Tank Baffle Description	Internal divider baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single <u>X</u> Tandem _____
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <u>X</u> Set on Chassis _____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes _____ or No <u>X</u> _____
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes <u>X</u> or No _____
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 52,869.00

	Description	Answer
11.1	Installation as a slip in unit, requires tie down kit from below	\$ 4,995.00
11.2	Direct Cast Spinner Option ILO Standard c/w Henderson Controll and valve	\$ 11,168.00
11.3	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 8,890.00
11.5	Rear entry Ladder SS	\$ 1,541.00
11.6	Rear Bumper SS	\$ 766.00
11.7	Rear rubber spray bar deflector	\$ 608.00
11.8	Extra boom	\$ 1,349.00
11.9	Slip in mounting kit, dump body	\$ 1,414.00
11.10	Slip in mounting kit, chain binders	\$ 1,542.00
11.11	Slip in mounting kit, ratchet chain binders	\$ 1,854.00
11.12	Slip in mounting kit, ratchet straps	\$ 1,606.00
11.13	Slurry upgrade option for Auger units, includes 9gpm pump upgrade and 12v valve	\$ 2,885.00
11.15	Standard top screens 10'	\$ 1,986.00
11.16	HD top screens 10'	\$ 2,715.00
11.17	10' Dual Auger Upgrade (Includes Std Screens, Vee Optional)	\$ 7,664.00
11.18	304SS Upgrade	\$ 3,195.00

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model Taskforce 11' w/201SS leg kit & wheel guides
	Size of Tank & Configuration	11', 7.6 yards dry, 400 gallon liquid
	Tank Baffle Description	Internal divider baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single <u>X</u> Tandem _____
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <u>X</u> Set on Chassis _____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes _____ or No <u>X</u> _____
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes <u>X</u> or No _____
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 53,963.00

	Description	Answer
11.1	Installation as a slip in unit, requires tie down kit from below	\$ 4,995.00
11.2	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 11,168.00
11.3	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 8,890.00
11.5	Rear entry Ladder SS	\$ 1,541.00
11.6	Rear Bumper SS	\$ 766.00
11.7	Rear rubber spray bar deflector	\$ 608.00
11.8	Extra boom	\$ 1,349.00
11.9	Slip in mounting kit, dump body	\$ 1,414.00
11.10	Slip in mounting kit, chain binders	\$ 1,542.00
11.11	Slip in mounting kit, ratchet chain binders	\$ 1,854.00
11.12	Slip in mounting kit, ratchet straps	\$ 1,606.00
11.13	Slurry upgrade option for Auger units, includes 9gpm pump upgrade and 12v valve	\$ 2,885.00
11.15	Standard top screens 11'	\$ 2,176.00
11.16	HD top screens 11'	\$ 2,956.00
11.17	11' Dual Auger Upgrade (Includes Std Screens, Vee Optional)	\$ 8,016.00
11.18	304SS Upgrade	\$ 3,422.00

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mqxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model Taskforce 12' w/201SS leg kit & wheel guides
	Size of Tank & Configuration	12', 8.3 yards dry, 400 gallon liquid
	Tank Baffle Description	Internal divider baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single <input checked="" type="checkbox"/> Tandem <input type="checkbox"/>
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <input checked="" type="checkbox"/> Set on Chassis <input type="checkbox"/>
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 54,974.00

	Description	Answer
11.1	Installation as a slip in unit, requires tie down kit from below	\$ 4,995.00
11.2	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 11,168.00
11.3	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 8,890.00
11.5	Rear entry Ladder SS	\$ 1,541.00
11.6	Rear Bumper SS	\$ 766.00
11.7	Rear rubber spray bar deflector	\$ 608.00
11.8	Extra boom	\$ 1,349.00
11.9	Slip in mounting kit, dump body	\$ 1,414.00
11.10	Slip in mounting kit, chain binders	\$ 1,542.00
11.11	Slip in mounting kit, ratchet chain binders	\$ 1,854.00
11.12	Slip in mounting kit, ratchet straps	\$ 1,606.00
11.13	Slurry upgrade option for Auger units, includes 9gpm pump upgrade and 12v valve	\$ 2,885.00
11.15	Standard top screens 12'	\$ 2,274.00
11.16	HD top screens 12'	\$ 3,190.00
11.17	12' Dual Auger Upgrade (Includes Std Screens, Vee Optional)	\$ 9,130.00
11.18	304SS Upgrade	\$ 3,820.00

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mqxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model Taskforce 13' w/201SS leg kit & wheel guides
	Size of Tank & Configuration	13', 9.0 yards dry, 800 gallon liquid
	Tank Baffle Description	Internal divider baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single___ Tandem_X__
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into_X__ Set on Chassis___
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes___ or No_X__
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes_X__ or No___
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 56,102.00

	Description	Answer
11.1	Installation as a slip in unit, requires tie down kit from below	\$ 4,995.00
11.2	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 11,168.00
11.3	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 8,890.00
11.5	Rear entry Ladder SS	\$ 1,541.00
11.6	Rear Bumper SS	\$ 766.00
11.7	Rear rubber spray bar deflector	\$ 608.00
11.8	Extra boom	\$ 1,349.00
11.9	Slip in mounting kit, dump body	\$ 1,414.00
11.10	Slip in mounting kit, chain binders	\$ 1,542.00
11.11	Slip in mounting kit, ratchet chain binders	\$ 1,854.00
11.12	Slip in mounting kit, ratchet straps	\$ 1,606.00
11.13	Slurry upgrade option for Auger units, includes 9gpm pump upgrade and 12v valve	\$ 2,885.00
11.15	Standard top screens 13'	\$ 2,554.00
11.16	HD top screens 13'	\$ 3,617.00
11.17	13' Dual Auger Upgrade (Includes Std Screens, Vee Optional)	\$ 9,396.00
11.18	304SS Upgrade	\$ 3,824.00

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model Taskforce 14' w/201SS leg kit & wheel guides
	Size of Tank & Configuration	14', 9.8 yards dry, 800 gallon liquid
	Tank Baffle Description	Internal divider baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single___ Tandem_X__
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into_X__ Set on Chassis___
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes___ or No_X__
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes_X__ or No___
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 68,344.00

	Description	Answer
11.1	Installation as a slip in unit, requires tie down kit from below	\$ 4,995.00
11.2	Direct Cast Spinner Option ILO Standard c/w Henderson Controll and valve	\$ 11,168.00
11.3	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 8,890.00
11.5	Rear entry Ladder SS	\$ 1,541.00
11.6	Rear Bumper SS	\$ 766.00
11.7	Rear rubber spray bar deflector	\$ 608.00
11.8	Extra boom	\$ 1,349.00
11.9	Slip in mounting kit, dump body	\$ 1,414.00
11.10	Slip in mounting kit, chain binders	\$ 1,542.00
11.11	Slip in mounting kit, ratchet chain binders	\$ 1,854.00
11.12	Slip in mounting kit, ratchet straps	\$ 1,606.00
11.13	Slurry upgrade option for Auger units, includes 9gpm pump upgrade and 12v valve	\$ 2,885.00
11.15	Standard top screens 14'	\$ 2,695.00
11.16	HD top screens 14'	\$ 3,851.00
11.17	14' Dual Auger Upgrade (Includes Std Screens, Vee Optional)	\$ 9,681.00
11.18	304SS Upgrade	\$ 5,407.00

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model Taskforce 15' w/201SS leg kit & wheel guides
	Size of Tank & Configuration	15', 10.3 yards dry, 800 gallon liquid
	Tank Baffle Description	Internal divider baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single_____ Tandem_X__
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into_X__ Set on Chassis_____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes_____ or No_X__
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes_X__ or No_____
	Tank Warranty	1 year

	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 70,445.00
	Description	Answer
11.1	Installation as a slip in unit, requires tie down kit from below	\$ 4,995.00
11.2	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 11,168.00
11.3	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 8,890.00
11.5	Rear entry Ladder SS	\$ 1,541.00
11.6	Rear Bumper SS	\$ 766.00
11.7	Rear rubber spray bar deflector	\$ 608.00
11.8	Extra boom	\$ 1,349.00
11.9	Slip in mounting kit, dump body	\$ 1,414.00
11.10	Slip in mounting kit, chain binders	\$ 1,542.00
11.11	Slip in mounting kit, ratchet chain binders	\$ 1,854.00
11.12	Slip in mounting kit, ratchet straps	\$ 1,606.00
11.13	Slurry upgrade option for Auger units, includes 9gpm pump upgrade and 12v valve	\$ 2,885.00
11.15	Standard top screens 15'	\$ 2,848.00
11.16	HD top screens 15'	\$ 4,069.00
11.17	15' Dual Auger Upgrade (Includes Std Screens, Vee Optional)	\$ 10,358.00
11.18	304SS Upgrade	\$ 5,553.00
	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model Taskforce 16' w/201SS leg kit & wheel guides
	Size of Tank & Configuration	16', 10.9 yards dry, 800 gallon liquid
	Tank Baffle Description	Internal divider baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single ____ Tandem __X__
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into __X__ Set on Chassis ____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes ____ or No __X__
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes __X__ or No ____
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
TOTAL PRICE		\$ 71,680.00

	Description	Answer
11.1	Installation as a slip in unit, requires tie down kit from below	\$ 4,995.00
11.2	Direct Cast Spinner Option ILO Standard c/w Henderson Controll and valve	\$ 11,168.00
11.3	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 8,890.00
11.5	Rear entry Ladder SS	\$ 1,541.00
11.6	Rear Bumper SS	\$ 766.00
11.7	Rear rubber spray bar deflector	\$ 608.00
11.8	Extra boom	\$ 1,349.00
11.9	Slip in mounting kit, dump body	\$ 1,414.00
11.10	Slip in mounting kit, chain binders	\$ 1,542.00
11.11	Slip in mounting kit, ratchet chain binders	\$ 1,854.00
11.12	Slip in mounting kit, ratchet straps	\$ 1,606.00
11.13	Slurry upgrade option for Auger units, includes 9gpm pump upgrade and 12v valve	\$ 2,885.00
11.15	Standard top screens 16'	\$ 2,992.00
11.16	HD top screens 16'	\$ 4,287.00
11.17	16' Dual Auger Upgrade (Includes Std Screens, Vee Optional)	\$ 10,785.00
11.18	304SS Upgrade	\$ 5,700.00

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model First Response 9'
	Size of Tank & Configuration	9', 5.2 yards dry, 900 gallon liquid
	Tank Baffle Description	Two (2) internal baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single <u>X</u> Tandem _____
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <u>X</u> Set on Chassis _____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes _____ or No <u>X</u> _____
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes <u>X</u> or No _____
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 94,387.00

	Description	Answer
11.1	Installation as a slip in unit	\$ 5,082.00
11.2	Installation as a chassis mount	\$ 6,623.00
11.3	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 12,429.00
11.4	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 7,207.00
11.6	Storage legs 9' to 12', INCLUDED WITH UNIT	\$ -
11.7	Storage legs 13' to 15' INCLUDED WITH UNIT	\$ -
	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model First Response 10'
	Size of Tank & Configuration	10', 5.8 yards dry, 1000 gallon liquid
	Tank Baffle Description	Two (2) internal baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single <u>X</u> Tandem _____
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <u>X</u> Set on Chassis _____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes _____ or No <u>X</u> _____
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes <u>X</u> or No _____
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 97,392.00

	Description	Answer
11.1	Installation as a slip in unit	\$ 5,082.00
11.2	Installation as a chassis mount	\$ 6,623.00
11.3	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 12,429.00
11.4	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 7,207.00
11.6	Storage legs 9' to 12', INCLUDED WITH UNIT	\$ -
11.7	Storage legs 13' to 15' INCLUDED WITH UNIT	\$ -

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

11.0 Exhibit D PRICE SCHEDULE ANTI-ICING

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	

Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model First Response 11'
	Size of Tank & Configuration	11', 6.4 yards dry, 1100 gallon liquid
	Tank Baffle Description	Two (2) internal baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single <u>X</u> Tandem _____
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <u>X</u> Set on Chassis _____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes _____ or No <u>X</u> _____
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes <u>X</u> or No _____
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 99,616.00

	Description	Answer
11.1	Installation as a slip in unit	\$ 5,082.00
11.2	Installation as a chassis mount	\$ 6,623.00
11.3	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 12,429.00
11.4	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 7,207.00
11.6	Storage legs 9' to 12', INCLUDED WITH UNIT	\$ -
11.7	Storage legs 13' to 15' INCLUDED WITH UNIT	\$ -

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model First Response 12'
	Size of Tank & Configuration	12', 7.0 yards dry, 1200 gallon liquid
	Tank Baffle Description	Two (2) internal baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single <input checked="" type="checkbox"/> Tandem <input type="checkbox"/>
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <input checked="" type="checkbox"/> Set on Chassis <input type="checkbox"/>
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Tank Warranty	1 year
	Control Warranty	1 year
	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	List Volume Discounts	10 or more less 10%
	TOTAL PRICE	\$ 106,811.00

	Description	Answer
11.1	Installation as a slip in unit	\$ 5,082.00
11.2	Installation as a chassis mount	\$ 6,623.00
11.3	Direct Cast Spinner Option ILO Standard c/w Henderson Controll and valve	\$ 12,429.00
11.4	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 7,207.00
11.6	Storage legs 9' to 12', INCLUDED WITH UNIT	\$ -
11.7	Storage legs 13' to 15' INCLUDED WITH UNIT	\$ -

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model First Response 13'
	Size of Tank & Configuration	13', 7.5 yards dry, 1300 gallon liquid
	Tank Baffle Description	Two (2) internal baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single_____ Tandem_X__
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into_X__ Set on Chassis_____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes_____ or No_X__
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes_X__ or No_____
	Tank Warranty	1 year
	Control Warranty	1 year

	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE	\$ 109,438.00
	Description	Answer
11.1	Installation as a slip in unit	\$ 5,082.00
11.2	Installation as a chassis mount	\$ 6,623.00
11.3	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 12,429.00
11.4	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 7,207.00
11.6	Storage legs 9' to 12', INCLUDED WITH UNIT	\$ -
11.7	Storage legs 13' to 15' INCLUDED WITH UNIT	\$ -

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model First Response 14'
	Size of Tank & Configuration	14', 8.1 yards dry, 1400 gallon liquid
	Tank Baffle Description	Two (2) internal baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single_____ Tandem_X__
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into_X__ Set on Chassis_____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes_____ or No_X__
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes_X__ or No_____
	Tank Warranty	1 year
	Control Warranty	1 year

	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE	\$ 113,205.00
	Description	Answer
11.1	Installation as a slip in unit	\$ 5,082.00
11.2	Installation as a chassis mount	\$ 6,623.00
11.3	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 12,429.00
11.4	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 7,207.00
11.6	Storage legs 9' to 12', INCLUDED WITH UNIT	\$ -
11.7	Storage legs 13' to 15' INCLUDED WITH UNIT	\$ -

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Henderson Model First Response 15'
	Size of Tank & Configuration	15', 8.7 yards dry, 1500 gallon liquid
	Tank Baffle Description	Two (2) internal baffles
	Manhole Size	5" fill
	Skid Plate & Tank Strap Description	Steel with steel straps
	Size Truck Intended For? (Single or Tandem)	Single_____ Tandem_X__
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into_X__ Set on Chassis_____
	Number of Lanes Standard Boom Covers	Three
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Snap on brass streamers
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball valve
	Boom Spraying Speed (High Speed, Low Speed)	Low through high speed
	Pump Flow Rate (GPM and PSI)	Hypro 214 GPM at open end pressure
	Type of Pump	Centrifugal poly vane
	How is Pump Powered? Describe Power Unit.	Direct mount hydraulic motor
	Does it include controls?	Yes_____ or No_X__
	Control Description	See controls section
	Is it Ground Speed Orientated?	See controls section
	Can it be filled with Sprayer Pump from Control Panel?	Yes_X__ or No_____
	Tank Warranty	1 year
	Control Warranty	1 year

	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE	\$ 115,759.00
	Description	Answer
11.1	Installation as a slip in unit	\$ 5,082.00
11.2	Installation as a chassis mount	\$ 6,623.00
11.3	Direct Cast Spinner Option ILO Standard c/w Henderson Control and valve	\$ 12,429.00
11.4	Direct Cast Spinner ILO STD, PWM sensor, no valve, no control	\$ 7,207.00
11.6	Storage legs 9' to 12', INCLUDED WITH UNIT	\$ -
11.7	Storage legs 13' to 15' INCLUDED WITH UNIT	\$ -

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	VariTech Ind. LDS AI-400-DAS/SC
	Size of Tank & Configuration	200 Gal. Low-profile rectangular
	Tank Baffle Description	Molded-in Baffles
	Manhole Size	7"
	Skid Plate & Tank Strap Description	Galvanized steel with Nylon Straps
	Size Truck Intended For? (Single or Tandem)	Single X Tandem_____
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into_____ Set on Chassis X
	Number of Lanes Standard Boom Covers	1 Lane (see options)
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Stream
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball Valve
	Boom Spraying Speed (High Speed, Low Speed)	Both
	Pump Flow Rate (GPM and PSI)	90 @ 40 PSI
	Type of Pump	Centrifugal w/5.5 HP Honda Gas Engine
	How is Pump Powered? Describe Power Unit.	Honda GX 160
	Does it include controls?	Yes X or No_____
	Control Description	In-Cab On/Off
	Is it Ground Speed Orientated?	No (see options)
	Can it be filled with Sprayer Pump from Control Panel?	Yes X or No_____
	Tank Warranty	3 years
	Control Warranty	1 year

	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE	\$ 7,228.00
	Description	Answer
11.1	Installation as a slip in unit (Incl straps and tie down provisions)	\$ 2,593.00
11.2	Adder for LDS AI305-DAS/SC Low-profile rectangular ILO AI400-DAS/SC	\$ 567.00
11.3	Adder for LDS AI400-DAS/SC Low-profile rectangular ILO AI400-DAS/SC	\$ 1,288.00
11.4	Adder for LDS AI535-DAS/SC Low-profile rectangular ILO AI400-DAS/SC	\$ 1,309.00
11.5	Add ground speed control with 5100EX 1F controller.	\$ 4,038.00
11.6	2 Lane Plumbing/Spray bar Package	\$ 739.00
11.7	3 Lane Plumbing/Spray bar Package	\$ 1,503.00
11.8	GPS Speed Sensor	\$ 906.00
11.9	Spring Rewind Hose Reel (50' of 1/2" hose)	\$ 1,133.00
11.10	Spring Rewind Hose Reel (100' of 1/2" hose)	\$ 1,629.00
11.11	Electric Start Option for Gas Engine	\$ 977.00
11.12	Tank Tamer® Ball Baffle System for 400 tank	\$ 727.00
11.13	Tank Tamer® Ball Baffle System for 500 tank	\$ 993.00
11.14	86 GPM hydraulic motor	\$ 208.00

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	
Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	VariTech Ind.LDS AI925-DAS
	Size of Tank & Configuration	925 Gal. Elliptical leg tank
	Tank Baffle Description	See Options
	Manhole Size	16"
	Skid Plate & Tank Strap Description	GALVANIZED steel with Hoops
	Size Truck Intended For? (Single or Tandem)	Single X Tandem_____
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into (optional) Set on Chassis X
	Number of Lanes Standard Boom Covers	1 Lane (see options)
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Stream
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball Valve
	Boom Spraying Speed (High Speed, Low Speed)	Both
	Pump Flow Rate (GPM and PSI)	147@ 0 PSI
	Type of Pump	Centrifugal
	How is Pump Powered? Describe Power Unit.	Hydraulic Motor - 15 GPM
	Does it include controls?	No (see options)
	Control Description	See Options
	Is it Ground Speed Orientated?	See Options
	Can it be filled with Sprayer Pump from Control Panel?	Yes X or No_____
	Tank Warranty	3 years
	Control Warranty	1 year

	Pump Warranty	1 year
	Spring Bar & Nozzle Warranty	1 year
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE	\$ 12,249.00
	Description	Answer
11.2	Adder for LDS AI1035-DAS 1035 Gal. Elliptical Leg Tank ILO AI1035-DAS	\$ 631.00
11.3	Adder for LDS AI1300-DAS 1300 Gal. Elliptical Leg Tank ILO AI1035-DAS	\$ 2,099.00
11.4	Adder for LDS AI1620-DAS 1620 Gal. Elliptical Leg Tank ILO AI1035-DAS	\$ 4,438.00
11.5	Adder for LDS AI1850-DAS 1850 Gal. Elliptical Leg Tank ILO AI1035-DAS	\$ 4,819.00
11.6	Adder for LDS AI12600-DAS 2600 Gal. Elliptical Leg Tank ILO AI1035-DAS	\$ 14,538.00
11.7	Adder for LDS AI4035-DAS 4035 including 3 lane boom / wiring tank tamers	\$ 33,148.00
11.8	VariTech 5100ex 1F Controller (with PWM valve)	\$ 3,048.00
11.9	3 Lane Switch pkg/ for use with existing controller	\$ 550.00
11.10	1 Lane Spray Bar (Stainless Steel)	\$ 778.00
11.11	3 Lane Plumbing Package	\$ 2,467.00
11.12	3 Lane Spray Bar Package (PVC)	\$ 864.00
11.13	3 Lane Spray Bar Package (Stainless Steel)	\$ 1,365.00
11.14	Galvanized Free-Standing Leg option for Frame	\$ 1,697.00
11.15	Tank Tamer® Ball Baffle System for 925 tank	\$ 1,720.00
11.16	Tank Tamer® Ball Baffle System for 1035 tank	\$ 1,937.00
11.17	Tank Tamer® Ball Baffle System for 1300 tank	\$ 2,422.00
11.18	Tank Tamer® Ball Baffle System for 1620 tank	\$ 3,027.00
11.19	Tank Tamer® Ball Baffle System for 1850 tank	\$ 3,439.00
11.20	Tank Tamer® Ball Baffle System for 2600 tank	\$ 4,843.00
11.21	Slip in installation VariTech LDS system on suitable chassis	\$ 3,300.00
11.22	Hooklift installation. Includes Swaploader 100 Series 12' sub-frame	\$ 5,310.00
11.23	Hooklift installation. Includes Swaploader 100 Series 14' sub-frame	\$ 5,369.00
11.24	Hooklift installation. Includes Swaploader 100 Series 16' sub-frame	\$ 5,473.00
11.25	Hooklift installation. Includes Swaploader 200 Series 10' sub-frame	\$ 5,375.00
11.26	Hooklift installation. Includes Swaploader 200 Series 11' sub-frame	\$ 5,508.00
11.27	Hooklift installation. Includes Swaploader 200 Series 12' sub-frame	\$ 6,446.00
11.28	Hooklift installation. Includes Swaploader 200 Series 13' sub-frame	\$ 6,539.00
11.29	Hooklift installation. Includes Swaploader 200 Series 14' sub-frame	\$ 6,643.00
11.30	Hooklift installation. Includes Swaploader 200 Series 16' sub-frame	\$ 6,762.00
11.31	Hooklift installation. Includes Swaploader 400 Series 14' sub-frame	\$ 9,344.00
11.32	Hooklift installation. Includes Swaploader 400 Series 16' sub-frame	\$ 9,581.00
11.33	Hooklift installation. Includes Swaploader 400 Series 18' sub-frame	\$ 9,843.00
11.34	Swaploader 10H90 RA-75 Roller assembly pair	\$ 923.00
11.35	Swaploader 10H91 RA-85 Roller assembly mounting brackets	\$ 553.00

	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00

Price quote for:	11.0 Exhibit D PRICE SCHEDULE ANTI-ICING	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Aaron Carlson	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	aaron.carlson@mgxequipment.com	

Item #	Information Requested	Answer
11.0	Anti-Icing, Make & Model	Sprayer Specialties SSDI-300
	Size of Tank & Configuration	300 Gal. Low-profile rectangular
	Tank Baffle Description	None
	Manhole Size	8"
	Skid Plate & Tank Strap Description	Powder coated steel with Nylon Straps
	Size Truck Intended For? (Single or Tandem)	Single <input checked="" type="checkbox"/> Tandem <input type="checkbox"/>
	Installation Method of Tank? (Backed into or Set on Chassis)	Backed into <input checked="" type="checkbox"/> Set on Chassis <input type="checkbox"/>
	Number of Lanes Standard Boom Covers	One
	Nozzle Description (PVC, SS, Fan or Streamjet?)	Stream
	Nozzle Valve Description (Ball Valve or Proportionally Controlled)	Ball Valve
	Boom Spraying Speed (High Speed, Low Speed)	Both
	Pump Flow Rate (GPM and PSI)	90 GPM @ 40 PSI
	Type of Pump	10 GPM roller pump
	How is Pump Powered? Describe Power Unit.	12 VDC Electric
	Does it include controls?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
	Control Description	In-Cab On/Off
	Is it Ground Speed Orientated?	No (see options)
	Can it be filled with Sprayer Pump from Control Panel?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Tank Warranty	One year
	Control Warranty	One year

	Pump Warranty	One year
	Spring Bar & Nozzle Warranty	One year
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE	\$ 8,411.00
	Description	Answer
11.1	Slip in installation of a 925, 1065 & 1235, 1635, 1800 LAS system on suitable chassis	\$ 3,217.00
11.2	525 gallon tank ILO standard	\$ 1,950.00
11.3	Slip in installation of a SSDI-300 system on suitable chassis	\$ 240.00
	Cost per loaded mile for delivery of air bag	\$ 7.00
	Starting Point: City, State, Zip:	
	Body Shop Rate	\$ 165.00
	Mechanic Shop Rate	\$ 165.00