

| | | |
|-------------------|--|--|
| Price quote for: | 2.0 Exhibit D PRICE SCHEDULE BOX HOIST 2/1/2024 | |
| Vendor Name: | Bert's Truck Equipment of Moorhead, Inc | |
| Contact Person: | Jim McLaughlin | |
| Street Address: | 3804 Hwy 75 North | |
| P.O. Box: | PO Box 336 | |
| City, State, Zip: | Moorhead, MN 56560 | |
| Phone #: | 218-233-8681 | |
| Toll Free #: | 800-232-3787 | |
| Fax #: | 218-233-9548 | |
| Email Address: | jimmc@bertsonline.com | |
| Item # | Information Requested | Answer |
| | Box Hoist Make and Model | Crysteel Roller Combo Hoist, Less Hydraulics |
| | Class & Type | RC750, Class 50, Type VII RC690, Class 90, Type VII |
| | Rated Capacity | RC750, Class 50, Rated @ 17.2 tons RC690, Class 90, Rated @ 26.2 tons |
| | Maximum PSI Operating Pressure | RC750 =2000 psi, RC690=2200 psi |
| | Cylinder Bore & Stroke | RC750 = 7" x 21 5/8" RC690 = (2) 6" x 32 1/2" |
| | Piston Rod Diameter & Description | RC750 = 2 1/4"Chromed, 100,000 Min yield RC690 = 2 3/8"Chromed, 100,000 Min yield |
| | Sub-Frame Construction | RC-750 1/4" Grade 50, Formed, 4 3/4" x 2 1/2" RC-690 1/4" Grade 50, Formed, 4 5/8" x 3" |
| | Is Installation included in Price? | Yes ___ or No <u>X</u> |
| | Warranty Information | 5 Year Limited Warranty, Standard |
| | List Volume Discounts | |
| | Stainless Steel option | Not currently available |
| | | \$ |
| | | \$ |
| | TOTAL PRICE: | See Below |
| 2.0-1 (1) | Crysteel RC750 Roller Combo Class 50, Less Hydraulic | \$ 3,948.00 |
| 2.0-1 (2) | Crysteel RC690 Roller Combo Class 90, Less Hydraulic | \$ 6,990.00 |
| 2.0-1 (3) | Installation of RC Series Hoist | \$ 1,200.00 |
| 2.0-1 (4) | Remote Grease Bank for Roller Combo Hoist | \$ 495.00 |
| | Cost per Loaded Mile for Delivery of Hoist | \$ 4.00 |
| | Delivery Starting Point City, State, & Zip: | |
| | Moorhead, MN | |
| | Body Shop Rate | \$ 150.00 |
| | Mechanic Shop Rate | \$ 150.00 |

| | | |
|-------------------|---|---|
| Price quote for: | 2.0 Exhibit D PRICE SCHEDULE BOX HOIST 2-1.24 | |
| Vendor Name: | Bert's Truck Equipment of Moorhead, Inc | |
| Contact Person: | Jim McLaughlin | |
| Street Address: | 3804 Hwy 75 North | |
| P.O. Box: | PO Box 336 | |
| City, State, Zip: | Moorhead, MN 56560 | |
| Phone #: | 218-233-8681 | |
| Toll Free #: | 800-232-3787 | |
| Fax #: | 218-233-9548 | |
| Email Address: | jimmc@bertsonline.com | |
| Item # | Information Requested | Answer |
| | Box Hoist Make and Model | Crysteel Marathon Hoist, Less |
| | Class & Type | M53XXX Inverted Front Mount Telescopic, Double Acting Class 80 |
| | | M631XX Inverted Front Mount Telescopic, Double Acting Class 120 |
| | Rated Capacity | M53XXX = 24.9 Tons |
| | | M63XXX = 46.4Tons |
| | Maximum PSI Operating Pressure | 2000 PSI |
| | Cylinder Bore & Stroke | M53117 = 5" 3 Stage, 117" stroke M63117 - M63153 = 6" 3 stage, 117-153" stroke |
| | Piston Rod Diameter & Description | M53117 = 5" 3 Stage, 117" stroke M63117 - M63153 = 6" 3 stage, 117-153" stroke |
| | Sub-Frame Construction | NA |
| | Is Installation included in Price? | Yes___ or No <u>X</u> |
| | Warranty Information | 5 Year Limited Warranty, Standard |
| | List Volume Discounts | None |
| | Stainless Steel option | Not currently available |
| | | \$ |
| | | \$ |
| | TOTAL PRICE: | See Below |
| 2.0-2 (1) | Crysteel M53117 DA Class 80, Less Hydraulics | \$ 5,355.00 |
| 2.0-2 (2) | Crysteel M63117, M63138, M63153 DA Class 120, Less Hyd. | \$ 5,995.00 |
| 2.0-2 (3) | Installation of Crysteel Marathon Series Hoist | \$ 1,200.00 |
| 2.0-2(4) | Crysteel Body Stabilizer, installed | \$ 2,240.00 |
| | Cost per Loaded Mile for Delivery of Hoist | \$ 4.00 |
| | Delivery Starting Point City, State, & Zip: | |
| | Moorhead MN | |
| | Body Shop Rate | \$ 150.00 |
| | Mechanic Shop Rate | \$ 150.00 |

| | | |
|-------------------|--|--|
| Price quote for: | 2.0 Exhibit D PRICE SCHEDULE BOX HOIST 2-1.24 | |
| Vendor Name: | Bert's Truck Equipment of Moorhead, Inc | |
| Contact Person: | Jim McLaughlin | |
| Street Address: | 3804 Hwy 75 North | |
| P.O. Box: | PO Box 336 | |
| City, State, Zip: | Moorhead, MN 56560 | |
| Phone #: | 218-233-8681 | |
| Toll Free #: | 800-232-3787 | |
| Fax #: | 218-233-9548 | |
| Email Address: | jimmc@bertsonline.com | |
| Item # | Information Requested | Answer |
| | Box Hoist Make and Model | Mailhot G4 Series Hoist |
| | Class & Type | Trunion Front Mount Telescopic, Nitrated Cylinder, Class 50 and 120 |
| | Rated Capacity | 15 to 50 Tons |
| | | 2000 psi |
| | Maximum PSI Operating Pressure | 5." & 5.7", 3 & 4 Stage, 120" to 150" stroke |
| | Cylinder Bore & Stroke | G4 5-3-XXX = 5" 3 Stage, 120" stroke to 130" |
| | | G4 5.7"-3-XXX = 5.7 3 & 4 Stage, 130" stroke to 160" |
| | Piston Rod Diameter & Description | NA |
| | | |
| | Sub-Frame Construction | Yes ___ or No <u>X</u> ___ |
| | | |
| | Is Installation included in Price? | Yes ___ or No <u>X</u> ___ |
| | Warranty Information | 2 Year Limited Warranty, Standard |
| | List Volume Discounts | 2% on 10 or more units at one time |
| | Stainless Steel option | Not currently available |
| | | \$ |
| | | \$ |
| | TOTAL PRICE: | See Below |
| 2.00 (1) | G4 80-4.25-3 DA | \$ 3,944.00 |
| 2.00 (2) | G4 90-4.25-3 DA | \$ 3,884.00 |
| 2.00 (3) | G4 100-4.25-3 DA | \$ 3,944.00 |
| 2.00 (4) | G4 110-5-3 DA | \$ 4,411.00 |
| 2.00 (5) | G4 120-5-3 DA | \$ 4,411.00 |
| 2.00 (6) | G4 130-5-3 DA | \$ 4,476.00 |
| 2.00 (7) | G4 140-5-3 DA | \$ 5,044.00 |
| 2.00 (8) | G4 130-5.7-3 DA | \$ 6,348.00 |
| 2.00 (9) | G4 140-5.7-4 DA | \$ 6,348.00 |
| 2.00 (10) | Crystal Body Saftey Props | \$ 361.00 |
| 2.00-(11) | Body Stabilizer | \$ 2,308.00 |
| 2.00(12) | Installation | \$ 1,200.00 |
| | Cost per Loaded Mile for Delivery of Hoist | \$ 4.00 |
| | Delivery Starting Point City, State, & Zip: | |
| | Moorhead, MN | |
| | | |
| | Body Shop Rate | \$ 150.00 |
| | Mechanic Shop Rate | \$ 150.00 |

| | | |
|-------------------|--|--|
| Price quote for: | 2.0 PRICE SCHEDULE BOX HOIST 2/1/2024 | |
| Vendor Name: | Bert's Truck Equipment of Moorhead, Inc | |
| Contact Person: | Jim McLaughlin | |
| Street Address: | 3804 Hwy 75 North | |
| P.O. Box: | PO Box 336 | |
| City, State, Zip: | Moorhead, MN 56560 | |
| Phone #: | 218-233-8681 | |
| Toll Free #: | 800-232-3787 | |
| Fax #: | 218-233-9548 | |
| Email Address: | jimmc@bertsonline.com | |

| Item # | Information Requested | Answer |
|--------|--|--|
| 2.0 | Box Hoist Make and Model | Stellar Shuttle SH65-138 Hooklift |
| | Class & Type | Stellar Shuttle 138-18-65, designed for 138" to 144" CT chassis. Body lengths 15'-17' containers; up to 18' flatbed. Shipping weight approx. 6300lb. |
| | Rated Capacity | 65000 |
| | Maximum PSI Operating Pressure | 4200 PSI |
| | Tilt Cylinder Bore & Stroke | Single 5-inch bore with 2.5-inch diameter rod cylinder. Cylinder must be double acting and include dual integral pilot-operated counterbalance valves to prevent cylinder collapse in case of hose failure. Cylinder must be fully retracted when in the transport mode to prevent exposure of cylinder rod to corrosive road salts. |
| | Piston Rod Diameter & Description/ Lift/Dump Cylinder | Dual 7-inch bore with 3-inch diameter rod cylinder. Cylinders must be double acting and include pilotoperated counterbalance valving to prevent cylinder collapse in case of hose failure. |
| | Complete Specs provided upon request | |
| | Sub-Frame Construction | NA |
| | Is Installation included in Price? | Yes ___ or No X ___ |
| | Warranty Information | One Year Limited Warranty, Standard |
| | TOTAL PRICE: | See Below |
| 9.10 | Stellar Shuttle 138-18-65 Base unit Less Hydraulics | \$ 54,795.00 |

| | | | |
|------|---|----|----------|
| 9.11 | Installation of Stellar Hooklifts | \$ | 9,995.00 |
| 9.20 | HYDA2-Hydraulic kit (if not using central Hydraulics) | \$ | 3,595.00 |
| | HYDA2 Includes: 87689 CONTROL TOWER ASM 2-SECT SHUTTLE 86468 RSRVR ASM 25GAL 2S VDM8 GEN2 AIR (10-8 SLIDER40, 50, SHUTTLE65 W/Z BRKT'S) VOAC bent axis piston-type hydraulic pump | | |
| 9.3 | 61363 Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready. | \$ | 2,695.00 |
| 9.3A | Labor to install bumper | \$ | 900.00 |
| 9.4 | One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware. | \$ | 1,640.00 |
| 9.6 | Skid 8574, Body attachment | \$ | 2,860.00 |
| 9.7 | Roller kit 24678 | \$ | 1,015.00 |
| 9.8 | Installation of skid to platform or dump body | \$ | 3,635.00 |
| 9.9 | Installation of Skid to Bonnell Commander or NNR Body | \$ | 6,195.00 |
| | Options | | |
| | Cost per Loaded Mile for Delivery of Hoist | \$ | 4.00 |
| | Delivery Starting Point City, State, & Zip: | | |
| | Moorhead, Mn 56560 | | |
| | | | |
| | Body Shop Rate | \$ | 150.00 |
| | Mechanic Shop Rate | \$ | 150.00 |

| | | |
|-------------------|---|--|
| Price quote for: | 2.0 PRICE SCHEDULE BOX HOIST | |
| | 2/1/2024 | |
| Vendor Name: | Bert's Truck Equipment of Moorhead, Inc | |
| Contact Person: | Jim McLaughlin | |
| Street Address: | 3804 Hwy 75 North | |
| P.O. Box: | PO Box 336 | |
| City, State, Zip: | Moorhead, MN 56560 | |
| Phone #: | 218-233-8681 | |
| Toll Free #: | 800-232-3787 | |
| Fax #: | 218-233-9548 | |
| Email Address: | jimmc@bertsonline.com | |
| | | |
| Item # | Information Requested | Answer |
| 2.0 | Box Hoist Make and Model | Stellar Shuttle SL40HH5462 Hooklift |
| | Class & Type | Stellar Slider40, 54"-62" hydraulic adjustable hook height, designed for 130" to 144" CT chassis. Body lengths 12'-16' containers; up to 18' flatbed. Shipping weight approx. 4,550 LB |
| | Rated Capacity | 40000 |
| | Maximum PSI Operating Pressure | 4200 PSI |
| | Tilt Cylinder Bore & Stroke | Single 4-inch bore with 2-inch diameter rod cylinder. Cylinder must be double acting and include dual integral pilot-operated counterbalance valves to prevent cylinder collapse in case of hose failure. Cylinder must be fully retracted when in the transport mode to prevent exposure of cylinder rod to corrosive road salts. |
| | Piston Rod Diameter & Description/ Lift/Dump Cylinder | cylinder. Cylinder must be double acting and include dual integral pilot-operated counterbalance valves to prevent cylinder collapse in case of hose failure. |
| | Complete Specs provided upon request | |
| | Sub-Frame Construction | NA |
| | Is Installation included in Price? | Yes___ or No X ___ |
| | Warranty Information | One Year Limited Warranty, Standard |
| | TOTAL PRICE: | See Below |
| 9.10 | Stellar Shuttle SL40HH5462 Hooklift Base unit Less Hydraulics | \$ 41,995.00 |
| 9.11 | Installation of Stellar Hooklifts | \$ 6,035.00 |
| 9.2 | HYDA3 Hydraulic kit (if not using central Hydraulics) | \$ 3,595.00 |
| | HYDA3 Includes: 88647 CONTROLLER ASM AIR 3 SECT SLIDER 86478 RSRVR ASM 25GAL 3S VDM8 GEN2 AIR (10-8-6 SLIDER40,50 W/Z-BRKT'S) | |

| | | | |
|------|--|----|-----------|
| | 43120 TAB ALARM KIT WITH BRACKET | \$ | 495.00 |
| 9.3 | 61363 Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready. | \$ | 2,695.00 |
| 9.3A | Labor to install bumper | \$ | 900.00 |
| 9.4 | One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware. | \$ | 1,640.00 |
| 9.6 | Skid 8574, Body attachment | \$ | 2,860.00 |
| 9.7 | Roller kit 24678 | \$ | 1,015.00 |
| 9.8 | Installation of skid to platform or dump body | \$ | 3,635.00 |
| 9.9 | Installation of Skid to Bonnell Commander or NNR Body | \$ | 6,195.00 |
| 9.10 | Curry CW3D 3000 Gallon Water tank on skid for Stellar hook lift, Contact Berts for complete specs | \$ | 77,695.00 |
| | Cost per Loaded Mile for Delivery of Hoist | \$ | 4.00 |
| | Delivery Starting Point City, State, & Zip: | | |
| | Moorhead, Mn 56560 | | |
| | | | |
| | Body Shop Rate | \$ | 125.00 |
| | Mechanic Shop Rate | \$ | 125.00 |

| | | |
|-------------------|---|--|
| Price quote for: | 2.0 PRICE SCHEDULE BOX HOIST 2/1/2024 | |
| Vendor Name: | Bert's Truck Equipment of Moorhead, Inc | |
| Contact Person: | Jim McLaughlin | |
| Street Address: | 3804 Hwy 75 North | |
| P.O. Box: | PO Box 336 | |
| City, State, Zip: | Moorhead, MN 56560 | |
| Phone #: | 218-233-8681 | |
| Toll Free #: | 800-232-3787 | |
| Fax #: | 218-233-9548 | |
| Email Address: | jimmc@bertsonline.com | |
| Item # | Information Requested | Answer |
| 2.0 | Box Hoist Make and Model | Stellar Shuttle SH24-96 Hooklift |
| | Class & Type | Stellar Shuttle 96-10-24, designed for 84" to 102" CA chassis. Body lengths 10'-12; up to 14'. Shipping weight approx. 2600 lb. |
| | Rated Capacity | 24000 |
| | Maximum PSI Operating Pressure | 4200 PSI |
| | Tilt Cylinder Bore & Stroke | Single 4-inch bore with 2-inch diameter rod cylinder. Cylinder must be double acting and include dual integral pilot-operated counterbalance valves to prevent cylinder collapse in case of hose failure. Cylinder must be fully retracted when in the transport mode to prevent exposure of cylinder rod to corrosive road salts. |
| | Piston Rod Diameter & Description/ Lift/Dump Cylinder | Single 5.5-inch bore with 2.5-inch diameter rod cylinder. Cylinder must be double acting and include dual integral pilot-operated counterbalance valves to prevent cylinder collapse in case of hose failure. |
| | Complete Specs provided upon request | |
| | Sub-Frame Construction | NA |
| | Is Installation included in Price? | Yes___ or No <u>X</u> |
| | Warranty Information | One Year Limited Warranty, Standard |
| | TOTAL PRICE: | See Below |
| 9.10 | Stellar Shuttle 96-10-24 Base unit Less Hydraulics | \$ 26,995.00 |
| 9.11 | Installation of Stellar Hooklifts | \$ 6,035.00 |

| | | |
|------|--|-------------|
| 9.2 | HYD10A2 Hydraulic kit (if not using central Hydraulics) | |
| | HYD10A2 Includes: 87689 CONTROL TOWER ASM 2-SECT SHUTTLE 87083 RSRVR ASM 10GAL 2S VDM8 GEN2 AIR (8-8 FLEX36, VOAC bent axis piston-type hydraulic pump | \$ 3,395.00 |
| 9.3 | 17441 Bumper, reinforced to accept pintle hitch 30K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. | \$ 2,595.00 |
| 9.3A | Labor to install bumper | \$ 900.00 |
| 9.4 | One pair poly fenders for 20,000 to 33,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware. | \$ 925.00 |
| 9.6 | Skid 8574, Body attachment | \$ 2,860.00 |
| 9.7 | Roller kit 24678 | \$ 1,015.00 |
| 9.8 | Installtion of skid to platofrm or dump body | \$ 3,635.00 |
| 9.9 | Installtion of Skid to Bonnell Commander or NNR Body | \$ 6,195.00 |
| | Cost per Loaded Mile for Delivery of Hoist | \$ 4.00 |
| | Delivery Starting Point City, State, & Zip: | |
| | Moorhead, Mn 56560 | |
| | | |
| | Body Shop Rate | \$ 150.00 |
| | Mechanic Shop Rate | \$ 150.00 |