

Price quote for:	9.0 NON-MnDOT PRICE SCHEDULE HYDRAULICS	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
9.0	Hydraulics - Make and Model	V40/V20E Add-A-Stack valve and electric sander control.
	Cab Controls Description	RVC control levers and/or joystick levers with stainless steel cables to valve, hoist has center Neutral lock, electric sander.
	Sander Control Description	Force America Model 5100EX-3F manually adjustable electronic spreader control with stand-by, blast & ground speed interrupt.
	Pump Drive Description	Front Frame mount, Spicer driveline from engine crankshaft
	Pump Type	FA piston type, load sensing, 6.0 CID with 1" shut off valve (pump model FASD45L)
	Valve Description	Closed center, load sensing type, with Mid-inlet
	Number and Type Functions	6 functions, box hoist, plow lift, plow swing, wing toe, wing heel, sander auger/spinner
	Type of Valve Actuation	Manual cable controls, electric sander control.
	Reservoir Size	30 gallon, M/S frame mount, with filler breather, sight glass, suction screen, and 2" shut off valve, cube design w/ in tank filter provision
	Fluid Type	Conoco hydraulic 32 (included with installation) (Includes low oil & temp sending unit)
	Filter Style	In tank mounted filter
	Valve Enclosure	Frame mounted, stainless steel construction, removeable weather tight cover
	Hose Recommendation	2" diameter suction, 1" diameter return, 1" pressure, balance to be same as port sizing. R2 for pressure lines, R1 for return lines, & R4 for suction line
	Warranty Information	One Year Warranty, parts and labor
	Volume Discounts	N/A
	TOTAL PRICE	\$ 17,067.00

	Description	Price
9.01	Installation (hoses & fittings, mounting brackets, pump & valve mounts, control tower, cables & handles, fasteners, hyd. oil and labor) (hosing for pump/tank/valve body, sander control/display mounted on pedistal by controls & wired from control valve to valve body)	\$ 7,601.65
9.02	Additional valve section, control & cable (each) (add/deduct)	\$ 1,051.55
9.03	30 gal. slimline tank with in tank filter in lieu of std. 30 gal.	\$ 107.22
9.04	Stainless Steel oil tank in lieu of standard mild steel (Std. 30 gal. square)	\$ 375.26
9.05	Stainless Steel Slim-Line oil tank in lieu of standard mild steel square tank	\$ 495.34
9.06	45 gallon S/S behind the cab oil tank in lieu of std. 30 gal M/S	\$ 1,327.34
9.07	Eaton 421AK, 4.88 CID pump in lieu of Force FASD45L 6.0 CID (Deduct)	\$ (1,112.00)
9.08	High pressure filter & in cab warning light- installed	\$ 1,019.70
9.09	Cable pull-off valve (hoist limiter valve), installed	\$ 541.55
9.10	Wing loc valve (toe and/or heel) - installed	\$ 407.75
9.11	12V DC pump shut off w/ over ride switch, in lieu of manual 1" shut off valve	\$ 916.70
9.12	VT35 S/S valve/tank enclosure in lieu of S/S valve body enclosure & S/S tank	\$ 5,355.00
9.13	Hoist control lever installed with 3-button controls on handle (Blast, Standby, and Air Trip)- in lieu of standard	\$ 435.36
9.14	Auger reversing valve & 5100EX auger reverse capabilities, installed	\$ 2,115.62
9.15	Auger reversing valve and electric selector valve for dual spinners- installed	\$ 2,878.85
9.16	Electric Open Loop Prewet Power Unit in FG enclosure with fill & suction plumbing kits includes 3-nozzel kit - Controlled with 5100EX controller (No Tank)	\$ 990.00
9.17	Electric Closed Loop Prewet Power Unit in FG enclosure with fill & suction plumbing kits includes 3-nozzel kit - Controlled with 5100EX controller (No Tank)	\$ 1,434.00
9.18	p/c mounting brackets, tank mnt. electric pump (controlled with 5100EX ~ add harness)	\$ 3,330.00
9.19	p/c mounting brackets, tank mnt. electric pump (controlled with 5100EX ~ add harness)	\$ 3,390.00
9.20	Stainless steel pre-wet mounting brackets in lieu of standard p/c (75 gal)	\$ 1,551.00
9.21	Stainless steel pre-wet mounting brackets in lieu of standard p/c (100 gal)	\$ 1,620.00
9.22	5100EX electric prewet harness for open loop	\$ 484.00
9.23	Install EM tailgate or frame mount pre-wet system, includes assembly, plumbing, wiring and fitting brackets to tailgate	\$ 1,892.23
9.24	Tailgate pre-wet system, LDS-TG100-HOL, 100 gallon tank, p/c mounting brackets, hydraulic pump, open loop (controlled with 5100EX)	\$ 4,655.60
9.25	Install HCL tailgate pre-wet system, includes assembly, plumbing, wiring and fitting brackets to tailgate	\$ 2,850.02
9.26	Hydraulic Prewet Feedback Cable (cable only)	\$ 250.00
9.27	Electric Closed Loop Prewet (includes flow meter & feedback cable) ilo open loop	\$ 767.00
9.28	loop	\$ 876.00

9.29	Electric Gravity Feed Prewet Kit- 1-nozzle- 12vdc Plunger Valve- installed	\$	1,199.90
9.30	Constant Mesh PTO and Force TXV92 5.6 CID load sense pump and 12VDC pump shutdown and override switch in lieu of standard	\$	2,657.40
9.31	Hot Shift PTO and Force TXV92 5.6 CID load sense pump in lieu of standard	\$	3,281.13
9.32	Electric Double Selector Valve (C10964)	\$	736.45
9.33	Power Float Valve- installed (C10092)	\$	1,344.15
9.34	Hydraulic Open Loop Prewet Power Unit with plumbing (No Tank) Controlled with 5100EX controller	\$	2,390.00
9.35	Hydraulic Closed Loop Prewet Power Unit with plumbing (No Tank) Controlled with 5100EX controller	\$	2,980.00
9.36	C10190 Pressuere relief valve- installed	\$	504.70
9.37	Low Liquid Level Switch Assy. & Weather Pack Connector- installed	\$	252.35
9.38	Hyd. Prewet Valve Section	\$	673.00
9.39	5100EX Closed Loop Feed back sensor and cable- installed	\$	1,257.63
9.40	Extended PTO shaft with constant mesh PTO in lieu of std. shaft	\$	2,230.00
9.41	Extended PTO shaft with Hot Shift PTO in lieu of std. shaft	\$	1,852.00
9.42	(sander)	\$	1,213.33
9.43	(prewet)	\$	1,193.83
9.44	TXV120, 7.3 CID Pump in lieu of TXV92, 5.6 CID pump	\$	757.00
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$	5.60
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630	
	Body Shop Rate	\$	120.00
	Mechanic Shop Rate	\$	120.00

Item #	Information Requested	Answer
9.0	Hydraulics - Make and Model	Force America, 5100EX-3-ULTRA- Three Stick Proportional Controller, Add-A-Fold valve w/ electric controls & electric spreader control
	Cab Controls Description	Force America three (3) mini-stick Ultra Controller, model 5100EX-3-Ultra Proportional control console, floor mount.
	Sander Control Description	Force America 5100EX electronic controller, dual manual adjustments detent positions for auger and spinner knobs (integrated unit) (Open Loop System)
	Pump Drive Description	Front Frame mount, Spicer driveline from engine crankshaft
	Pump Type	FA piston type, load sensing, 6.0 CID with 1" shut off valve (pump model FASD45L)
	Valve Description	Force America AAF, Add-A-Fold Closed center, load sensing type, with Mid-inlet and manifold design
	Number and Type Functions	<u>7 functions, box hoist, plow lift, plow swing, wing toe, wing heel, sander auger & spinner</u>
	Type of Valve Actuation	Electric solenoid, with manual over-ride
	Reservoir Size	screen, and 2" shut off valve, cube design w/ in tank filter provision
	Fluid Type	Conoco hydraulic 32 (included with installation) (Includes low oil & temp sending unit)
	Filter Style	In tank mounted filter, 12 volt DC condition indicator system
	Valve Enclosure	Frame mounted, stainless steel construction, removeable weather tight cover
	Hose Recommendation	2" diameter suction, 1" diameter return, 1" pressure, balance to be same as port sizing. R2 for pressure lines, R1 for return lines, & R4 for suction line
	Warranty Information	One Year Warranty, parts and labor
	Volume Discounts	N/A
TOTAL PRICE		\$ 30,981.00
	Description	Price
9.01	Installation (hoses & fittings, mounting brackets, pump & valve mounts, control tower, fasteners, hyd. oil and labor) (hosing for pump/tank/valve body, sander control/display mounted on pedestal by controller & wired from control valve to valve body)	\$ 6,286.10
9.02	Additional valve section & harness (each) (add/deduct)	\$ 1,170.00
9.03	Upgrade to a 4-Stick ULTRA Contoller in lieu of 3-Stick Controller	\$ 838.00
9.04	Upgrade to a 5-Stick ULTRA Contoller in lieu of 3-Stick Controller	\$ 2,920.00

9.05	Adder for Switch Base to Ultra Controllers (8-switches)	\$	1,348.00
9.06	Stainless Steel Square Oil tank in lieu of Standard Mild Steel	\$	375.26
9.07	30 gal. mild steel Slim-Line tank with in tank filter in lieu of std. 30 gal.	\$	107.22
9.08	Stainless Steel Slim-Line oil tank in lieu of standard mild steel square tank (standard 30 gal. Square)	\$	495.34
9.09	45 gallon S/S behind the cab oil tank in lieu of std. 30 gal M/S	\$	1,327.34
9.10	Eaton 421AK, 4.88 CID pump in lieu of Force FASD45L 6.0 CID (Deduct)	\$	(1,112.00)
9.11	Wing loc valve- installed	\$	411.71
9.12	High pressure filter & in cab warning light- installed	\$	1,019.70
9.13	Cable pull-off valve (hoist limiter valve), installed	\$	541.55
9.14	Hoist limiter switch, installed (wired to Ultra)	\$	732.68
9.15	12V DC pump shut off w/ over ride switch, in lieu of manual 1" shut off valve	\$	916.70
9.16	VT35 valve/tank enclosure in lieu of standard valve body & tank- S/S	\$	5,355.00
9.17	Internal wing toe lock valve (Uni-Tilt wings)	Std.	
9.18	5100EX Closed Loop Feed back sensor and cable- installed (in lieu of open loop)	\$	1,374.06
9.19	Harnessing for auger reverse and dual spinners	\$	560.00
9.20	Electric Double Selector Valve (C10964)	\$	715.00
9.21	Tailgate pre-wet system, LDS-TG075-EM, 75 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 5100EX ~ add harness)	\$	3,330.00
9.22	Tailgate pre-wet system, LDS-TG100-EM, 100 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 5100EX ~ add harness)	\$	3,390.00
9.23	Tailgate pre-wet system, LDS-TG150-EM, 150 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 5100EX ~ add harness)	\$	3,765.00
9.24	Stainless steel pre-wet mounting brackets in lieu of standard p/c (75 gal & 150 gal)	\$	1,551.00
9.25	Stainless steel pre-wet mounting brackets in lieu of standard p/c (100 gal)	\$	1,620.00
9.26	5100EX electric prewet harness for open loop	\$	498.52
9.27	Install EM tailgate pre-wet system, includes assembly, plumbing, wiring and fitting brackets to tailgate	\$	1,952.62
9.28	Hydraulic Open Loop prewet pump assy. ilo electric pump, Tailgate Systems (controlled with 5100EX)	\$	1,100.04
9.29	Hydraulic Closed Loop prewet pump assy. & flow meter ilo electric pump, Tailgate Systems (controlled with 5100EX) (Add Harness)	\$	1,705.00
9.30	Hydraulic Prewet Feedback Cable	\$	250.00
9.31	Electric Closed Loop Prewet (includes flow meter & feedback cable) ilo open loop	\$	767.00
9.32	Hydraulic Closed Loop Prewet (includes flow meter & feedback cable) ilo open loop	\$	876.00
9.33	Electric Gravity Feed Prewet Kit- 1-nozzle- 12vdc Plunger Valve- installed	\$	1,199.90
9.34	Constant Mesh PTO and Force TXV92 5.6 CID load sense pump and 12VDC pump shutdown and override switch in lieu of standard	\$	2,657.40
9.35	Hot Shift PTO and Force TXV92 5.6 CID load sense pump in lieu of standard	\$	3,281.13
9.36	Integrated Power Float Control Valve- installed	\$	1,313.25
9.37	Electric Open Loop Prewet Power Unit in FG enclosure with fill & suction plumbing kits includes 3-nozzel kit - Controlled with 5100EX controller (No Tank)	\$	990.00

9.38	Electric Closed Loop Prewet Power Unit in FG enclosure with fill & suction plumbing kits includes 3-nozzel kit - Controlled with 5100EX controller (No Tank)	\$	1,434.00
9.39	Hydraulic Open Loop Prewet Power Unit with plumbing (No Tank) Controlled with 5100EX controller	\$	2,390.00
9.40	Hydraulic Closed Loop Prewet Power Unit with plumbing (No Tank) Controlled with 5100EX controller	\$	2,980.00
9.41	C10190 Pressuere relief valve- installed	\$	504.70
9.42	Adder for double acting plow lift with float	\$	590.00
9.43	Low Liquid Level Switch Assy. & Weather Pack Connector- installed	\$	252.35
9.44	9-function harness for 5100EX- used with MuniBody front cross conveyor (must add 1-valve section)	\$	2,254.00
9.45	Extended PTO shaft with constant mesh PTO in lieu of std. shaft	\$	2,230.00
9.46	Extended PTO shaft with Hot Shift PTO in lieu of std. shaft	\$	1,852.00
9.47	TXV120 pump 7.3 CID in lieu of TXV92 pump 5.6 CID	\$	757.00
9.48	Straight Stainless Steel Hyd. lines with short whip hoses in lieu of hose only (sander)	\$	1,213.33
9.49	Straight Stainless Steel Hyd. lines with short whip hoses in lieu of hose only (prewet)	\$	1,193.83
9.50	Auto Reverse Scraper Lift	\$	930.32
9.51	Seat Mount Controls in lieu of Floor Mount Stand	\$	364.62
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$	5.60
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630	
	Body Shop Rate	\$	120.00
	Mechanic Shop Rate	\$	120.00

Price quote for:		9.0 NON-MnDOT PRICE SCHEDULE HYDRAULICS
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
9.0	Hydraulics - Make and Model	Force America, MPJC6100-3-CAN-ULTRA Three Stick Proportional Controller- GEN3, Add-A-Fold valve with electric controls and electric spreader control - 10" LCD monitor
	Cab Controls Description	Force America three (3) mini-stick Ultra Controller, model MPJC6100-3-CAN-ULTRA Proportional control console, floor mount
	Sander Control Description	Force America SSC-6100 electronic controller, dual manual adjustments, detented positions for auger and spinner knobs (integrated unit) (Closed Loop System)
	Pump Drive Description	Front Frame mount, Spicer driveline from engine crankshaft
	Pump Type	FA piston type, load sensing, 6.0 CID with 1" shut off valve (pump model FASD45L)
	Valve Description	Parker MCV-ISO Add-A-Fold Closed center, load sensing type, with Mid-inlet and manifold design
	Number and Type Functions	<u>7 functions, box hoist, plow lift, plow swing, wing toe, wing heel, sander auger & spinner</u>
	Type of Valve Actuation	Electric solenoid, with manual over-ride
	Reservoir Size	30 gallon, frame mount, with filler breather, sight glass, suction screen, and 2" shut off valve, cube design w/ in tank filter provision
	Fluid Type	Conoco hydraulic 32 (included with installation) (Includes low oil & temp sending unit)
	Filter Style	In tank mounted filter, 12 volt DC condition indicator system
	Valve Enclosure	Frame mounted, stainless steel construction, removeable weather tight cover
	Hose Recommendation	2" diameter suction, 1" diameter return, 1" pressure, balance to be same as port sizing. R2 for pressure lines, R1 for return lines, & R4 for suction line
	Warranty Information	One Year Warranty, parts and labor
	Volume Discounts	N/A
	TOTAL PRICE	\$ 32,414.00
	Description	Price
9.01	Installation (hoses & fittings, mounting brackets, pump & valve mounts, control tower, fasteners, hyd. oil and labor) (hosing for pump/tank/valve body, sander control/touch screen display mounted on pedestal by controller & wired from control valve to valve body- install feedback sensor)	\$ 6,286.10
9.02	Additional valve section & harness (each) (add/deduct)	\$ 1,170.00
9.03	Upgrade to a 4-Stick ULTRA Contoller in lieu of 3-Stick Controller	\$ 620.00

9.04	Upgrade to a 5-Stick ULTRA Contoller in lieu of 3-Stick Controller	\$	2,420.00
9.05	30 gal. slimline tank with in tank filter in lieu of std. 30 gal.	\$	107.22
9.06	Stainless Steel oil tank in lieu of standard mild steel (Std. 30 gal. square)	\$	375.26
9.07	Stainless Steel Slim-Line oil tank in lieu of standard mild steel square tank	\$	495.34
9.08	45 gallon S/S behind the cab oil tank in lieu of std. 30 gal M/S	\$	1,327.34
9.09	Eaton 421AK, 4.88 CID pump in lieu of Force FASD45L 6.0 CID (Deduct)	\$	(1,112.00)
9.10	Wing loc valve- installed	\$	411.71
9.11	High pressure filter & in cab warning light- installed	\$	1,019.70
9.12	Cable pull-off valve (hoist limiter valve), installed	\$	541.55
9.13	Hoist limiter switch, installed (wired to Ultra)	\$	732.68
9.14	12V DC pump shut off w/ over ride switch, in lieu of manual 1" shut off valve	\$	916.70
9.15	VT35 valve/tank enclosure in lieu of standard valve body & tank- S/S	\$	5,355.00
9.16	10 " color LCD display monitor and mount	Included in base price	
9.17	Electric Double Selector Valve (C10964)	\$	736.45
9.18	Tailgate pre-wet system, LDS-TG075-EM, 75 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 6100 ~ add harness)	\$	3,330.00
9.19	Tailgate pre-wet system, LDS-TG100-EM, 100 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 6100 ~ add harness)	\$	3,390.00
9.20	Tailgate pre-wet system, LDS-TG150-EM, 150 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 6100 ~ add harness)	\$	3,765.00
9.21	Stainless steel pre-wet mounting brackets in lieu of standard p/c (75 gal & 150 gal.)	\$	1,551.00
9.22	Stainless steel pre-wet mounting brackets in lieu of standard p/c (100 gal)	\$	1,620.00
9.23	6100 electric prewet harness for open loop	\$	437.00
9.24	Install EM tailgate pre-wet system, includes assembly, plumbing, wiring and fitting brackets to tailgate	\$	1,892.23
9.25	Hydraulic Open Loop prewet pump assy. ilo electric pump, Tailgate Systems (controlled with 6100)	\$	1,068.00
9.26	Hydraulic Closed Loop prewet pump assy. & flow meter ilo electric pump, Tailgate Systems (controlled with 6100) (Add Harness)	\$	1,705.00
9.27	Hydraulic Prewet Feedback Cable	\$	250.00
9.28	Electric Closed Loop Prewet (includes flow meter & feedback cable) ilo open loop	\$	690.00
9.29	Hyd. Closed Loop Prewet (includes flow meter & feedback cable) ilo open loop	\$	876.00
9.30	Package	\$	2,034.00
9.31	Adder for Direct Application Valve Module, feedback cable, Single Lane Harness	\$	677.00
9.32	Constant Mesh PTO and Force TXV92 5.6 CID load sense pump and 12VDC pump shutdown and override switch in lieu of standard	\$	2,657.40
9.33	Hot Shift PTO and Force TXV92 5.6 CID load sense pump in lieu of standard	\$	3,281.13
9.34	Integrated Plow Float Control Valve- installed	\$	1,313.25
9.35	C10190 Pressuere relief valve- installed	\$	504.70
9.36	Adder for double acting plow lift with float	\$	590.00
9.37	Adder for Switch Base to Ultra Controllers (8-switches)	\$	1,348.00

9.38	Internal wing toe lock valve (Uni-Tilt wings)	Std.	
9.39	Low Liquid Level Switch Assy. & Weather Pack Connector- installed	\$	252.35
9.40	Electric Gravity Feed Prewet Kit- 1-nozzle- 12vdc Plunger Valve- installed	\$	1,163.90
9.41	Electric Open Loop Prewet Power Unit in FG enclosure with fill & suction plumbing kits includes 3-nozzel kit - Controlled with 6100 controller (No Tank)	\$	990.00
9.42	Electric Closed Loop Prewet Power Unit in FG enclosure with fill & suction plumbing kits includes 3-nozzel kit - Controlled with 6100 controller (No Tank)	\$	1,434.00
9.43	Hydraulic Open Loop Prewet Power Unit with plumbing (No Tank) Controlled with 6100 controller	\$	2,390.00
9.44	Hydraulic Closed Loop Prewet Power Unit with plumbing (No Tank) Controlled with 6100 controller	\$	2,980.00
9.45	Extended PTO shaft with constant mesh PTO in lieu of std. shaft	\$	2,230.00
9.46	Extended PTO shaft with Hot Shift PTO in lieu of std. shaft	\$	1,852.00
9.47	TXV120 pump 7.3 CID in lieu of TXV92 pump 5.6 CID	\$	757.00
9.48	Straight Stainless Steel Hyd. lines with short whip hoses in lieu of hose only (sander)	\$	1,201.67
9.49	Straight Stainless Steel Hyd. lines with short whip hoses in lieu of hose only (prewet)	\$	1,182.35
9.50	Seat Mount Controls in lieu of Floor Mount Stand	\$	354.00
9.51	Auto Recall (Lifts plow & wing & etc. with one switch)	\$	427.45
9.52	Read Scraper Pressure on LCD display screen	\$	599.46
9.53	Camera Harness Only (No Camera)	\$	100.00
9.54	Slurry Pipe Assy. (for feeding liquid to the tailgate trough)	\$	817.82
9.55	Slurry feedback	\$	623.00
9.56	Auger Reverse harness	\$	192.00
9.57	Open Loop System ilo of Closed Loop	\$	(525.00)
9.58	Force America Single Stick Controller (Spartan) in lieu of Ultra 3-Stick	\$	1,921.96
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$	5.60
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630	
	Body Shop Rate	\$	120.00
	Mechanic Shop Rate	\$	120.00

Item #	Information Requested	Answer
9.50	FINASSY - IX403-D ATT (installed) (IX-403-D - Finassy) (1015263)	\$ 1,034.12
9.51	FINASSY - IX403-D VZW- (installed) (IX-403-GV) (1176831)	\$ 1,034.12
9.52	FINASSY - IX101-D - ATT- (installed) (IX-101-D) (1015282)	\$ 661.26
9.53	FINASSY - IX101-D-VZW- (installed) (IX-101-D-VZW) (1176824)	\$ 661.26
9.54	IX-84-G ELD with AT&T SIM (installed) (IX-84-G) (1126967)	\$ 469.68
9.55	IX-84-GV, EDL Device with Verizon SIM (installed) (IX-84-GV) (1177379)	\$ 469.68
9.56	Harness, PreCise, Power, IX-40 (to power port adapter harness) (OWD-1104126) (1104126)	\$ 65.92
9.57	ANTENNA, MAGNET/ADHESIVE - CELL, GPS (1175867) (1175867)	\$ 92.00
9.58	CABLE - EXT - IO SERIAL- IX201/301/302/403 (INSP - 2260006) (1015317)	\$ 118.00
9.59	CABLE - EXT - IO BREAKOUT- IX201/301/302 (INSP - 2260007) (1015318)	\$ 92.00
9.6	Precise Driver Id Module (CSI - 6950022) (1015425)	\$ 339.90
9.61	Key, I-Button, Black, Driver ID, Precise (9882A001) (1015450)	\$ 48.00
9.62	HYDAC PRESSURE SWITCH KIT DEUTSCH CONNECTOR - 20FT HARNESS (installed) (6950009) (1015422)	\$ 370.80
9.63	TILT SWITCH W/ BRACKET Rev. B (installed) (6950006) (1101852)	\$ 229.69
9.64	IMPACT SENSOR (installed) (1210070) (1015241)	\$ 261.62
9.65	Harness, EXT, Driver ID, Precise (installed) (1102534)	\$ 156.56
9.66	Cable, Serial, Male to Female, 6ft (54505A001) (1015403)	\$ 48.00
9.67	IFM PK6222, setting range of 75-1450 psi rated to 2900 psi - 25 deg C to 80 deg C (installed) (IFM PK6222) (1106992)	\$ 261.62

9.68	Key, I-Button, Black, Event Logging, 5100 (9873A001) (1015448)	\$	156.00
9.69	Harness - 6100 - Gen5 - Roadtemp to M8, 2M (installed) (1155135)	\$	197.76
9.70	KIT, TABLET, MOUNT, ANTENNA (installed) (1103674) (1103674)	\$	1,246.30
9.71	6100 Event Log Authentication Module for Use With Other AVL (installed) (ELA-MODULE) (1015454)	\$	367.71
9.72	Precise ARC Sensor (1117640)- Air, Road, & Climate sensor - Wireless/No Display/GEN5 (installed)	\$	803.40
9.73	Precise ARC Sensor (1125402)- Air, Road, & Climate sensor - Wired/No Display/GEN2, 3, 4 (installed)	\$	1,318.40
9.74	Precise ARC Sensor (1125394)- Air, Road, & Climate sensor - Wireless with display (installed)	\$	1,369.90
9.75	Precise ARC Sensor (1125398)- Air, Road, & Climate sensor - Wired with display (installed)	\$	1,709.80
9.78	ARC Mount for Western Star Chassis- installed (1200664)	\$	205.00
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$	5.60
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630	
	Body Shop Rate	\$	120.00
	Mechanic Shop Rate	\$	120.00