

SWIFT EVENT TITLE & NUMBER:

Snowplow Truck Components and Accessories, Contract Release S-863(5) G0210-200001339

** Following is a list of all distributors that are authorized to sell the equipment listed above.

** The Swift Vendor Number (SWIFT UD) must be complete, including the vendor Swift ID and Location Code (LOC CODE).

** All distributors **MUST** provide the required insurance certificates to the State as outline in the Swift Event Special Terms and Conditions, before any State Contract may be executed.

COMPANY NAME	SWIFT ID	LOC CODE	COMPANY ADDRESS	STATE/ZIP	PHONE	CONTACT NAME
TOWMASTER TRUCK EQUIPMENT	VN0000979614	1	61381 US HWY 12, LITCHFIELD	MN 55355	320-693-7900	Tim Erickson
						Chris Guggemos
						Josh Paulson

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Falls FX311 One-Way RH delivery Plow
6.0	L.H. Snowplow, Make & Model	Falls FX311 One-Way LH delivery Plow (see Plow Options Page)
	Nose Height	30"
	Discharge Height	58"
	Plow Throat Depth from Vertical to the Deepest Point	22"
	Plowing Angle	33°
	Moldboard Thickness & Type of Steel	7 ga A607-50 Hi-tensile steel
	Type, Size, and Number of Vertical Reinforcement Ribs	(3) 4" structural channel (rolled) ribs
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15° to 35°
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	1/2" x 6" x 40" Flat Plate
	Type of Left Side Nose	3/8" Thick Grade A36 Plate
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard item
	Type and Size of Push Frame	4" x 4" x 3/8" square tubing
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) See Options Page
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"

		Size of Adjustable Snow Shoes	(OPTIONAL) 1" x 6" x 20" **Note: Skid shoes or wheels are required on Slotted Trip Plows
		Weight of Plow (less Hitch and Hydraulics)	1725 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	(OPTIONAL) 2 H.D. coil spring trip tilt bars, Slotted Trip, or Trip-Edge. Note: RIGID tilt bars are std
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date
Line	P/N	Description	PRICE
6.001	9903028	FX311/TRP-EDG/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 9,176.00
6.002	9903025	FX311/RIG-BAR/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 6,344.00
6.003	9903029	FX311/HYD-TLT/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 7,537.00
6.004	9903027	FX311/SLT-TRP/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 7,978.00
6.005	9903026	FX311/SPR-TRP/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 7,514.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Falls FX312 One-Way RH delivery
6.0	L.H. Snowplow, Make & Model	Falls FX312 One-Way LH delivery Plow (see Options Below)
	Nose Height	32"
	Discharge Height	60"
	Plow Throat Depth from Vertical to the Deepest Point	24"
	Plowing Angle	33°
	Moldboard Thickness & Type of Steel	7 ga A607-50 Hi-tensile steel
	Type, Size, and Number of Vertical Reinforcement Ribs	(4) 4" structural channel (rolled) ribs
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15° to 35°
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	1/2" x 6" x 40" Flat Plate
	Type of Left Side Nose	3/8" Thick Grade A36 Plate
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard
	Type and Size of Push Frame	4" x 4" x 3/8" square tubing
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) See Below
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"
	Size of Adjustable Snow Shoes	(OPTIONAL) 1" x 6" x 20" **Note: Skid shoes or wheels are required on Slotted Trip Plows

		Weight of Plow (less Hitch and Hydraulics)	1850 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	(OPTIONAL) 2 H.D. coil spring trip tilt bars, Slotted Trip, or Trip-Edge. Note: RIGID tilt bars are std
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date

Line	P/N	Description	PRICE
6.001	9903032	FX312/SLT-TRP/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 8,608.00
6.002	9903031	FX312/SPR-TRP/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 8,143.00
6.003	9906179	FX312/SQUARE PUNCH /SPR-TRP/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 8,143.00
6.004	9903033	FX312/TRP-EDG/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 9,806.00
6.005	9903034	FX312/HYD-TLT/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 8,166.00
6.006	9903030	FX312/RIG-BAR/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 6,973.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Falls FX412 One-Way RH delivery
6.0	L.H. Snowplow, Make & Model	N/A
	Nose Height	36"
	Discharge Height	66"
	Plow Throat Depth from Vertical to the Deepest Point	29"
	Plowing Angle	33°
	Moldboard Thickness & Type of Steel	7 ga A607-50 Hi-tensile steel
	Type, Size, and Number of Vertical Reinforcement Ribs	(4) 4" structural channel (rolled) ribs
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15° to 35°
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	1/2" x 6" x 40" Flat Plate
	Type of Left Side Nose	3/8" Thick Grade A36 Plate
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard
	Type and Size of Push Frame	4" x 4" x 3/8" square tubing
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) See Below
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"
	Size of Adjustable Snow Shoes	(OPTIONAL) 1" x 6" x 20" **Note: Skid shoes or wheels are required on Slotted Trip Plows

		Weight of Plow (less Hitch and Hydraulics)	1925 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	(OPTIONAL) 2 H.D. coil spring trip tilt bars, Slotted Trip, or Trip-Edge. Note: RIGID tilt bars are std
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date

Line	P/N	Description	PRICE
6.001	9903035	FX412/RIG-BAR/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 8,829.00
6.002	9903036	FX412/SPR-TRP/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 9,998.00
6.003	9906180	FX412/SQUARE PUNCH /SPR-TRP/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 9,998.00
6.004	9903037	FX412/SLT-TRP/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 10,464.00
6.005	9903038	FX412/TRP-EDG/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 11,662.00
6.006	9903039	FX412/HYD-TLT/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 10,022.00

		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Falls FX412XH One-Way RH delivery Plow
6.0	L.H. Snowplow, Make & Model	N/A
	Nose Height	36"
	Discharge Height	72"
	Plow Throat Depth from Vertical to the Deepest Point	29"
	Plowing Angle	33°
	Moldboard Thickness & Type of Steel	7 ga A607-50 Hi-tensile steel
	Type, Size, and Number of Vertical Reinforcement Ribs	(4) 4" structural channel (rolled) ribs
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15° to 35°
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	1/2" x 6" x 40" Flat Plate
	Type of Left Side Nose	3/8" Thick Grade A36 Plate
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard item
	Type and Size of Push Frame	4" x 4" x 3/8" square tubing
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) See Below
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"
	Size of Adjustable Snow Shoes	(OPTIONAL) 1" x 6" x 20" **Note: Skid shoes or wheels are required on Slotted Trip Plows

		Weight of Plow (less Hitch and Hydraulics)	1925 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	(OPTIONAL) 2 H.D. coil spring trip tilt bars, Slotted Trip, or Trip-Edge. Note: RIGID tilt bars are std
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date

Line	P/N	Description	PRICE
6.001	9903040	FX412XH/RIG-BAR/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 11,103.00
6.002	9903041	FX412XH/SPR-TRP/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 12,272.00
6.003	9903042	FX412XH/SLT-TRP/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 12,738.00
6.004	9903043	FX412XH/TRP-EDG/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 13,936.00
6.005	9903044	FX412XH/HYD-TLT/NOSHU/PRIME7GA, LESS CUTTING EDGES	\$ 12,296.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snowplow, Make & Model	Falls PR Series REVERSIBLE Plow
	Nose Height	43" or 55"
	Discharge Height	Same as Nose Height
	Plow Throat Depth from Vertical to the Deepest Point	15"
	Plowing Angle	0 to 35 Degrees, Right or Left
	Moldboard Thickness & Type of Steel	10 or 7 ga A607-50 Hi-tensile steel
	Type, Size, and Number of Vertical Reinforcement Ribs	(5) 4" structural channels (rolled)
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15 to 35 Degrees
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	1/2" x 5" x 37" Flatbar
	Type of Left Side Nose	N/A
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard item
	Type and Size of Push Frame	A-frame type, straddling plow pushframe, one above and one below main pushframe.
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) Note: Cutting edge options are listed below.
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"

		Size of Adjustable Snow Shoes	11" dia x 1-1/2" thick (mushroom type) Optional on Spring Trip & Trip Edge systems. **NOTE: SHOES OR WHEELS REQUIRED ON SLOTTED TRIP PLOWS
		Weight of Plow (less Hitch and Hydraulics)	1900 lbs or 2000 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	2 H.D. 9/16" dia coil spring trip tilt bars, -or - slotted trip mechanism
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date

Line	P/N	Description	PRICE
6.001	9903045	PR1143/SPR-TRP/NOSHU/PRI-E1 10GA LESS CUTTING EDGES	\$ 8,834.00
6.002	9903046	PR1143/SLT-TRP/NOSHU/PRI-E1 10GA LESS CUTTING EDGES	\$ 9,318.00
6.003	9903047	PR1143/TRP-EDG/NOSHU/PRI-E1 10GA LESS CUTTING EDGES	\$ 10,619.00
6.004	9903051	PR1155/SPR-TRP/NOSHU/PRI-E1/10GA LESS CUTTING EDGES	\$ 9,454.00
6.005	9903052	PR1155/SLT-TRP/NOSHU/PRI-E1/10GA LESS CUTTING EDGES	\$ 9,938.00
6.006	9903053	PR1155/TRP-EDG/NOSHU/PRI-E1/10GA LESS CUTTING EDGES	\$ 11,239.00
6.007	9903057	PR1243/SPR-TRP/NOSHU/PRI-E1/10GA LESS CUTTING EDGES	\$ 9,341.00
6.008	9906182	PR1243 /SQUARE PUNCH /SPR-TRP/NOSHU/PRIME7GA LESS CUTTING EDGES	\$ 9,341.00
6.009	9903058	PR1243/SLT-TRP/NOSHU/PRI-E1/10GA LESS CUTTING EDGES	\$ 9,825.00
6.010	9903059	PR1243/TRP-EDG/NOSHU/PRI-E1/10GA LESS CUTTING EDGES	\$ 11,126.00
6.011	9903063	PR1255/SPR-TRP/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 9,961.00
6.013	9903064	PR1255/SLT-TRP/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 10,445.00
6.014	9903065	PR1255/TRP-EDG/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 11,746.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snowplow, Make & Model	Falls TER Series Trip-Edge REV
	Nose Height	42"
	Discharge Height	Same as Nose Height
	Plow Throat Depth from Vertical to the Deepest Point	22" lower, 10" upper
	Plowing Angle	0 to 35 Degrees Right or Left
	Moldboard Thickness & Type of Steel	10 or 7 ga A607-50 Hi-tensile steel
	Type, Size, and Number of Vertical Reinforcement Ribs	(2) double formed 'box' sections, horizontally reinforced
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15 degree (fixed)
	State the Number of Hook-up Points from Moldboard to Frame	Three (3)
	Type and Size of Reinforcement of Frog at either end	No Extra Reinforcements
	Type of Left Side Nose	N/A
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard
	Type and Size of Push Frame	A-Frame Type, 4" x 4" x 1/4" Tubing
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) Note: Cutting edge options are listed below.
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	6"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	6"
	Size of Adjustable Snow Shoes	OPTIONAL: 11" dia x 1-1/2" thick (mushroom type)
	Weight of Plow (less Hitch and Hydraulics)	1800 lbs & 1900 lbs

		Type and Number of re-settable HD Compression Spring Trip	Torsion Spring trip-edge
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date
Line	P/N	Description	PRICE
6.001	9903069	TER-11/NOSHOES/PRIME/10GA LESS CUTTING EDGES	\$ 9,506.00
6.002	9903070	TER-11/NOSHOES/PRIME/7GA LESS CUTTING EDGES	\$ 9,989.00
6.003	9903071	TER-12/NOSHOES/PRIME/10GA LESS CUTTING EDGES	\$ 9,796.00
6.004	9903072	TER-12/NOSHOES/PRIME/7GA LESS CUTTING EDGES	\$ 10,280.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snowplow, Make & Model	Falls POLY Series REVERSIBLE
	Nose Height	48"
	Discharge Height	Same as Nose Height
	Plow Throat Depth from Vertical to the Deepest Point	15"
	Plowing Angle	0 to 35 degrees, Right or Left
	Moldboard Thickness & Type of Steel	3/8" UHMW Poly
	Type, Size, and Number of Vertical Reinforcement Ribs	(10) 5" flamecut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15° to 35°
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	No Extra Reinforcement
	Type of Left Side Nose	N/A
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard item
	Type and Size of Push Frame	4" x 4" x 3/8" tubing, & A-Frame
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) Note: Cutting edge options are listed below.
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"
	Size of Adjustable Snow Shoes	(OPTIONAL) 11" dia x 1-1/2" thick (mushroom type), screw adjustable, bolt-on mounting.

		Weight of Plow (less Hitch and Hydraulics)	2450 lbs & 2550 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	Single section, 'torsion' spring trip-edge, & (2) Compression spring tilt bars on Trip Moldboard models.
		Painting System with Type of Paint	Frame work Industrial primer & GLOSS BLACK enamel applied.
		Warranty Information	24 months from "In-Service" date
Line	P/N	Description	PRICE
6.001	9903073	PTE-1148/TRP-EDG/NOSHU/POLY-BLK Plow LESS CUTTING	\$ 12,550.00
6.002	9903074	PTE-1248/TRP-EDG/NOSHU/POLY-BLK Plow LESS CUTTING	\$ 13,048.00
6.003	9904023	PTM-1148/TRP-MB/NOSHU/POLY-BLK Plow LESS CUTTING EDGES	\$ 11,822.00
6.004	9904024	PTM-1248/TRP-MB/NOSHU/POLY-BLK Plow LESS CUTTING EDGES	\$ 12,320.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snowplow, Make & Model	Falls FX311R RH High Discharge REVERSIBLE Plow
	Nose Height	30"
	Discharge Height	58"
	Plow Throat Depth from Vertical to the Deepest Point	22"
	Plowing Angle	35 Degrees
	Moldboard Thickness & Type of Steel	7 ga A607-50 Hi-tensile steel
	Type, Size, and Number of Vertical Reinforcement Ribs	(3) 4" structural channels (rolled)
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15 to 35 Degrees
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	5/16" x 3" x 5" Angle
	Type of Left Side Nose	3/8" Thick Grade A36 Plate
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard
	Type and Size of Push Frame	4" x 4" x 3/8" square tubing
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) See Below
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"
	Size of Adjustable Snow Shoes	11" dia x 1-1/2" thick (mushroom type) Optional on Spring Trip & Trip Edge systems. **NOTE: SHOES OR WHEELS REQUIRED ON SLOTTED TRIP PLOWS

		Weight of Plow (less Hitch and Hydraulics)	1775 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	2 H.D. 9/16" dia coil spring trip tilt bars, -or - slotted trip mechanism
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date
Line	P/N	Description	PRICE
6.001	9903083	FX311RE1/SPR-TRP/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 9,580.00
6.002	9903084	FX311RE1/SLT-TRP/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 10,064.00
6.003	9903085	FX311RE1/TRP-EDG/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 11,366.00
6.004	9903086	FX311RE1/HYD-TLT/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 10,774.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW		
Vendor Name	TOWMASTER TRUCK EQUIPMENT		
Contact Person	Tim Erickson Chris Guggemos Josh Paulson		
Street Address	61381 US Hwy 12		
P.O. Box:			
City, State, Zip	Litchfield, MN 55355		
Phone #:	320-693-7900		
Toll Free #:	800-462-4517		
Fax #:	320-693-7921		
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com		
		Information Requested	Answer
		Plow Type (one way, reversable, high wing, v plow, etc)	
6.0		Two-Way Reversible Snowplow, Make & Model	Falls FX312R RH High Discharge REVERSIBLE Plow
		Nose Height	30"
		Discharge Height	60"
		Plow Throat Depth from Vertical to the Deepest Point	22"
		Plowing Angle	35 Degrees
		Moldboard Thickness & Type of Steel	7 ga A607-50 Hi-tensile steel
		Type, Size, and Number of Vertical Reinforcement Ribs	(3) 4" structural channels (rolled)
		Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15 to 35 Degrees
		State the Number of Hook-up Points from Moldboard to Frame	Four (4)
		Type and Size of Reinforcement of Frog at either end	5/16" x 3" x 5" Angle
		Type of Left Side Nose	3/8" Thick Grade A36 Plate
		Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard
		Type and Size of Push Frame	4" x 4" x 3/8" square tubing
		Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) See Below
		Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
		Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"
		Size of Adjustable Snow Shoes	11" dia x 1-1/2" thick (mushroom type) Optional on Spring Trip & Trip Edge systems. **NOTE: SHOES OR WHEELS REQUIRED ON SLOTTED TRIP PLOWS

		Weight of Plow (less Hitch and Hydraulics)	1775 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	2 H.D. 9/16" dia coil spring trip tilt bars, -or - slotted trip mechanism
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date
Line	P/N	Description	PRICE
6.001	9903091	FX312RE1/SPR-TRP/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 10,036.00
6.002	9906190	FX312RE1/SQUARE PUNCH/ SPR-TRP/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 10,036.00
6.003	9903092	FX312RE1/SLT-TRP/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 10,520.00
6.004	9903093	FX312RE1/TRP-EDG/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 11,822.00
6.005	9903094	FX312RE1/HYD-TLT/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 11,230.00
6.005	9906270	Plow Falls MNDOT FX412RE1/SQUARE PUNCH/ SPR-TRP/NOSHU/PRI-E1/7GA LESS CUTTING EDGES	\$ 11,680.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW		
Vendor Name	TOWMASTER TRUCK EQUIPMENT		
Contact Person	Tim Erickson Chris Guggemos Josh Paulson		
Street Address	61381 US Hwy 12		
P.O. Box:			
City, State, Zip	Litchfield, MN 55355		
Phone #:	320-693-7900		
Toll Free #:	800-462-4517		
Fax #:	320-693-7921		
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com		
		Information Requested	Answer
		Plow Type (one way, reversable, high wing, v plow, etc)	
6.0		Two-Way Reversible Snowplow, Make & Model	Falls ROX Series REVERSIBLE Plow
		Nose Height	44" (LH 1/2 of plow)
		Discharge Height	60"
		Plow Throat Depth from Vertical to the Deepest Point	21"
		Plowing Angle	0° to 35° (right or left)
		Moldboard Thickness & Type of Steel	7 ga A607-50 Hi-Tensile Steel
		Type, Size, and Number of Vertical Reinforcement Ribs	(5) 4" structural (rolled) channels
		Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15° to 35°
		State the Number of Hook-up Points from Moldboard to Frame	Four (4)
		Type and Size of Reinforcement of Frog at either end	Frog is fully boxed
		Type of Left Side Nose	N/A
		Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard
		Type and Size of Push Frame	4" x 4" x 1/4" tubing
		Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) Note: Cutting edge options are listed below.
		Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
		Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"
		Size of Adjustable Snow Shoes	11" dia x 1-1/2" thick (mushroom type) Optional on Spring Trip & Trip Edge systems. **NOTE: SHOES OR WHEELS REQUIRED ON SLOTTED TRIP PLOWS

		Weight of Plow (less Hitch and Hydraulics)	2015 lbs & 2115 lbs
		Type and Number of re-settable HD Compression Spring Trip Mechanisms	2 H.D. 9/16" dia coil spring trip tilt bars, -or - slotted trip mechanism
		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date
Line	P/N	Description	PRICE
6.001	9904165	ROX-12/SPR-TRP/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 10,826.00
6.002	9906191	ROX-12/SQUARE PUNCH/ SPR-TRP/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 10,826.00
6.003	9904164	ROX-12/SLT-TRP/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 11,310.00
6.004	9904166	ROX-12/TRP-EDG/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 12,611.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snowplow, Make & Model	Falls XPR Series REVERSIBLE Plow
	Nose Height (IE: Center of Moldboard)	45"
	Discharge Height	60"
	Plow Throat Depth from Vertical to the Deepest Point	21"
	Plowing Angle	0 to 35 Degrees (Right or Left)
	Moldboard Thickness & Type of Steel	7 ga A607-50 Hi-Tensile Steel
	Type, Size, and Number of Vertical Reinforcement Ribs	(5) 4" structural (rolled) channels
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	15° to 35°
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	1/2" x 5" x 29.5" Flat
	Type of Left Side Nose	N/A
	Size and Type of Reinforced Snow Flap	(OPTIONAL) 3/8" x 12" rubber belting. Note: Flap is not a standard
	Type and Size of Push Frame	A-frame type, straddling plow pushframe, one above and one below main pushframe of 4" x 4" x 1/4" Tubing.
	Carbide Cutting Edge (AASHTO Punched) Size	(OPTIONAL) Note: Cutting edge options are listed below.
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	12"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	12"

	Size of Adjustable Snow Shoes	11" dia x 1-1/2" thick (mushroom type) Optional on Spring Trip & Trip Edge systems. **NOTE: SHOES OR WHEELS REQUIRED ON SLOTTED TRIP PLOWS
	Weight of Plow (less Hitch and Hydraulics)	2015 lbs & 2115 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	2 H.D. 9/16" dia coil spring trip tilt bars, -or - slotted trip mechanism
	Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
	Warranty Information	24 months from "In-Service" date

Line	P/N	Description	PRICE
6.001	9903099	XPR-11/SPR-TRP/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 10,337.00
6.002	9903100	XPR-11/SLT-TRP/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 10,821.00
6.003	9903101	XPR-11/TRP-EDG/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 12,122.00
6.004	9903102	XPR-12/SPR-TRP/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 10,826.00
6.005	9906288	Plow Falls MNDOT XPR-12/SQUARE PUNCH/SPR-TRP/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 10,826.00
6.006	9903103	XPR-12/SLT-TRP/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 11,310.00
6.007	9903104	XPR-12/TRP-EDG/NOSHU/PRI-E1/7G LESS CUTTING EDGES	\$ 12,611.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	SEE PLOW OPTIONS PAGE
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00

Price quote for **6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW - - OPTIONS**

Vendor Name: **TOWMASTER TRUCK EQUIPMENT**
 Contact Person: **Tim Erickson Chris Guggemos Josh Paulson**
 Street Address: **61381 US Hwy 12**
 P.O. Box:
 City, State, Zip: **Litchfield, MN 55355**
 Phone #: **320-693-7900**
 Toll Free #: **800-462-4517**
 Fax #: **320-693-7921**
 Email Address: **terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com**

		Information Requested	Answer
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	
6.1	9900619	Plow Push Unit 20/26/40/46 Series Std	\$ 1,171.00
6.2	9900620	Plow Push Unit 20/26/40/46 Series Offset	\$ 1,485.00
6.3	9900621	Plow Push Unit 21/41 Modified 29" Series Coupler	\$ 1,899.00
6.4	9900622	Plow Push Unit 21/41 Modified 34" Series Coupler	\$ 2,210.00
6.7	9900625	Plow Push Unit 24/44 Series Std	\$ 1,265.00
6.8	9900626	Plow Push Unit 24/44 Series Offset	\$ 1,579.00
6.9	9900627	Plow Push Unit 28/48 Series Std	\$ 1,889.00
6.10	9900628	Plow Push Unit 28/48 Series Offset	\$ 2,205.00
6.11	9901350	Plow Falls Hyd Tilt ADD-ON Option - Special Application	\$ 1,171.00
6.12	9902524	Plow Falls Hyd Tilt adj chain retrain	\$ 339.00
6.13	9900629	Plow Falls SCR-ADJ/SHOE/FIXED-PLW/STD	\$ 865.00
6.14	9900630	Plow Falls SCR-ADJ/SHOE/FIXED-PLW/CARBIDE	\$ 1,382.00
6.15	9900730	Plow Falls SCR-ADJ/SHOE/REV-PLW/STD	\$ 865.00
6.16	9900731	Plow Falls SCR-ADJ/SHOE/REV-PLW/CARBIDE	\$ 1,382.00
6.17	9900733	Plow Falls POLY WHEEL/SYS/FIXED-PLOW	\$ 3,605.00
6.18	9900734	Plow Falls POLY WHEEL/SYS/REVERS-PLOW	\$ 3,910.00
6.19	9903285	Plow Falls DUAL Plow SNOW-WHEEL BRACKETS ONLY	\$ 865.00
6.20	9900636	Cast Moldboard Shoe	\$ 287.00
6.21	9900637	High Visibility Marker Set	\$ 151.00
6.22	9900638	Level-Lift/Assembly	\$ 259.00
6.23	9901675	Lighted Plow Markers 30"	\$ 595.00
6.24	9900639	1/2" x 12" Standard Rubber Belt Deflector Kit - Installed	\$ 489.00
6.25	9906457	1/2" x 20" Optional Rubber Belt Deflector Kit - Installed	\$ 588.00
6.26	9906458	3/4" x 20" Optional Rubber Belt Deflector Kit - Installed	\$ 1,250.00
6.27	9900641	Parking Stand - Screw Adj Style	\$ 377.00
6.28	9900977	100% SEALED MOLDBOARD	\$ 607.00
6.29	9901349	Trip-Edge Option Add-On in addition to Spring Trips	\$ 1,786.00
6.30	9901022	7 ga Moldboard in lieu of 10 ga - Adder	\$ 485.00
6.31	9900642	Safety Yellow Paint, Fixed Plow, w/Installation	\$ 594.00
6.32	9900643	Hwy Orange Paint, Fixed Plow, w/installation	\$ 594.00
6.33	9900644	Earth Gold Paint, Fixed Plow, w/installation	\$ 594.00
6.34	9900645	Gloss Black Paint, Fixed Plow, w/installation	\$ 594.00
6.35	9900646	Red Paint, Fixed Plow, w/installation	\$ 594.00
6.36	9900648	Safety Yellow Paint, Fixed Plow, for Ship Out	\$ 694.00
6.37	9900649	Hwy Orange Paint, Fixed Plow, for Ship Out	\$ 694.00
6.38	9900650	Earth Gold Paint, Fixed Plow, for Ship Out	\$ 694.00
6.39	9900651	Gloss Black Paint, Fixed Plow, for Ship Out	\$ 694.00
6.40	9900652	Red Paint, Fixed Plow, for Ship Out	\$ 694.00
6.41	9900678	Safety Yellow Paint, REV Plow, w/Installation	\$ 594.00
6.42	9900679	Hwy Orange Paint, REV Plow, w/installation	\$ 594.00
6.43	9900680	Earth Gold Paint, REV Plow, w/installation	\$ 594.00

6.44	9900681	Gloss Black Paint, REV Plow, w/installation	\$	594.00
6.45	9900682	Red Paint, REV Plow, w/installation	\$	594.00
6.46	9900684	Safety Yellow Paint, REV Plow, for Ship Out	\$	694.00
6.47	9900685	Hwy Orange Paint, REV Plow, for Ship Out	\$	694.00
6.48	9900686	Earth Gold Paint, REV Plow, for Ship Out	\$	694.00
6.49	9900687	Gloss Black Paint, REV Plow, for Ship Out	\$	694.00
6.50	9900688	Red Paint, REV Plow, for Ship Out	\$	694.00
6.51	9901889	Plow Falls SPECIAL HEIGHT, 30" Nose, 54" Discharge, ADD TO STD PLOW PRICE	\$	410.00
6.52	9904167	Stainless plow moldboard face, Fixed or Rev 412 models, add	\$	3,633.00
6.53	9904168	Stainless plow moldboard face, Fixed or Rev 312 models, add	\$	2,641.00
6.54	9906449	Stainless plow moldboard face, ROX models, add	\$	2,402.00
6.55	9906450	Stainless plow moldboard face, XPR models, add	\$	2,796.00
6.56	9904169	Stainless plow moldboard face, PR or TER models, add	\$	2,199.00
6.57	9906210	Falls Left Hand Discharge Moldboard	\$	1,152.00
6.58	9903105	Plow Falls 3/4" Landside plate & mod rubber flap (St. Louis Co. type)	\$	1,613.00
6.59	9904810	FALLS, Install customer numbers on equipment	\$	71.00
6.60	9902857	VBL 3/4" x 6" - 11' Carbon Steel Snow Blade	\$	272.00
6.61	9902858	VBL 3/4" x 6" - 12' Carbon Steel Snow Blade	\$	297.00
6.62	9902871	VBL 3/4" x 6" - 3' w/25° Tungsten Carbide Inserts, Std Punch, Flat Blade, cutting edge	\$	242.00
6.63	9902872	VBL 3/4" x 6" - 4' w/25° Tungsten Carbide Inserts, Std Punch, Flat Blade, cutting edge	\$	323.00
6.64	9902818	VBL Vallite 3' High Wear Cutting Edge	\$	233.00
6.65	9902819	VBL Vallite 4' High Wear Cutting Edge	\$	312.00
6.66	9902817	VBL PolarFlex 3' Front Mount Carbide system, complete w/nuts & bolts	\$	812.00
6.67	9902827	VBL PolarFlex 4' Front Mount Carbide system, complete w/nuts & bolts	\$	1,081.00
6.68	9902814	VBL Hard Faced Wrap-Around Curb Runner, RH	\$	307.00
6.69	9902815	VBL Hard Faced Wrap-Around Curb Runner, LH	\$	307.00
6.70	9904801	VBL Hard Faced Wrap-Around Curb Runner - RH PolarFlex (only) Application	\$	243.00
6.71	9904802	VBL Hard Faced Wrap-Around Curb Runner - LH PolarFlex (only) Application	\$	243.00
6.72	9903368	VBL EconoFLEX J6K-CRR Curb Runner, RH/LH	\$	203.00
6.73	9903370	VBL EconoFLEX J6K-3 carbide in rubber Flexible Plow Blade, 3' wear part only	\$	595.00
6.74	9903371	VBL EconoFLEX J6K-4 carbide in rubber Flexible Plow Blade, 4' wear part only	\$	793.00
6.75	9903372	VBL EconoFLEX J6K-ST3 Strap, 3', 1/2" x 3" x 36" CFSE	\$	47.00
6.76	9903373	VBL EconoFLEX J6K-ST4 Strap, 4', 1/2" x 3" x 48" CFSE	\$	61.00
6.77	9903374	VBL EconoFLEX J6K-BBW3 Base, 3', 1/2" x 4" x 36" FSB WABCO - 12" CTR	\$	74.00
6.78	9903375	VBL EconoFLEX J6K-BBW4 Base, 4', 1/2" x 4" x 36" FSB WABCO - 12" CTR	\$	99.00
6.79	9903376	VBL EconoFLEX Attachment Kit (Bolts & Nuts) for up to 12' assembly	\$	108.00
		List Volume Discounts		0%
		Cost per Loaded Mile for Delivery	\$	3.00
		Delivery Starting Point City, State, & Zip:		
		61381 US HWY 12 LITCHFIELD, MN 55355		
		Body Shop Rate	\$	150.00
		Mechanic Shop Rate	\$	150.00

Price quote for	6.0 Exhibit D PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name	TOWMASTER TRUCK EQUIPMENT	
Contact Person	Tim Erickson Chris Guggemos Josh Paulson	
Street Address	61381 US Hwy 12	
P.O. Box:		
City, State, Zip	Litchfield, MN 55355	
Phone #:	320-693-7900	
Toll Free #:	800-462-4517	
Fax #:	320-693-7921	
Email Address	terickson@towmaster.com; cguggemos@towmaster.com; jpaulson@towmaster.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	V-Plow Snowplow, Make & Model	Falls V series w/spring deflectors
	Nose Height	60" - V90 or 48" - V890
	Discharge Height	84" - V90 or 72" - V890
	Plow Throat Depth from Vertical to the Deepest Point	N/A
	Plowing Angle (IE: Degree of V)	90 Degrees
	Moldboard Thickness & Type of Steel	10 ga A607-50 Hi-Tensile smooth steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Formed Box Section
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	30 Degrees
	State the Number of Hook-up Points from Moldboard to Frame	Four (4)
	Type and Size of Reinforcement of Frog at either end	Formed Gussets
	Type of Left Side Nose	N/A
	Size and Type of Reinforced Snow Flap	Steel Spring Loaded Deflectors
	Type and Size of Push Frame	N/A
	Carbide Cutting Edge (AASHTO Punched) Size	1/2" x 6" steel is supplied as standard edge (Carbide is not
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	N/A
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	N/A
	Size of Adjustable Snow Shoes	1" x 6" x 20" C1080 (Total of 3)
	Weight of Plow (less Hitch and Hydraulics)	2275 lbs & 1500 lbs
	Type and Number of re-settable HD Compression Spring Trip	N/A (NON-TRIP)

		Painting System with Type of Paint	Industrial primer std. Optional - (1) std enamel color applied to plow. Std colors are: Earth Gold, Safety Yellow, Red, Hwy Orange, & Black.
		Warranty Information	24 months from "In-Service" date

Line	P/N	Description	PRICE
6.01	9900735	V-90 Vee Plow, Primed Complete	\$ 13,156.00
6.02	9900736	V-890 Vee Plow, Primed Complete	\$ 11,310.00
		Front Plow Options	
		List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb protectors, etc. Use as many lines as needed.	
6.1	9900737	Push Unit 20/26/40/46 Series VEE	\$ 3,126.00
6.2	9900738	Push Unit 21/41 Modified 29" Series Coupler	\$ 3,126.00
6.3	9900739	Push Unit 21/41 Modified 34" Series Coupler	\$ 3,435.00
6.6	9900742	Push Unit 24/44 Series VEE	\$ 3,261.00
6.7	9900743	Push Unit 28/48 Series VEE	\$ 4,145.00
6.8	9900744	SNOW-WHEEL/SYS/VEE	\$ 3,727.00
6.9	9900745	Safety Yellow Paint, VEE Plow, w/Installation	\$ 594.00
6.10	9900746	Hwy Orange Paint, VEE Plow, w/installation	\$ 594.00
6.11	9900747	Earth Gold Paint, VEE Plow, w/installation	\$ 594.00
6.12	9900748	Gloss Black Paint, VEE Plow, w/installation	\$ 594.00
6.13	9900749	Red Paint, VEE Plow, w/installation	\$ 594.00
6.14	9900751	Safety Yellow Paint, VEE Plow, for Ship Out	\$ 694.00
6.15	9900752	Hwy Orange Paint, VEE Plow, for Ship Out	\$ 694.00
6.16	9900753	Earth Gold Paint, VEE Plow, for Ship Out	\$ 694.00
6.17	9900754	Gloss Black Paint, VEE Plow, for Ship Out	\$ 694.00
6.18	9900755	Red Paint, VEE Plow, for Ship Out	\$ 694.00
		List Volume Discounts	0%
		Cost per Loaded Mile for Delivery	\$ 3.00
		Delivery Starting Point City, State, & Zip:	
		61381 US HWY 12 LITCHFIELD, MN 55355	
		Body Shop Rate	\$ 150.00
		Mechanic Shop Rate	\$ 150.00