


FD. PT. T3A LIGHTING STANDARDS AND BASES.					
NO	STATION	LT.	RT.	LOCATION	TYPE
35	28+25	-	-	LOOP K	680-40
36					
37	26+20	-	-	LOOP K	680-40
38					
39	24+40	-	-	LOOP K	680-40
40					

FD. PT. T3A LIGHTING STANDARDS AND BASES					
NO.	STATION	LT	RT	LOCATION	TYPE
11	1247+40	-	-	T.H. 77 N.B.	60-49-4
12					
13	1245+20	-	-	T.H. 77 N.B.	60-49-4
14					
15	1243+00	-	-	T.H. 77 N.B.	60-49-4
16					
42	46+05	-	-	SB C/D	95-40

FD. PT. T3A LIGHTING STANDARDS & BASES					
NO.	STATION	LT	RT	LOCATION	TYPE
1				No Pole	
4	13+60	-	-	KILL OUT	9-40
5	15+20	-	-	KILL OUT	
6	17+00	-	-	KILL OUT	
7	52+80	-	-	NB C/D	
8	51+30	-	-	NB C/D	9-49
9	49+30	-	-	NB C/D	
10	46+95	-	-	NB C/D	
17	1240+75	-	-	TH 77 NB	680-49
18					
26	40+50	-	-	NB C/D	9-40
27	42+80	-	-	NB C/D	
28	25+40	-	-	FR RD I	
29	27+00	-	-	FR RD I	
30	11+40	-	-	KILL IN	9-40
31	13+20	-	-	KILL IN	
41	43+95	-	-	SB C/D	98-40
2	9+60	-	-	KILL OUT	985-40
3	11+80	-	-	KILL OUT	
32	15+40	-	-	KILL IN	
33	40+10	-	-	SB C/D	
34				No Pole	



B AND R DENOTE CURRENT CARRYING CONDUCTOR,  
W DENOTES NEUTRAL CARRYING CONDUCTOR,  
DASHED DENOTES INPLACE, &  
SOLID DENOTES F & L


FD. PT. T3A LIGHTING STANDARDS & BASES					
NO.	STATION	LT	RT	LOCATION	TYPE
19	1238+30	-	-	T.H. 77 NB	60-49-4
20					
21	1235+90	-	-	T.H. 77 NB	60-49-4
22					
23	1234+20	-	-	T.H. 77 NB	985-49
24	38+30	-	-	SB C/D	985-40
25	38+10	-	-	SB C/D	985-40

FD. PT. T3A LIGHTING STANDARDS & BASES					
NO.	STATION	LT	RT	LOCATION	TYPE
43	54+80	-	-	NB C/D	985-40

**SHEET TOTAL**  
11 - 250 WATT HIGH PRESSURE SODIUM LIGHTING UNITS

**FD.PTS. T3A,T3E**  
State Proj. No. 2758-51 (T.H. 77), 2785-258 (T.H. 494) **SHEET 1 OF 7**

SEP 06 1995  
EXHIBIT 272C  
T.H. 77  
S. OF KILLEBREW DR.  
IN BLOOMINGTON  
N.S.P.




**SHEET TOTAL**

31 - 250 WATT HIGH PRESSURE SODIUM LIGHTING UNITS  
9 - 250 WATT MERCURY VAPOR SIGN LIGHTS

**GRAND TOTAL**

173 - 250 WATT HIGH PRESSURE SODIUM LIGHTING UNITS  
35 - 250 WATT MERCURY VAPOR SIGN LIGHTS  
LIGHTS BLM2/1,2, & 3 ARE NOT PART OF THIS EXHIBIT



FD. PT. T3E

LIGHTING STANDARDS & BASES

NO.	STATION	LT	RT	LOCATION	TYPE
3	11+05	-	-	LOOP K	9B-40
4	13+20	-	-	LOOP K	9B-40
5	15+40	-	-	LOOP K	9B-40
6	17+20	-	-	LOOP K	9B-40
7	18+80	-	-	LOOP K	9B-40
11	49+70	-	-	SB C/D	9B-40
12	51+80	-	-	SB C/D	9B-40
13	254+75	-	-	RAMP IY	9B-40
35	17+50	-	-	RAMP 1M	9-40
36	15+10	-	-	RAMP 1M	9-40
37	12+70	-	-	RAMP 1M	9-40
38	9+70	-	-	RAMP 1M	9-40
39	1244+30	-	-	TH 77 SB	6D-49
40					
41	6+10	-	-	RAMP 1M	9-49
44	1246+70	-	-	TH 77 SB	9-49
45	3+10	-	-	LOOP H	9-40
46	6+25	-	-	LOOP H	9-40
47	8+75	-	-	LOOP H	9B-40
61	1254+00	-	-	TH 77 SB	9-49
56	66+85	-	-	RAMP 1K	9S-40
57	63+30	-	-	RAMP 1L	9BS-49
58	61+20	-	-	RAMP 1L	9BS-49
59	1258+80	-	-	TH77 SB	9BS-49
60	1256+40	-	-	TH77 SB	9BS-49
29	66+80	-	-	SB C/D	9S-40
30	64+55	-	-	SB C/D	9S-40
31	62+35	-	-	SB C/D	9S-40
32	60+15	-	-	SB C/D	9S-40
33	57+75	-	-	SB C/D	9BS-40
34	55+35	-	-	SB C/D	9BS-40
1	6+40	-	-	LOOP K	9BS-49
2	8+80	-	-	LOOP K	9S-40
42	1240+15	-	-	RAMP 1M	9BS-49
43	1237+75	-	-	TH 77 SB	9BS-49
(3)					
(3)	11+05	-	-	LOOP H	9B-40
(3)	13+45	-	-	LOOP H	9B-40
(3)	15+85	-	-	LOOP H	9B-40
(3)	17+60	-	-	LOOP H	9B-40
(3)	19+60	-	-	LOOP H	9B-40
(3)	64+75	-	-	RAMP 1L	9-40
(3)	60+95	-	-	LOOP L	9B-40
55				No Pole	

FD. PT. T3E

LIGHTING STANDARDS AND BASES

NO.	STATION	LT	RT	LOCATION	TYPE
8	20+60	-	-	LOOP K	9S-40
9	22+40	-	-	LOOP K	9S-40
10	47+90	-	-	SB C/D	9S-40
(3)					
55	65+85	-	-	RAMP 1K	9B-40
57	63+30	-	-	RAMP 1L	9-49
58	61+20	-	-	RAMP 1L	9-49
59	1258+80	-	-	TH77 SB	9-49
60	1256+40	-	-	TH77 SB	9-49
(3)				FOUNDATION INPLACE	


FD. PT. T3E

LIGHTING STANDARDS & BASES


NO.	STATION	LT	RT	LOCATION	TYPE
14	257+10	-	-	RAMP 1Y	9S-40
15	259+50	-	-	RAMP 1Y	9BS-40
16	261+90	-	-	RAMP 1Y	9BS-40
17	264+30	-	-	RAMP 1Y	9BS-40
18	68+35	-	-	RAMP 1K	6D-40
19					
20	70+35	-	-	RAMP 1K	6D-40
21					
22	72+45	-	-	RAMP 1K	6D-40
23					
24	274+70	-	-	RAMP 1Y	9BS-49
25	74+85	-	-	RAMP 1J	9S-40
26	72+90	-	-	RAMP 1J	9S-40
27	70+70	-	-	RAMP 1J	9S-40
28	68+75	-	-	RAMP 1J	9S-40

FD.PTS. T3E,T3C

EXHIBIT 272C  
T.H. 77  
N. OF 81ST ST.  
IN BLOOMINGTON  
N.S.P.




**SHEET TOTAL**  
 52 - 250 WATT HIGH PRESSURE SODIUM LIGHTING UNITS  
 3 - 250 WATT MERCURY VAPOR SIGN LIGHTS



**EXHIBIT 272C**  
**T.H. 77 & KILLEBREW D**  
**IN BLOOMINGTON**  
**N.S.P.**

**FD.PTS. T3A, T3E, T3C**  
 State Proj. No. 2758-51 (T.H. 77), 2785-258 (T.H. 494) Sheet No. 2 of 7 Sh





**SHEET TOTAL**  
 63 - 250 WATT HIGH PRESSURE SODIUM LIGHTING UNITS  
 17 - 250 WATT MERCURY VAPOR SIGN LIGHTS

O.H. 73-77  
 2 - 175 W.M.V.

O.H. 47-77  
 4 - 250

SEE SHEET 27A FOR SOP  
 T03C WIRING DIAGRAM

FD.PTS. T3A, T3E, T3C

EXHIBIT 272C  
 T.H. 77 & 81ST ST.  
 IN BLOOMINGTON  
 N.S.P.